



Contributing to your Research by delivering Superior Products at Wholesale Rates!











OUR PROMISES



TELEPHONE +61 (8) 9456 2800 FREECALL



E-MAIL info@ablescientific.com.au



+61 (8) 9456 3800



ORDER ONLINE www.ablescientific.com.au







Dear Customer,

Your Able Scientific Buyer's Guide is here! It is the Number 1 resource for all Animal Research Facilities!

Since our beginnings in 1985, Able has been dedicated to **making life easy** for all those in the research industry. Our aim is to provide effective solutions which help you meet all-important budget demands without compromising on quality.

The vast and ever-growing array of products in these pages are the result of over 30 years of dedication to supplying researchers with the solutions they need to make their life easy. We are committed to helping you, our customers, find the most suitable products for your particular application, while giving you the best possible value for money, backed up by the friendly personal service of the Able team.

We are a Global time-tested specialist supplier for Laboratory Animal Science.

Let us help you find the solutions you need to make your life easy!

THE TEAM AT ABLE

P5. If you have ongoing needs for particular items we can provide you with excellent bulk package deals. Please call or email one of our dedicated staff!



Freecall: 1800 73 1300 www.ablescientific.com.au



WE WILL INVOICE TO:

COLENTIFIC PRIORITY EXPRESS ORDERING

ORDER FORM FAX +61 (08) 9456 3800

PLEASE PHOTOCOPY FOR FUTURE ORDERS!

WE WILL DELIVER TO:

Client: Signed: Contact: Signed: Address: P/Code: Phone: Fax: Purchase Order Number:	Address:	
My Order: CODE DESCRIPTION DESCRIPTION	QUANTITY UNIT PRICE TOTAL	
FREIGHT & PACKAGING SUBTOTAL In placing this order I agree to Able Scientific's standard terms and conditions (available on request) PAYMENT DETAILS: Bankcard Master Card Visa Credit Card Number: Do our personal customer service?: Poor: Acceptable: Brilliant: Do our products meet your satisfaction?: Yes: No: Are our delivery schedules acceptable?: Yes: Is there any issues you would like to mention?: Expiry Date: / Signature: Any new products you would like to see?:		



contents



Surgical Instruments Probe/Hooks/Retractors Director/Ear Punch Stapler/Stapler Remover/Sugery Kit Animal Lab Equipment Surgical Procedure Accessories Identification Instruments and Trimmers Anaesthesia Equipment Scavenging Systems Acaesthesia Equipment Scavenging Systems Rodent Caging Caging Replacement Parts Falters Service Trays Care Holders Service Trays Care Holders Service Trays Care Holders Service Trays Care Holders Modular Caging Modular Caging Modular Racks Shippers IATA Approved Transport Shippers Approved Transport Shippers NECTA Water Gel Surgery Equipment Accessories Surgery Equipment Accessories Surgery Equipment Accessories Surgery Equipment Accessories Trays Cage Wash and Disinfectant Detergents Accessories Surgery Equipment Accessories Surgery Equipment Accessories Detergent Surgery Equipment Accessories Surgery Equipment Accessories Detergent Surgery Equipment Accessories Detergent Surgery Equipment Accessories Detergent Surgery Equipment Accessories Detergent Surgery Equipment Accessories Surgery Equipment Accessories Detergent Surgery Equipment Accessories Surgery Equipment A	Specialist Feeding Nee	edle's		
Probe/Hooks/Retractors Director/Ear Punch Stapler/Stapler Remover/Sugery Kit Animal Lab Equipment Surgical Procedure Accessories Identification Instruments and Trimmers Anaesthesia Equipment Scavenging Systems Anaesthesia Equipment Scavenging Systems Anaesthesia Masks/Parts/Accessories Rodent Caging Caging Racks Service Trays Card Holders Service Trays Wire False Floor Accessories BATIA Approved Transport Shippers Aspen Chew Sticks/Bricks Huts/sijcos/Fastracks Surgery Equipment Accessories Surgery Iables Surgery Equipment Accessories Surgery Equipment Accessories Surgery Iables Surgery Iables				1 -
Director/Ear Punch Stapler/Stapler Remover/Sugery Kit Animal Lab Equipment Surgical Procedure Accessories Anistrational Instruments and Trimmers Anesthesia Equipment Scavenging Systems Anaesthesia Masks/Parts/Accessories Regulator/Sterotaxy Surgical Monitoring Equipment Ventilator Equipment Ventilator Equipment Ventilator Equipment Surgical Platform/Absorbent Pads Syringe and Pumps Replacement Parts Filters Cage System Cage System Service Trays Cage System Service Trays Cage System Modular Caging Modular Racks Shippers IATA Approved Transport Shippers Appen Chew Sticks/Bricks Huts/Rijoos/Fastracks Tunnels Surgery Equipment Accessories Surgery Equipment Accessories Accessories Surgery Equipment Accessories Accesso	Surgical Instruments			
Stapler/Stapler Remover/Sugery Kit Hair Člippers Animal Lab Equipment Surgical Procedure Accessories Identification Instruments and Trimmers Anaesthesia Equipment Scaverging Systems Anaesthesia Equipment Scaverging Systems Anaesthesia Masks/Parts/Accessories Surgical Platform/Absorbent Pads Surg	Probe/Hooks/Retractors	Suture		
Stapler/Stapler Remover/Sugery Kit Animal Lab Equipment Surgical Procedure Accessories Surgical Procedure Accessories Anaesthesia Equipment Scavenging Systems Anaesthesia Masks/Parts/Accessories Regulator/Sterotaxy Surgical Monitoring Equipment Ventilator Equipment Accessories Syringe and Pumps Syringe and Pumps Barriers/Alarm System/Stickers Euthanasia Cabinet Euthanasia Cabinet Surgery Equipment Ventilator Equipment Accessories Syringe Animal and Primate Toys Teller/Feed/Bedding Bins/Transport Accessories Surgery Equipment Accessories Detergent 8 Surgery Equipment Accessories Surgery Tables	Director/Ear Punch	Syringe/Table and Harness/Matrices		3 -
Surgical Procedure Accessories (Identification Instruments and Trimmers Anaesthesia Equipment Soavenging Systems Surgical Monitoring Equipment Ventilator Equipment Soavenging Systems Surgical Platform/Absorbent Pads Syringe and Pumps Syringers Anaesthesia Equipment Surgical Platform/Absorbent Pads Syringe and Pumps Syringers Anaesthesia Masks/Parts/Accessories Syringe and Pumps Barriers/Alarm System/Stickers Rodent Caging Replacement Parts Fillers Service Trays Cage System Bottles and Caps Accessories Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Modular Caging Modular Caging Modular Racks Shippers IATA Approved Transport Shippers ShipSafe Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Turnels Surgery Equipment Accessories Detergent Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Detergent Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport 8 Surgery Equipment Accessories Surgery Equipment Accessories Surgery Tables Trolley/Faed/Bedding Bins/Transport 8 Surgery Equipment Accessories Surgery Tables Trolley/Faed/Bedding Bins/Transport 8 Surgery Equipment Accessories Surgery Tables Trolley/Faed/Bedding Bins/Transport	Stapler/Stapler Remover/Sugery Kit	Hair Clippers		
Surgical Procedure Accessories (Identification Instruments and Trimmers Anaesthesia Equipment Soavenging Systems Surgical Monitoring Equipment Ventilator Equipment Soavenging Systems Surgical Platform/Absorbent Pads Syringe and Pumps Syringers Anaesthesia Equipment Surgical Platform/Absorbent Pads Syringe and Pumps Syringers Anaesthesia Masks/Parts/Accessories Syringe and Pumps Barriers/Alarm System/Stickers Rodent Caging Replacement Parts Fillers Service Trays Cage System Bottles and Caps Accessories Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Modular Caging Modular Caging Modular Racks Shippers IATA Approved Transport Shippers ShipSafe Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Turnels Surgery Equipment Accessories Detergent Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Detergent Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport 8 Surgery Equipment Accessories Surgery Equipment Accessories Surgery Tables Trolley/Faed/Bedding Bins/Transport 8 Surgery Equipment Accessories Surgery Tables Trolley/Faed/Bedding Bins/Transport 8 Surgery Equipment Accessories Surgery Tables Trolley/Faed/Bedding Bins/Transport	Animal Lab Equipment			
Anaesthesia Equipment Scavenging Systems Anaesthesia Masks/Parts/Accessories Rodent Caging Caging Caging Caging Carl Holders Card Holders Wire False Floor Modular Caging	Surgical Procedure Accessories	Regulator/Sterotaxy		
Scavenging Systems Anaesthesia Masks/Parts/Accessories Syringe and Pumps Sarriers/Alarm System/Stickers PRODUCTION Parts Anaesthesia Masks/Parts/Accessories Syringe and Pumps Sarriers/Alarm System/Stickers Barriers/Alarm System/Stickers Floor Pens Laboratory Racks Cage Lifts Cage Lifts Sage Lifts Sage Lifts Shipsers Shipsers Modular Caging Modular Caging Modular Racks Shippers Mary Approved Transport Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Funnels Surgery Equipment Accessories Surgery Equipment Accessories Detergent Descaler Cage Wash and Disinfectant Detergents Accessories Detergent Surgery Equipment Accessories Acces				
Anaesthesia Masks/Parts/Accessories Rodent Caging Replacement Parts Filters Rights Rights Rights Replacement Parts Filters Filters Cage System Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Andular Caging Andular Racks Shippers ATA Approved Transport Shippers ATA Approved Transport Shippers NECTA Water Gel Environmental Enrichment Repen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Surgery Equipment Accessories Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Lage Wash Fluid Surgery Equipment Accessories A				
Caging Replacement Parts Filters Laboratory Racks Service Trays Card Holders Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Modular Caging Modular Racks Shippers ATA Approved Transport Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Hubber and Plastic Chew Toys Huts/Igloos/Fastracks Surgery Equipment Accessories Surgery Equipment Accessories Detergent Surgery Equipment Accessories Detergent Surgery Equipment Accessories Surgery Equipment Accessories Surgery Equipment Accessories Accessori				14
Caging Replacement Parts Floor Pens Laboratory Racks Filters Cage System Cage System Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Modular Caging Modular Racks Shippers ATA Approved Transport Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Lunnels Surgery Equipment Accessories Surgery Equipment Detergents Acid Cleaner Detergent Descaler Dage Wash Fluid Surgery Equipment Accessories Detergent Descaler Dage Wash Fluid 8	Rodent Caging			
Racks Filters Cage System Cage Lifts Service Trays Cage System Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Modular Caging Modular Racks Shippers ATA Approved Transport Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Funnels Surgery Equipment Accessories Surgery Equipment Accessories Burgery Racks Cage Lifts 50 Cage Lifts 51 52 54 55 55 56 66 67 68 68 68 68 68 68 68 6		Replacement Parts	Floor Pens	
Schriger Trays Card Holders Card Holders Card Holders Bottles and Caps Accessories Fast-Tack Mouse Breeder Systems Modular Caging Modular Racks Shippers ATA Approved Transport Shippers DikShip Shippers ATA Approved Transport Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Unnels Surgery Equipment Accessories Surgery Equipment Cage Wash and Disinfectant Detergents Cage Wash Fluid Surgery Equipment Cage Wash Fluid				38 -
Fast-Tack Mouse Breeder Systems Modular Caging Modular Racks Shippers ATA Approved Transport Shippers ShipSafe Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Funnels Surgery Equipment Accessories Surgery Tables Frolley/Feed/Bedding Bins/Transport Cage Wash and Disinfectant Detergents Accessories Cage Wash Fluid Surgery Equipment Accessories Cage Wash Fluid				
Fast-Tack Mouse Breeder Systems Modular Caging Modular Racks Shippers ATA Approved Transport Shippers DikShip Shippers ATA Approved Transport Shippers NECTA Water Gel Environmental Enrichment Aspen Chew Sticks/Bricks Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys Tunnels Rucessories Burgery Equipment Accessories Burgery Edding Bins/Transport Cage Wash and Disinfectant Detergents Detergent Descaler Cage Wash Fluid Surgery Equipment Cage Wash Fluid		· · · · · · · · · · · · · · · · · · ·		
Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Tunnels Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables Detergent 8 Surgery Equipment Accessories Surgery Tables Surgery Equipment Accessories Surgery Tables				
Huts/Igloos/Fastracks Tunnels Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Equipment Accessories Surgery Tables	IATA Approved Transport Shippers			58
Huts/Igloos/Fastracks Tunnels Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Equipment Accessories Surgery Tables	IATA Approved Transport Shippers QikShip Shippers	NECTA Water Gel		58
Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	ATA Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks	NECTA Water Gel nent Rubber and Plastic Chew Toys		
Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	IATA Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks	NECTA Water Gel nent Rubber and Plastic Chew Toys		
Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	ATA Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Tunnels	NECTA Water Gel nent Rubber and Plastic Chew Toys		
Cage Wash and Disinfectant Detergents Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	ATA Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Funnels Surgery Equipment Accessories	NECTA Water Gel nent Rubber and Plastic Chew Toys		64
Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	ATA Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Funnels Surgery Equipment Accessories Surgery Tables	NECTA Water Gel nent Rubber and Plastic Chew Toys		64
Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	Accessories Surgery Equipment Accessories Surgery Tables Approved Transport Shippers Surgery Equipment Accessories Surgery Tables	NECTA Water Gel nent Rubber and Plastic Chew Toys		64
Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables	Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Tunnels Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport	NECTA Water Gel nent Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys		64
Surgery Equipment Accessories Surgery Tables	Environmental Enrichm Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Tunnels Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfo	nent Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys ectant Detergents		73
Accessories Surgery Tables	Accessories Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinforms Actic Cleaner Descaler	nent Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys ectant Detergents		73
Surgery Tables	Accessories Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinform Aspen Cleaner Descaler Cage Wash Fluid	nent Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys ectant Detergents		58 - 64 - 73 -
	Accessories Surgery Equipment Accessories Surgley/Feed/Bedding Bins/Transport Cage Wash and Disinfo Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash Fluid Surgery Equipment Acid Cleaner Descaler Cage Wash Fluid	nent Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys ectant Detergents		73 · 81 ·
Trolley/Feed/Bedding Bins/Transport	ATA Approved Transport Shippers QikShip Shippers Environmental Enrichn Aspen Chew Sticks/Bricks Huts/Igloos/Fastracks Tunnels Surgery Equipment Accessories Surgery Tables Trolley/Feed/Bedding Bins/Transport Cage Wash and Disinfo Acid Cleaner Descaler Cage Wash Fluid Surgery Equipment Accessories Surgery Tables Cage Wash Fluid	nent Rubber and Plastic Chew Toys Steel/Large Animal and Primate Toys ectant Detergents		73





specialist feeding needle gavaging needles



Do Hooble C/Ot	aal Cayaaina Naad	loo —		
	eel Gavaging Need		Cauga and Langtha	Ball Diameter
Code		Shape	Gauge and Lengths mm	mm
ASGN7900	St	raight	24G – 25	1 1/4
ASGN7901*			22G – 25	
ASGN7920*			22G – 38	
SMALL LABORAT	TORY ANIMALS			
ASGN7921*	St	raight	20G – 25	2 1/4
ASGN7902*			20G – 38	
ASGN7903*			20G – 76	
ASGN7922*			18G – 25	
ASGN7904*			18G – 38	
ASGN7905*			18G – 51	
ASGN7906*			18G – 76	
ASGN7907*			18G – 76	3
ASGN7923*			16G – 51	
ASGN7908*			16G – 76	
ASGN7909*			14G – 76	4
ASGN7924*			13G – 76	
SMALL LABORAT	TORY ANIMALS			
ASGN7910*	Cı	urved	20G – 38	21/4
ASGN7911*			20G – 76	
ASGN7912*			18G – 38	
ASGN7913			18G – 51	
ASGN7914*			18G – 76	
ASGN7915			16G – 51	3
ASGN7916*			16G – 76	
ASGN7946			16G – 102	
ASGN7917			14G – 76	4
ASGN7918	Be	ent	18G – 51	3
PRIMATES (UP T	O 4.5KGS) AND LARG	E LABORA	TORY ANIMALS	
ASGN7919	Cı	urved	12G – 89	61/4
MALLEABLE NEE	DLES			
ASGN7944	M	alleable	20G – 38	21/4
ASGN7945			18G – 38	
ASGN7947			18G – 76	
ASGN7948			16G – 76	3
Disposable S/S	teel Tube / Plastic I	lub Needle	es	
Code	Shape		Gauge and Lengths	Style
ACCN10004+	0		mm	Flowible Tie
ASGN9921*	Straigh	l	20G – 38	Flexible Tip
ASGN9918*			18G – 51	
ASGN9915*			16G – 76	
	rile Flexible Teflon I			
Code	Shape	Gauge and L mm	engths Style	Pack Qty
ASGN9920*	Straight Flexible	20G – 3	88 Straight PTFE	5/pouch 100/box
ASGN9928B*	Straight Flexible	18G – 3	-	5/pouch 100/box
				_, , , , , , , , , , , , , , , , , , ,

18G - 51

18G - 76

17G – 51

17G – 84

15G - 79

15G - 99

Bite Protected

Bite Protected

Bite Protected

Bite Protected

Bite Protected

Bite Protected

5/pouch 100/box

5/pouch 100/box

5/pouch 100/box

5/pouch 100/box

5/pouch 100/box

5/pouch 100/box

*Indicates standard stock items.



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

Re-Usable Stainless Steel Animal Feeding Needles

Our animal feeding needles are designed to meet the needs of pharmacologists, toxicologists, pathologists and other biomedical researchers working with laboratory animals. Precision assembly of stainless steel balls and grade 304 stainless steel tubing ensures a quality needle, suited for feeding and dosing without injury to sensitive tissues. The standard sizes in the five styles are the most popular in use by Pharmaceutical Laboratories, Universities, Hospitals, Government and Research Facilities, for the broadest range of animal intubation needs. Medical and scientific researchers recommend these quality animal feeding needles for Intra cardiac perfusion procedures. The unique ball design of the needle tip allows all operations to be completed with minimal risk of puncture to vital organs.

Plastic Feeding Needles for Rodents (disposable)

Teflon and Flexible Plastic (PTFE) Needles were developed to satisfy the demands of those researchers who require a low cost single use needle for critical applications.


PTFE and Teflon feeding tubes for rodent oral gavage are flexible to reduce the risk of trauma and disposable to eliminate the cost of cleaning and the chance of compound crossover. Flexible tubes are often recommended as an animal welfare refinement over rigid metal tubes.




The feeding tubes use medical grade Teflon or PFTE material to minimize the risk of interactions with test compounds. The soft silicon tip is designed to prevent inadvertent placement in the trachea and reduce the risk of perforation. The feeding tubes are available in a variety of diameters and lengths for use in rodents ranging in size from mouse pups to rats to hamsters, guinea pigs and rabbits.

Proper restraint and dosing technique are critical, and the technique can vary between flexible and rigid tubes. Inquire for more detail or assistance with size selections.

General Guide to Gavage Needle Size Selection





Wire Retractors

Code **ASE17000-03**

Description Everyday ONXY Maximum spread 1.5cm wire retractors

Length (cm) 3

Code **ASE17000-04**

Description Everyday ONXY Maximum spread 1.5cm wire retractors

Length (cm) 4



Code **AS17008-07**

Description ALM self-retracting ONYX Premium Retractors,

German S/S 4 Prong Blunt, Gently Curved Arms

Size (cm)

Code **AS19621-10**

Description ALM self-retracting ONYX Premium Retractors,

German S/S 4 Prong Blunt, Gently Curved Arms

Size (cm) 1

Retractor (trach.) Blunt

Code **ASE19214-13**

Description Everyday ONYX 4 prongs Blunt Retractor

Size (cm) 13.5

Premium Hook

Code **AS19214-13**

Description Premium ONYX Hooklet (dura) pointed, Frazier/Tyrell

Size (cm) 13 Tips (mm) Straight

Premium Double Ended Fine Probe

Code **AS10058**

Description Premium ONYX Double Ended Fine Probe - Fine 1mm Tip

Length (cm) 14

PREMIUN

EVERYDAY

EVERYDAY

PREMIUM

PREMIUM

ERYDA

≅

PREMIUM



director and ear punch



Grooved Director

EMIUN

AS2111-13

Description Premium ONYX Grooved Director

Length (cm) 13



Premium ONYX Thumb Punch

Code

Code

AS00076

Description

Premium ONYX Ear notcher with unique 'easy-clip' thumb

lever. Individually Sharpened, Checked and Warranted.

Length (cm)

Tip

2mm hole



PREMIUM

PREMIUM

Code AS6000EPS

Description

S/S DNA Ear Punch with 50 Eppendorf Caps - Great for

Capturing your Punch Sample Untouched. Very Sharp.

S/S Thumb Punch

PREMIUM

Code **AS500075**

Description S/S Thumb Ear

S/S Thumb Ear Punch. Individually sharpened, checked

and warranted.

S/S Long Arm Ear Punch

PREMIUM

Code AS6100EP

Description S/S Long Arm Ear Punch - High Quality and Simple to Use.

High Quality Plier Punch

PREMIUM

Code ASAT7000

Description High Quality Plier Ear Punch. Extremely Handy and Powerful

Punch Mechanism. Very Sharp.

S/S Scissors Punch

PREMIUM

Code **AS500077**

Description S/S Scissors Ear Punch - Reliable, Durable and Exceptionally

Manoeuvrable with thin tips.





Freecall: 1800 73 1300

stapler/stapler remover/physiology kit

ONYX Sterile Disposable Skin Stapler - s/s



ADSS35-SS

Description

- The stapler's handle is designed to comfortably fit any surgeon's hand
- The angled head offers a clear view for precise stapling of tissues with ease
- Material: 316L stainless steel staple
- 35 staples per unit
- Sterilised with Ethylene Oxide with 3 year shelf life
- Product packed individually in DUPONT TYVEK paper bags
- Packing 30pcs/carton (10pcs/box- 30boxes/carton)



Sterile Disposable Staple Remover

Code Description

ASDSR1

- Able to remove all types of staples
- Sterilised with Ethylene Oxide with 3 years shelf life
- Product packed individually in DUPONT TYVEK paper bags
- Packing 300pcs/carton (10pcs/box-30boxes/carton)



ONYX Instrument Case

Code

ASOLKC

Description

10 Instrument positions with elastic hold points, felt lining, zipper and centre protection divider.



ONYX Everyday Mouse Kit

Code Description

ASMOUSEKIT

- Dumont Tweezer #5 -11cm long 0.1 x 0.06mm tips (ASE11405-05)
- Vannas Scissors 8cm long 5mm straight blade (ASE14003)
- Iris Forceps, serrated 10cm long curved 0.8mm tips (AS11151-10)
- Dissecting Scissors, straight 10cm (ASE09340-10)
- Wire Retractor 4cm long 10 x 5mm blades max spread 15mm (ASE17000-04)
- Needle Holder 12.5cm long straight serrated jaws extra delicate (ASE13221-12)
- Blunt Probe 1.0 mm diameter, blunt 14cm long (AS10058)



ONYX Everyday Rat Kit

ASRATKIT Description

- Dumont Tweezer #5 -11cm long 0.1 x 0.06mm tips (ASE11405-05)
- Vannas Scissors 8cm long straight 5mm blades (ASE14003)
- Iris Fine Serrated Forceps, serrated 10cm long curved 0.8mm tips (AS11151-10)
- Iris Dissecting Scissors, straight 10cm (ASE09340-10)
- Alm Self-retaining Retractor 7cm long 4 x 4 prongs (AS17008-07)
- Needle Holder 14cm long-straight serrated jaws (ASE13220-14)
- Blunt Probe 1.0 mm diameter, blunt 14cm long (AS10058)

ONYX Everyday Physiology Kit I

Code Description

APHYSIO-I

• Tenotomy Scissors - 10cm Straight (AS14064-10)

- Blumenthal Rongeur 3mm jaw 15cm long (ASE14091-15)
- Utility Scissors 15cm
- Operating Scissors straight Sharp/Blunt 14cm (ASE09350-14)
- Dumont Tweezer #5 11cm long 0.1 x 0.06mm tips (ASE11405-05)
- Flat Jaw Tweezers 11cm long (AS11075-02)
- Blunt Probe 1.0 mm diameter, blunt 14cm (AS10058)



ERY

≧





wound clips



REMIUM

Wound Clips for Mice and Rats - 7mm

Code

AS59036

Description

7mm Reflex Wound Applicator

Code

AS59037

Description

7mm Reflex Wound Clip Remover

100

AVAILABLE AS A KIT

PREMIUM

Code Description AS59035

7mm Wound Clips

100

MICM

Code Description

Box

AS59034

on 7mm Wound Clips

1000

Wound Clips for Mice and Rats - 9mm

PREMIUM

Code AS59026
Description 9mm Wour

9mm Wound Clip Applicator

PREMIUM

Code Description AS59037

9mm Wound Clip Remover

KEMIUM

Code
Description
Pack

AS59028

9mm Wound Clips

100

REMIUM

Code Description

Description 9mm Wound Clips

AS59027

1000

AVAILABLE AS A KIT



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

Nylon Monofilament

Nylon Monofilament is made up of black and clear monofilaments that are smooth and nonporous. This material has excellent tensile strength and provides ease of passage through tissue while at the same time reducing trauma to surrounding tissue, preventing tissue in growth.

Silk Black Braided

Silk Black Braided suture has optimum handling characteristics and knot security without excess capillarity.

Gut Plain-Absorbable

Gut Plain is manufactured from the highest quality raw material to ensure ease of handling, dependable absorption, and high tensile strength.

Gut Plain absorbs within 70 days.

Gut Chromic-Absorbable

Gut Chromic is Gut Plain with Chromium Salt added to allow for greater absorption time.

Gut Chromic absorbs within 90 days.





Suture

Code Description Cord L (mm)	AS3031 5-0 Silk Black Braided Suture Spool, Non-Absorbable, 100 yds
Code Description Cord L (mm)	AS3032 4-0 Silk Black Braided Suture Spool, Non-Absorbable, 100 yds
Code Description Cord L (mm) Box	AS380566 4-0 Gut Chromic-Absorbable with C-13 Needle 75 12 Individually packed
Code Description Cord L (mm) Box	AS380570 4-0 Gut Chromic-Absorbable with C-12 Needle 75 12 Individually packed
Code Description Cord L (mm) Box	AS390556 3-0 Gut Chromic-Absorbable with C-13 Needle 75 12 Individually packed
Code Description Cord L (mm) Box	AS371074 3-0 Silk Black Braided Non-Absorbable with C-13 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS371076 3-0 Silk Black Braided Non-Absorbable with C-14 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS391073 4-0 Silk Black Braided Non-Absorbable with C-1 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS391074 4-0 Silk Black Braided Non-Absorbable with C-13 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS391076 4-0 Silk Black Braided Non-Absorbable with C-14 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS381073 5-0 Silk Black Braided Non-Absorbable with C-1 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS381074 5-0 Silk Black Braided Non-Absorbable with C-13 Needle 75 24 Individually packed
Code Description Cord L (mm) Box	AS381235 6-0 Silk Black Braided Non-Absorbable with C-1 Needle 75 24 Individually packed

syringe / table and harness / matrices



1200 Syringe Pump

Code

PREMIUM

ASCSP-1000

Description

- Program up to 99 different steps for variable rates and pauses in a single infusion
- Nonvolatile memory stores all information from a past infusion, including the steps.
- Press the pause/resume key to pause or restart any time during an infusion.
- Rates anywhere from micro-liters per hour to milliliters per minute.



Infusion Table


Code

ASCIT-1000

Description

- 4 folding legs for optional angled display and compact storage
- Silicone tubing and perforated table top allow for easy customization
- Cage washable cage permits convenient cleaning

40 x 40cm square table top Height with legs open, 16.5cm



PREMIUM

Rat Infusion Tether With Harness

Code

ASCRIT-1000

Description

Rat infusion tether and harness to suit infusion table above



PREMIUM

PREMIUM

Acrylic 1mm Heart Matrix

Code

ASCAM-1100

Description

- Highest Quality
- Easy cleaning
- Multiple uses
- Easy handling
- · Highly accurate sectioning
- Trigrily accurate section
- ng

Superfine slices



Acrylic 1mm Brain Coronal 40-75gm

Code

ASCAM-1175-1

Description

- Highest Quality
- Easy cleaning
- Multiple uses
- Easy handling
- Highly accurate sectioning
- · Superfine slices



PREMIUM





Acrylic 1mm Mouse Sagittal 40-75gm

Code

ASCAM-1275-1

Description

- · Highest Quality
- · Easy cleaning
- Multiple uses
- Easy handling

· Easy cleaning

- Highly accurate sectioning
- · Superfine slices

PREMIUM



Code

Tip

ASCAM-1160-1

Description

- Highest Quality
- Multiple uses
- Easy handling

- Length (cm)
- · Highly accurate sectioning
- Superfine slices

PREMIUM



Code

ASCAM-1130-1

Description

- Highest Quality
- Easy cleaningEasy handling
- Multiple uses
- Highly accurate sectioning
- Superfine slices

PREMIUM



Code

ASCAM-1230-1

Description

- Highest Quality
- Easy cleaning
- Multiple uses
- · Easy handling
- Highly accurate sectioning
- Superfine slices

PREMIUM



Acrylic 1mm Rat Sagital 300-600gm

Code

ASCAM-1260-1

Description

- Highest Quality
- Easy cleaning
- Multiple uses
- Easy handling
- Highly accurate sectioning
- Superfine slices

PREMI

matrices



Matrix Blades 25 Pack

ASCMB-1150 Code

PREMIUM

PREMIUM

PREMIUM



S/S 0.5 mm Large Tumor Coronal

Code

ASCSM-4150

Description

- · Highest Quality
- Multiple uses
- · Easy cleaning
- · Easy handling
- · Highly accurate sectioning
- Superfine slices



S/S 0.5 mm Mouse Brain Coronal 40-75 Gm

Code

ASCSM-2165-1

Description

- Highest Quality
- Easy cleaning
- Multiple uses
- Easy handling
- · Highly accurate sectioning
- Superfine slices



S/S 0.5 mm Mouse Brain Sagittal 40-75 Gm

Code

ASCSM-2265-1

Description

- Highest Quality
- Multiple uses
- Easy cleaning · Easy handling
- · Highly accurate sectioning
- · Superfine slices



S/S 0.5 mm Mouse Heart Coronal

Code

ASCSM-4140

Description

- Highest Quality
- · Easy cleaning Easy handling
- Multiple uses · Highly accurate sectioning
- · Superfine slices



PREMIUM

PREMIUM



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300

















S/S 0.5 mm Mouse Spinal Cord Coronal

Code

ASCSM-4180

Description

- · Highest Quality
- Multiple uses
- · Highly accurate sectioning
- · Superfine slices

S/S 0.5 mm Rat Spinal Cord Coronal

Description

ASCSM-4190

- Highest Quality
- Multiple uses
- · Highly accurate sectioning
- Easy cleaning
- · Easy handling

· Easy cleaning

· Easy handling

• Superfine slices

S/S 0.5 mm Rat Brain Coronal 175-300gm

Code

ASCSM-2120-1

- Description
- Highest Quality
 - Multiple uses
 - · Highly accurate sectioning
 - Superfine slices
- Easy cleaning
- Easy handling

S/S 0.5 mm Rat Brain Coronal 300-600gm

Code Description

ASCSM-2150-1

- · Highest Quality
- Multiple uses
- · Highly accurate sectioning
- · Easy cleaning
- · Easy handling
- · Superfine slices

S/S 0.5 mm Rat Brain Sagittal 175-300gm

Code

Description

ASCSM-2220-1

- Highest Quality
- Multiple uses
- · Easy cleaning Easy handling
- · Highly accurate sectioning
- · Superfine slices

S/S 0.5 mm Rat Brain Sagittal 300-600 Gm

Code

ASCSM-2250-1

- Description
- · Highest Quality
- Multiple uses
- · Easy cleaning · Easy handling
- · Highly accurate sectioning
- · Superfine slices

PREMIUM

PREMIUM

matrices



S/S 1mm Rat Sagittal 300-600gm

Code

PREMIUM

PREMIUM

PREMIUM

PREMIUM

Description

ASCSM-2260-1

- · Highest Quality
- · Easy cleaning
- Multiple uses
- · Easy handling
- · Highly accurate sectioning
- · Superfine slices



S/S 0.5 mm Rat Heart Coronal

Code

ASCSM-4120

- Description
- · Highest Quality
- Multiple uses
- Easy cleaning Easy handling
- · Highly accurate sectioning
- Superfine slices



S/S 0.5 mm Small Tumor Coronal

Code

Description

ASCSM-4160

- Highest Quality
- Multiple uses
- · Easy handling

Easy cleaning

- · Highly accurate sectioning
- Superfine slices



S/S 1 mm Mouse Spinal Cord Coronal & Sagittal

Code

ASCSM-4170

- Description
- Highest Quality
- · Easy cleaning
- Multiple uses
- Easy handling
- · Highly accurate sectioning
- Superfine slices



S/S 1 mm Mouse Coronal 40-75gm

Description

ASCSM-2175-1

- Highest Quality
- · Easy cleaning · Easy handling
- · Multiple uses
- · Highly accurate sectioning
- Superfine slices



PREMIUM

S/S 1mm Mouse Sagittal 40-75gm

Code

ASCSM-2275-1

Description

- Highest Quality
- · Easy cleaning
- Multiple uses
- · Easy handling
- · Highly accurate sectioning
- Superfine slices

S/S 1mm Rat Coronal 175-300gm

Code Description

ASCSM-2130-1

- · Highest Quality
- · Easy cleaning
- Multiple uses
- · Easy handling
- · Highly accurate sectioning
- · Superfine slices


S/S 1mm Rat Sagittal 175-300gm

Code

ASCSM-2230-1

- Highest Quality Description
- · Easy cleaning
- Multiple uses
- · Easy handling
- · Highly accurate sectioning
- · Superfine slices

PREMIUM



S/S 1mm Rat Coronal 300-600gm

Code

ASCSM-2160-1

Description

- Highest Quality
- Easy cleaning
- · Multiple uses
- · Easy handling
- · Highly accurate sectioning
- · Superfine slices

S/S 1mm Rat Heart Matrix

Code

ASCSM-2100

Description

- Highest Quality
- · Easy cleaning
- Multiple uses
- Easy handling
- Highly accurate sectioning
- · Superfine slices

surgical procedure accessories



PDMC Digital Microscope/Camera

Includes: Mounting Bracket (DMCB), **ASPDMC** DinoCapture software, USB 2.0 extension

- Resolution: 640x480 pixels
- Interface: USB 2.0
- Magnification: 10~200X Continuous
- Sensor: 1/4" Colour CMOS ■ Video frame Rate: up to 30 frame-per/sec.
- Illumination: built-in 8 white LEDs
- CD Content: DinoCapture application software, User's manual
- Compatible Windows 2000/XP, Vista and most MAC OS
- The USB connection eliminates the need for interface cards or expensive software
- The software for the collection and processing of photos is included
- Software is easy and convenient to load and use
- Automatic or manual colour balance and
- Automatic or manual brightness control

REQUIREMENTS

- Intel Pentium III 1GHz processor CD-ROM drive or faster
- Windows 2000/XP, Vista
- 256 MB RAM
- 16-bit colour display monitor or higher
- Available Hi-speed USB 2.0 Port



Surgery Platform

Description Code Length ASASS7 Surgery Platform 230 x 345 ASSSPCK Standard Surgery Platform/Camera Kit

Includes: Standard Surgery Platform, Digital Microscope/Camera, Mounting Bracket (DMCB), DinoCapture Software, USB 2.0 Extension.

Can be used for surgery, micro manipulations, general micro-utilit platform (i.e. organ inspections, dissections, etc).

■ Two Flexible LED lights - provides direct illumination with no shadows and no heat

■ Flex arm. non-obstructive rimless magnifying glass (main lens: 2.3 X. inset lens: 4.0 X).(Allows continuous eve contact with object when moving into magnification area).

■ Limb restraints, Non-skid feet for added stability.

■ Universal power supply (100 - 240 VAC, 50-60 Hz)



Thermo Controlled Surgery Platform

Length mm (W x L) Code Description ASASS7T Thermal controlled surgery platform 230 x 345 **ASSSPCKT** Surgery Platform/Camera Kit Includes: Surgery Platform with gel-pads, Digital Microscope/ Camera, Mounting Bracket (DMCB), DinoCapture Software, USB 2.0 Extension, Gel Pad Reactivation Unit.

- Two Flexible LED lights provides direct illumination with no shadows and no heat.
- Flex arm, non-obstructive rimless magnifying glass (main lens: 2.3 X, inset lens: 4.0 X). (Allows continuous eye contact with object when moving into magnification area)
- 4 Space Gels for continuous heat, 2 Space Blankets to retain heat.
- Thermo Reflector & Turbo Heat Sink to maximize heat transfer.
- Limb restraints, Non-skid feet for added stability.
- Universal power supply (100 240 VAC, 50-60 Hz).



- will not over heat animal ■ will not burn animal
- no electricity used
- no bulky water bath
- no water bed effect

Camera Bracket - Mounting Kit

Code Description

ASDMCB Bracket for Microscope/Camera (ASDMCB) Kit



www.ablescientific.com.au

Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300



identification instruments



Rodent Ear Tags

Code	Description
ASNMET1005-1-M	Small Monel Ear Tag Size 1. Nickel, Copper Alloy 8mm Long When Applied
ASNMET1005-3-M	Medium Monel Ear Tag Size 3. Nickel, Copper Alloy 15mm Long When Applied
ASETA-SM1	Ear Tag Applicator For Monel Size 1
ASETA-SM3	Ear Tag Applicator For Monel Size 3

Wing Band Identification

			,
AS893JIFFY	Jiffy Wing Band Indentification.	AS893APPLIC	Wing Band Application Tool. Ideal for
	Brass, Stamped. 1-100/1-500/1-1000		Poultry, Rodents and Rabbits





Tattoo Identification

Code	Description	Qty.
ASARAMIS	Tattoo Marking Kit. with ink and needle (As Shown)	1
ASATP1-I	Replacement Tattoo Ink Paste 1oz	1
ASATP5-I	Replacement Tattoo Ink Paste 5oz	1



Rodent Restrainers

2000	Description:		
AS561-RC	Rodent Injection Cone with sucti	ion caps	
BROOME STYLE F	ODENT RESTRAINER	FLAT BOTTOM RO	DENT RESTRAINER
AS551-BSRR	15-30gr Rodent	AS541-RR	15-30gr Rodent
AS552-BSRR	30-125gr Rodent	AS542-RR	30-125gr Rodent
AS553-BSRR	125-250gr Rodent	AS543-RR	125-250gr Rodent
AS554-BSRR	250-500gr Rodent	AS544-RR	250-500gr Rodent
AS555-BSRR	500-750gr Rodent		

Add suction caps - Helps to prevent retainer movement on work surface

Rabbit Restrainers

Code	Description	Dimensions cm	Weight kg
AS503-XL	Acrylic	15 x 56 x 17 (H)	4 to 7
AS502-AR	Acrylic	15 x 45 x 15 (H)	up to 4
AS501-TC	Acrylic	15 x 61 x 13 (H)	up to 7.5





Ashpat Wall Plug Thermostat

	•	
ASSHPAT	Wall plug thermostat to suit any heat pad. Controllable from 0 - 40°c	1

Body-Contour Shape Restrainer Cones - Disposable

Code	Size	Animal Weight (g) Up To	Colour	Pack
AS1801RV	Small	120	Rose/Red	50
AS1802RV	Medium	225	Rose/Red	50
AS1803RV	Large	450	Rose/Red	50





anaesthesia equipment



STARTER ANAESTHETIC KIT - COMPLETE

AS070

An anaesthesia system designed specifically to provide a low cost alternative to the established range of quality equipment on offer.

All of the features but with no compromises, this systems provide a simple, yet effective method of delivering gaseous anaesthesia for your surgical facility.

All supplied in a specifically designed package for easy shipping and storage.

FEATURES INCLUDE

- * All stainless steel construction
- * Proven and reliable Tec III Style Vaporiser
- * Tapered Flowmeters for accurate control over a range of species

BASIC SYSTEM INCLUDES

- * Stainless Steel Support Stand
- * Isoflurane TEC III proven and reliable Key Fill Vaporiser
- * Key Fill Applicator
- * O2 Regulator to fit Size F Cylinders
- * High Pressure Anti-Static O2 Tubing
- * O2 Tapered Flowmeter for accurate control
- * All connections and fittings to standard ISO 23mm Outlet

OPTIONS

- 1. Add, Oxygen Flush Control
- 2. Upgrade to Small Animal System:
 - All as per Starter System
 - Large Rodent Induction Chamber Red Perspex
 - 1 3 Way Valves, supply tubing, scavenging tubing and 22mm tapered connectors
 - Size 1 Single Mask c/w connecting Tubing

HIGHER GRADE CUSTOMISED DESIGNS AVAILABLE. PLEASE REQUEST.

Compact Anaesthesia Systems

A complete integrated anaesthesia systems, designed specifically for the animal technology market, in a single 'off the shelf' package

- Fittings for 1 x O2, 1 x N2O Size E cylinders (extra gases optional)
- Upgradeable for up to 4 carrier gases
- Low O2 Alarm with N2O cut off
- Oxygen Flush
- Isoflurane or Halothane Options (other anaesthetic agents available)
- Tapered Flowmeters for maximum accuracy
- Anti static castors for safety
- High quality stainless steel shelving

CODE	DESCRIPTION
AS001	Compact Anaesthesia System - Isoflurane
AS001A	Compact Anaesthesia System - Isoflurane Key Fill
AS002	Compact Anaesthesia System - Halothane
AS002A	Compact Anaesthesia System - Halothane Key Fill









anaesthesia equipment



Supplied as a Complete Work Station, with built in scavenging, heated surface with downdraft and a fully built in scavenged chamber

- Integrated Features Include
- Fittings for 1 x O2, 1 x N2O Size E cylinders (extra gases optional)
- Upgradeable for up to 4 carrier gases
- Low O2 Alarm with N2O cut off
- Oxygen Flush
- Isoflurane or Halothane Options (other anaesthetic agents available)
- Tapered Flowmeters for maximum accuracy
- Anti static castors locking for safety
- High quality stainless steel shelving
- Automatic Co2 Delivery System
- Downdraft Table
- Heated Pad with full control
- Full Scavenged Integrated Chamber
- Height Adjustment Option (ASDVS 810)
- Several configurations available

CODE	DESCRIPTION
AS100	Advanced Anaesthesia System DVS 410
AS101	Advanced Anaesthesia System including integrated filtration DVS 610
AS102	Advanced Anaesthesia System with height adjustment DVS 810



Anaesthetic Bracket Unit

A low cost alternative to complete trolley systems, configured exactly to your requirement. Can be wall mounted, bench standing or trolley mounted

- Supplied complete with wall bracket and fittings
- Configured exactly to your requirement
- · High quality powder coated steel
- Handle for safe transport

CODE	DESCRIPTION
AS009A	Wall / Bench Anaesthetic Bracket Unit - Single Gas
AS009	Wall / Bench Anaesthetic Bracket Unit - Two Gas

Anaesthetic Bracket Unit Trolley

A simple trolley for the bracket above, the Anaesthetic Bracket Unit simply slots onto the trolley, no fixing required. Converts all Anaesthetic Bracket Units into stand-alone mobile anaesthetic systems.

- Can accommodate Size F or E cylinders (x2)
- Lower Shelf for Scavenging Equipment.

CODE	DESCRIPTION
AS009B	Anaesthetic Bracket Unit Trolley



scavenging systems



Active Scavenging Unit

The industry standard in Active Scavenging Systems

A self contained portable unit requiring no extra ducting or ventilation. Can be used with any organic anaesthetic agent (Halothane, Isoflurane etc.)

- Incorporates into any anaesthesia circuit to continually scavenge all excess anaesthetic gases
- Supplied complete with Double Rodent Mask
- Can be used with conventional Aldasorber canisters or with VetScav Automatic Weighing Mechanism)

CODE DESCRIPTION **AS005** Active Scavenging Unit




Aldasorber

The Aldasorber is a canister containing activated carbon which adsorbs all organic gases extremely efficiently. It is used with the Active Scavenging Unit to scavenge anaesthetic gases from the working environment and is easily attached to the Active Scavenging Unit. When exhausted, the Aldasorber is sealed in the bag provided and can be safely disposed of.

- Supplied in Cases of 6
- Canister Weight when new @ 1200gms
- Canister Weight when full @ 1400gms

CODE DESCRIPTION AS006 Aldasorber



VetScav Filter Weighing Mechanism

At Last! A time saving device to automatically weigh anaesthetic filter canisters whilst in use. This innovative system uses patented technology to provide a simple, time saving and cost effective solution to the weighing of filter canisters

- Prevents any misunderstanding between users, whilst labour saving and cost saving in separate procedures with balances, check weights etc
- Automatic Temperature compensation can be used in any environment
- · Uses dedicated filters with substantial cost savings over existing widely available carbon filters
- Simple LED system, with illumination at every 50 grams of weight gained
- Audible buzzer and red light when canister is full

CODE DESCRIPTION **AS200** VetScav Filter Weighing Mechanism



VetScav Filters

A dedicated filter for use with the VetScav System

- Much less expensive than Aldasorbers!
- Supplied in Cases of 6
- Canister Weight when new @ 1200gms
- · Canister Weight when full @ 1400gms.

CODE DESCRIPTION **AS201** VetScav Filters







anaesthesia masks



Extra Small Anaesthetic Mask

Extra Small Rodent Mask Delivery System. A new addition to the Mask range designed specifically for mice.

DESCRIPTION

AS005E Extra Small Anaesthetic Mask

Mask Support

A Solid weight to hold steady any size of mask

CODE DESCRIPTION

AS005AA Mask Support for Size 1 Mask AS005BA Mask Support for Size 2 Mask AS005CA Mask Support for Size 3 Mask AS005DA Mask Support for Extra Small Mask





Anaesthetic Masks Delivery System

Three sizes of masks available, (Size1 Double supplied with Active Scavenging Unit):-

- · Size 1 suitable for rats, hamsters and similar
- Size 2 suitable for guinea pigs and similar
- Size 3 suitable for rabbits and similar

CODE DESCRIPTION

ASAN005A Rodent Mask Delivery System - Double Size 1 ASAN005B Rodent Mask Delivery System - Single Size 1 ASAN005C Rodent Mask Delivery System - Single Size 2 ASAN005D Rodent Mask Delivery System - Single Size 3




Mouse Manifold Systems

- 5 mask manifold system (takes 1 or 5 animals simultaneously)
- Stable manifold block
- MRI compatibility available
- Inspired gas can be warmed
- Monitor HR/SpO2 from mask noninvasively

DESCRIPTION

AS07856 Mouse Manifold Systems



Most Precise and Cost Effective Anaesthesia Setup



anaesthesia masks and parts



MZDS Mask Circuit for Rabbits, Rodents and Birds

- · Zero dead space: fast, predictable anaesthesia
- · Very low fresh gas flows: efficient
- Economical and environmentally friendly
- 2 diaphragm orifice's suit a range of animals
- Clear poly-carbonate for visibility
- Autoclavable for infection control

CODE DESCRIPTION

AS00835 MZDS Mask Circuit



Continuous Anaesthetic Induction Chamber

These chambers are specifically designed for the induction of anaesthesia in small rodents. Two standard sizes available, although chambers can be manufactured to your preferred specification. Supplied complete as a kit for parallel fitting into your existing anaesthesia circuit. Kit contains:

- Three Way Valves (x 2)
- Tube Mount Connector for Inlet
- PVC Tubing for Gas Inlet (x 2 mtrs) o 22mm Scavenging Tube (x 2 mtrs)

Features

- Ergonomically designed sloping front access
- · Spring hinged lid for added security
- Perforated PVC false floor
- All pipe connections at one side to increase work space
- Diffuser pipe fitted beneath false floor to ensure even distribution of anaesthetic
- Air bleed ring on scavenging port ensures accurate control of anaesthesia flow

CODE	DESCRIPTION
AS010	Continuous Anaesthetic Induction Chamber - Small
	180mm (L) x 120mm (W) x 150mm (H) CLEAR Perspex
AS010A	Continuous Anaesthetic Induction Chamber - Large
	300mm (L) x 180mm (W) x 180mm (H) CLEAR Perspex
AS010R	Continuous Anaesthetic Induction Chamber - Small
	180mm (L) x 120mm (W) x 150mm (H) RED Perspex
AS010AR	Continuous Anaesthetic Induction Chamber – Large
	300mm (L) x 180mm (W) x 180mm (H) RED Perspex



Vaporiser

- A high quality TEC III type Vapouriser with internal flow and temperature compensation.
- Graduated in 0.5% divisions Single Control, locks in off position
- Compatible with all types of anaesthetic circuit
- Supplied as a 5% version specifically for veterinary use, 8% (large animal) available upon request
- Supplied complete with mounting block and bolts
- Key Fill Option available
- BS 22mm Tapered Fittings (see tube mounts)

CODE	DESCRIPTION
AS003	Isoflurane Standard Fill Vapouriser 5%
AS003A	Isoflurane Key Fill Vapouriser 5%
AS004	Halothane Standard Fill Vapouriser 5%
AS004A	Halothane Key Fill Vapouriser 5%







anaesthesia parts and accessories



Quick Release Fittings (Selectatec)

An invaluable addition to any anaesthetic system to allow Vapouriser to be very easily removed for servicing, exchange etc. Supplied in two components, the compatibility block which is permanently attached to the anaesthetic system. The Quick Release is the "switch" which is attached to the Vapouriser.

CODE	DESCRIPTION	
AS041	Quick Release Fitting	
AS042	Compatibility Block	



Key Fill Applicator

Any Key Fill Vapourizer will also need a bottle adaptor or Key Fill Applicator in order to dispense and drain anaesthetic agent from the bottle to the Vapouriser in complete safety

- Colour coded to match anaesthetic agent
- Can not be used on any other type of anaesthetic agent Vapourizer or bottle

CODE	DESCRIPTION
AS003B	Isoflurane Key Fill Applicator
AS004B	Halothane Key Fill Applicator



Respiration Monitor

A simple monitor, giving an audible and visual warning on exhalation of the patient

- Adjustable Sensitivity can be used with any species
- Can be included into any anaesthetic circuit adaptations available for open mask, closed circuit or injectable anaesthesia
- Very simple to use
- Audible on exhalation with green LED

CODE	DESCRIPTION
AS060	Respiration Monitor
AS060A	Spare Probe



Flowmeters and Stands

We only use Flowmeters specifically manufactured under special order for the veterinary profession. Each Flowmeter has tapered tubes to allow accurate control over the lower flow ranges for small animals. Can be supplied for any gas, following held as stock...

Specially suited for Rodents, it has a graduation increments of 0.1ml to 1ltr, permitting easy measuring.

Specially suited for Rodents, it has a graduation increments of 0.1ml to 1ltr, permitting easy measuring.

CODE	DESCRIPTION
AS011	Air Flowmeter
AS012	O2 Flowmeter
AS013	N2O Flowmeter
AS014	CO2 Flowmeter AN015 – Stand for Flowmeter
ASN015	Stand For Any Flowmeter
AS019C	Coil Tube W/ Fittings to Connect 2 Flowmeter to CO Chamber
AS4091	Regulator Hose Connector to 6mm Tube

regulator and stereotaxy



Regulators

Supplied complete with Tube Mounts to connect to 6mm ID High Pressure Tubing

• Medical (Size E) and Standard Regulators available....

CODE	DESCRIPTION
AS025	CO2 Regulator - Standard
AS025A	CO2 Regulator – Size E
AS026	O2 Regulator - Standard
AS026A	O2 Regulator – Size E
AS027	N2O Regulator – Standard
AS027A	N2O Regulator – Size E

Other Gases Available (eg Medical Air etc)



Regulator Heaters

Prevents freezing on CO2 Systems where demand is high. Simply connects between Cylinder and Regulator.

• 240V Mains Supply

CODE	DESCRIPTION
AS028	AS028 Regulator Heater



Digital Stereotaxic Frame

Stereotaxic instruments with digital, as opposed to vernier, scales offer greater speed of operation with reduced opportunity for error. This compact instrument, with the same footprint and drive mechanisms as our standard Stereotaxic instrument, features linear position-sensing digital scales and a convenient remote display centre (Patent Pending). Operation is easy and precise. Simply move the probe to Bregma and touch the zeroing button. Once all displays read zero, move the probe until each of the three axes displays the desired coordinates.

- No reading, aligning and estimating vernier scales
- No calculation errors after locating Bregma
- All readings in direct line of view no body twisting
- Higher precision and reproducibility than conventional vernier scales.
 Compatible with standard species adaptors and probe holders from other Stereotaxic instrument manufacturers. Your work and your time are important. Why work with anything less?

CODE	DESCRIPTION
AS048	Digital Stereotaxic Frame



Stereotaxic Masks

A coaxial mask system designed to be used with any Stereotaxic frame (Kopf, Stoelting etc). Two models available depending on Nose Bar type Also compatible with Respiration Monitor.

CODE	DESCRIPTION
AS049	Stereotaxic Anaesthetic Mask (Standard)
AS049A	Stereotaxic Anaesthetic Mask (Spring Loaded Nose Bar)







anaesthesia parts and accessories




Three Way Gas Direction Valve

As supplied with the Continuous Anaesthetic Induction Chambers. These valves allow the output of anaesthetic or input of scavenging to be split in one of two directions by simply turning the valve.

- Allow two circuits to be connected to a single anaesthetic machine (eg Mask and Chamber)
- 22mm Connectors

CODE	DESCRIPTION
AS031	Three Way Gas Direction Valve




Low Oxygen Warning Alarm

With N2O Cut Out A low warning device ensuring safety and continuity during anaesthesia procedures. A whistle is sounded on Oxygen depletion and the supply of Nitrous Oxide is automatically stopped to the patient.

- Activated between 2 2.5 Bar
- Simple to Fit

CODE	DESCRIPTION
AS023	Low Oxygen Warning Alarm



Oxygen Flush Control

Fits into any anaesthetic circuit to direct Oxygen directly to the patient.

- Useful as a recovery aid / oxygen therapy
- · Can be used to raise depth of anaesthesia

CODE	DESCRIPTION
AS024	Oxygen Flush Control



CardioStore

A revolution in Digital ECG recording. CardioStore is a six limb lead, 12 bit, digital diagnostic recording system developed especially for the veterinary

- Fits in the palm of your hand
- Record an ECG for replay later at any time
- Used as an ECG monitor and apnoea monitor during surgery
- Produce written reports within minutes from your PC
- Suitable for all species from rats and larger

CODE	DESCRIPTION
AS001	CardioStore



surgical monitoring equipment



ERM 8010

Simple Reliable ECG and Respiratory Monitoring. The ERM-8010 is a very sensitive ECG monitor that typically detects and displays a Lead II ECG in

- Rapid, reliable patient monitoring Unobtrusive hand-held unit
- Suitable for all species
- · Adaptor clips available for very small animals · Indoor or outdoor use
- Freeze-screen facility for improved ECG viewing
- Variable sweep speed for fast or slow heart rates
- · Easily settable alarms for heart rate and apnoea
- Optional beeps for QRS and breath detection
- · View the last 60 minutes of heart and respiratory rate data
- Extensive battery life

DESCRIPTION CODE AS002 ERM 8010



Capnovet 10

Veterinary Hand held Side Stream Capnograph. Monitoring end-tidal CO2 is the recognized way of ensuring your patient is breathing optimally during an anaesthetic and the Capnovet-10 has all the features you need.

- Quick visual assessment of respiratory function
- Variable sweep speed
- Variable side-stream withdrawal rate
- Small hand-held unit
- Perfect compliment to mechanical ventilation
- · Two different display modes
- Suitable for a range of species from rats to horses
- Easy to use

DESCRIPTION AS003 Capnovet 10



VitalScan

Integrated Vital Signs Monitoring. VitalScan incorporates Pulse-Oximetry, NIBP, Respiration, Temperature monitoring and end-tidal CO2 monitoring in a single package controlled from your PC or laptop. The dedicated Windows[™] software gives instant visual feedback on all your monitoring options and there are alarms available for every system monitored. This gives you an at-a-glance appraisal of your patient and provides the very best possible care for anaesthetised animals

- Veterinary designated Windows[™] software supporting Pulse-Oximetry, Oscillometric Blood Pressure monitoring, Respiratory monitoring and Temperature monitoring.
- Simple serial link to your PC/Laptop
- · All monitoring sensors are controlled by your PC giving you central control of all your monitors
- · Alarm options available for all sensors. Full monitoring reports available for all sensors
- Monitoring reports can be saved to file for later reference
- Integrates with ECG3 for combined on-screen display
- Automatic scheduling of Blood Pressure measurements
- · Centralisation of monitors simplifies set-up procedures during
- · All the facilities you expect, combined into an integrated package to provide the ultimate in monitoring control

DESCRIPTION CODE **AS004** VitalScan








monitoring equipment

ECG3 Analyser

CODE	DESCRIPTION
AS005	ECG3 Analyser



- Very simple to set up and use
- Rapid, reliable, automatic ECG analysis for dogs and cats
- Fully customizable report options
- Windows environment for intuitive use
- Works with IBM-compatible PC's including laptops
- Can be used alone or can be integrated with the BAS VitalScan unit
- Use for pre-op screening and anaesthetic monitoring
- Generate income from ECG investigations
- Print, fax or e-mail reports to colleagues or clients
- Proven technology over 15 years and with 1500 clients
- Reports use standard paper formats
- No more lengthy thermal ecg strips
- Instant, when-you-need-it, analysis and interpretation
- Suitable for routine ECG monitoring for animal heart rates up to 330 bpm.



Small Animal Ventilator

Product Code AS407V

The small Animal 407 ventilator is the most popular unit for research in the field of Basic Medicine, Clinical Medicine and Animal Medicine and Artificial Respiration, Respiration Management, Animal Emergency Aid and Respiratory Treatment in the animal clinical surgery. Small Animal Ventilator is for small animals from 250g to10kg (22lb) such as rat, guineapig, rabbit, cat, dog, etc.

The operating principle of this ventilator is based on an electric generator as its power and driving circuit control, rhythmical output flow which, through a gas tube, the gas enters in and enlarges the animal lung to fully achieve gas exchange. It is easy to use, low noise, precise control.

Parameters:

The Small Animal Ventilator comes standard with two piston and cylinder assemblies. The smaller piston(which comes installed) allows tidal volumes to be set from 0.5 to 5.0cc in 0.5cc increments and the larger cylinder allows tidal volumes of 3.0 to 30cc in 0.3cc increments. Setting the cylinder stroke between gradations it is possible to achieve finer resolution in tidal volume settings.

Features:

- Numerical LED to display the respiratory rate
- Respiratory rate set from 18 150 strokes / minute
- Volume and rate settings can be adjusted while the ventilator is running.
- Four gas inlet and outlet ports: supply gas in, gas out (to animal), gas return (from animal) and ventilator exhaust
- The ventilator exhaust can be attached to a column of water to achieve PEEP (positive end expiratory pressure) when long term animal ventilation is necessary
- Monitor the PEEP, new tube coupling can easily apply to different sized tube
- The permanent calibrated volume on the air pump will not be damaged
- Volume and speed apply the linear control mode.



ventilator equipment



Mouse Ventilator

Product Code AS405V

Features

The 405 Ventilator features a numerical LED to display there spiratory rate which can be set from 18 to 150 strokes / minutes. Volume and rate settings can be adjusted while the ventilator is running. The piston travels to the end of the cylinder completely emptying the cylinder and minimising the dead space of the breathing circuit. The 405 Ventilator has four gas inlet and outlet ports: supply gas in, gas out (to animal), gas return (from animal) and ventilator exhaust. The ventilator exhaust can be attached to a column of water to achieve PEEP (positive end expiratory pressure) when long term animal ventilation is necessary. 405 has the Ability to monitor PEEP. New tubing with graduated connectors can accommodate different size tubing easily. Permanent etched volume graduations on the cylinder so they can't rub off. Volume and rate control are linear.



The Model 405 Ventilator comes standard with one piston and cylinder assembly. This ventilator allows tidal volumes to be set from 0.1 to 1.0cc in 0.1cc increments. Setting the cylinder stroke between gradations it is possible to achieve finer resolution in tidal volume settings.



Anesthesia Ventilator

Product Code ASAV800

The AS AV800Vet is great for research, university, emergency and critical care facilities.

The AS AV800 ventilator is time-cycled and volume or pressure-controlled, and offers pressure and volume monitoring in spontaneous mode. It provides the physician with a flexible, simple and easy-to-use ventilator for closed circuit or Mapleson D circuit. The ventilator is available with optional manometer and spirometry.

All units are designed to comply with ISO, CE and other international standards. All the selected patient parameters are clearly visible on large, bright LED displays. The audiovisual alarm system has improved alarm features - including alarm mute. The airway pressure control is positioned on the front panel.



SPECIFICATIONS:

Dimensions/ Weight 235 mm x 300 mm x 150 mm / 8.85 kg

Bellows 50 to 1600 ml

Power 90-250 VAC, 47-63 Hz

Tidal Volume 50 to 1600 ml
Rate 4-60 bpm
I:E Ratio 1:0.3 to 1:6
Pressure Limit 10 to 70 cm H2O
Tidal Volume Adjustment Automatic

Alarm Mute 30 seconds
Low Drive Gas Pressure Less than 34 PSI

High Airway Pressure 10-70 cm H2O adjustable

High Continuous Pressure above 30 cm H2O at start of cycle L4 to 14 cm H2O PEEP References Low Tidal Volume 50% of Volume Set (Spirometry)

Mains Failure 1 hour battery backup

Low Battery 5 minutes use

Vent Inop. Internal or battery failure


Available options and accessories

- Multi-mode function
- Inspiratory pause and inverse I:E ratio
- Compliance compensation
- · Data print facility
- · Improved spirometry system
- IEEE data outputs
- Oxygen or air powered
- 60 minute battery backup
- Small animal bellows assembly

able



surgical platform and absorbent pads



Multifunction Precision Surgical Board

Product Code AS9091K

The Multifunction Precision Surgical Board, uniquely designed with the guide of medical experts, is the most practical and capable surgical device available.

Features:

- Designed with slots, for holding ball chain
- The perimeter slots insert into the microdriver to connect to animal limbs or tissue with the help of various accessories. It will secure the Ball Chain Retractors, offering retraction and place fixing in every direction.
- The unique ball chain microdriver can regulate surgical tissue force conveniently and precisely. Different accessories handle tissue retraction and special surgical needs.
- Rodent plate made of Polyester fibreglass, with the features of smooth surface, no dead space, easy to clean and sterilise, acid proof and alkali
- A drainage hole convenient for animal perfusion and fixing holes on the Four corners of the rodent plate and four stainless steel poles for extended
- The base plate is 372mm x 276mm and recess inside structure in the middle of the plate which is easy to hold the animal firmly.
- The slots are bidirectional alignment vertical and horizontal with increments in 0.5mm as microdriver rotating in a circle.
- Equipped with various accessories to achieve surgical operations such as place positioning, skin retraction, bone and muscle surgery, etc.
- · With optional multi-direction lifting and tilting stand, you can choose ventral / dorsal and anterior/posterior travel of 20°, 40°, 60° tilt; stand lifting adjustment ranges 150-200mm.
- With optional constant temperature heating device, ensures the temperature of the plate surface at 45 °. It keeps the animal surgery body temperature stable and also avoids injuries from excessive heating.



- 4 Alligator Clip with Ball Chain
- 5 'O' Ring with Ball Chain for Incisor 6 Line wilth Ball Chain fotr limb



Absorbent Under Pads

In the process of animal surgery, the work area is inevitably covered with hair, blood stains, excreta, drug, etc. which contaminate the instruments and surgical platform. With the use of absorbent under pads, it is easy to protect lab ware from breakage creating a comfortable and tidy environment for experiments and teaching.

These absorbent under pads have a three-layer construction. Each under pad contains a top sheet, a middle sheet with two layers of tissue to absorb the fluid. The backing sheet is a waterproof layer to prevent liquid seepage. Each pad acts as a cushion to protect the lab ware and platform from moisture.

Product Code	AS69007	Pad for Rats	248 x 182 mm	100 pack
Product Code	AS69008	Pad for Mice	95 x 65 mm	100 pack



syringe pumps



252-Dual Syringe Infusion/Withdrawal Pump

Product Code AS252IWP

Features

- Holds two syringes, 10ul to 140ml each
- Large bright LCD screen display with rate, volumes and syringe inner diameters
- The time elapsed and continuous dispense volume display
- Preset volume control and automatic shut off
- Volume and the unit of infusion rate are selective
- Settings can be reviewed or changed during operation
- Settings can be stored in the Non-Volatile memory after power off
- Custom parameters can be stored (up to 32 sets of data)
- Driver block can be adjusted to protect syringe
- Stall detection
- Built-in RS232 interface for computer linking or daisy chaining up to 100 pumps
- Multiple mode selection Infusion
 Withdrawal
 Infusion then withdrawal
 Withdrawal then infusion
 Continuous cycle




Microdialysis Pump

Product Code AS

This compact, flexible, dual syringe pump with low pulse-free flow rates is suitable for microdialysis and other low flow experiments. The flow rates are shown on the LED displays. It fits microdialysis syringe, for brain, blood vessel and other tissues.

Features

- Holds two syringes and independently controls 1-10ml syringes
- Flow rate ranges 0.01 ul/min to 20 ul/min
- Advance rate:2.4um/min-1.2mm/min
- Power:10W, remote control capable Quick advance and withdrawal
- Human-machine interface: preset infusion volume, rate and syringe inner diameter
- Key settings: start, stop, quick advance, quick withdrawal, confirm, digit key
- Power-fail memory, EEPROM save the presetting parameters



Accessories:

Syringe, Tubing, Adaptors, Screw, collector









microdrill, lights and heating



Micromotor drill

Product Code AS78001K

This kit is ideal for high speed applications up to 38,000rpm. Micromotor technology allows the hand piece itself to contain the motor, whilst retaining a slender profile for easy hand grip. The high speed drill is configured for stereotaxy surgery, particularly in soft skull animals such as rats and mice. The microdrill can be secured to the stereotaxy instrument by the microdrill holder and controlled by the manipulator.

Product Code	AS78021	Flat Tip Drill Bit	0.8mm
Product Code	AS78023	Flat Tip Drill Bit	1.2mm
Product Code	AS78026	Flat Tip Drill Bit	1.8mm
Product Code	AS78028	Flat Tip Drill Bit	2.3mm



Warm Temperature Platform and Regulator

Product Code AS9105K

This temperature controller is designed to maintain the animal's body temperature at a pre-set target value during anaesthesia. A thermistor probe provides feedback to the controller with the animal's body temperature. The controller adjusts the current to the heating pad as needed to maintain the desired body temperature. The circuit is well designed without electrical noise and is good for long time electro-physiology study.



Fibre-Lite Illuminator

The best choice for laboratory lighting requirements is the Fiber-Lite Illuminator, which is compact in size, generating white light and quick starting. Fiber-Lite Illuminator will bring you a clear view of the sample under a normal indoor luminous environment, without affecting the observations.

Features:

- Dual-Pipe fibre optic coaxial lighting, provides better field of view
- Stable output voltage, makes the bulb safe and reliable looks compact and elegant
- Generates no heat and does not change colour of blood

Application: illuminant device used for animal operations or microscopy

Specifications:

Input Power: 230V AC/50Hz Bulb Power: 21V, 150W Rated Life: about 300h

Color temperature: 3200K, colour correction filters are optional (3000-6500k)

Function: constant lighting **Type of Cooling:** Air cooling

Weight: 2.76Kg

Dimension: 280 x 100 x 165mm



Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

heating systems




Warm Air System - Small

The integrated heater and chamber design, is a fully modular unit, with the heat controller easily removable for easy cleaning. The chamber, manufactured from either red or clear Perspex is supplied complete with four separate compartments. Temperature within the chamber is controlled with a remote thermocouple, the desired temperature is then simply input using the dial on the heater unit. Twin fans within the heater unit, ensure an even distribution of heat throughout the chamber.

PLEASE NOTE: We are able to manufacture any configuration of chamber system - if you have a specific idea, please contact us and we would be pleased to offer quotations and drawings. Ideal for use within Safety Cabinets etc. A larger system is available in Clear and Red.

Code	ASHE011A	Code	ASHE011AR
Description	Warm Air System	Description	Warm Air System
Size / Type	Small / Clear	Size / Type	Small / Red



Infra-Red Brooder and Heat lamp and Stand

Code Description	ASN0233A Infra-red brooder lamp with aluminium shade complete
Code Description	ASN0272A Infra-red lamp globe 150/175 watt
Code Description	ASPS Adjustable height pedestal stand for above



Thermostat for Warming Pads

Code **ASSHPAT**Description Wall plug the

Wall plug thermostat to suit any heat pad. Controllable from 0 - 40°c



Cosy Heat Pad

Code ASCHP-RP

Description 8 Watt Animal Cosy Heat Pad



able



animal lab equipment warm water system

HotDog Warmer - for all animals

Product Code: ASHBCU

Controller

 3 heat settings and 2 over-temperature alarms to safely meet all of your patient warming needs

- · Lightweight, portable, and easy to move between cases
- Quiet operation
- · Free-standing or IV pole mountable
- · Low maintenance, with virtually no moving parts
- Cable easily fits through the cage slats for post op warming
- · 2 year warranty

Blankets

Blanket sizes to fit cats, small and large dogs, rabbits, ferrets, lab mice, birds and other exotics.

ASHDB2530	XSmall	255 x 305mm
ASHDB2558	Small	255 x 585mm
ASHDB4156	Medium	410 x 560mm
ASHDB5679	Large	560 x 790mm
ASHDB6812	XLarge	685 x 1195mm

GREAT FOR ALL YOUR WARMING NEEDS!

- Reusable environmentally friendly
- · Heavy-weight nylon outer shell resists punctures
- Easy to clean
- Warms up in just a few minutes
- Flexible use over, under or around the patient
- Includes adjustable straps that can be used to maximize contact and heat transfer
- 1 year warranty

			AUGUSTA
			THE STATE OF THE S
Hot Dog vs. Competition	Hot Dog	Hot Air (Bair Hugger)	Hot Water
Effective warming	√	√	
Even heat distribution	✓		
Low ongoing cost	\checkmark		
Durable waterproof blankets	✓		
Easy to clean	√		
Won't dry EKG leads or mucous membranes	\checkmark		√
Maintenance-free controller	√		
Quiet operation	√		√
Fast warm-up time	√	√	
Small and light for ease of use	√		
No blowing air on surgical site	√		✓
Easily fits through cage slats	√		√

Hot dog warming is an improvement over infrared heat lamps, heated O.R. tables, microwave disks, heated water bottles, Gaymar T/Pump®, etc. for treatment of anaesthesia induced hypothermia.

Won't incubate bacteria

Environmentally friendly

Energy efficient

Warming Tray

ASWT1

The warming tray has many uses including slide drying, warming small containers, etc.

Accurate temperatures are maintained to within 25mm of the edge of the plate. Temperature control is proportional, the element indicator will glow until a few degrees before the set temperature is reached. At this point the indicator will begin to alternate on and off, signifying that proportional control is in operation. The indicator will remain mostly off whilst the temperature is being maintained.





Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

digital laboratory animal science - warming cabinets









ASSWC36

Digital Laboratory Animal Science Warming Cabinets

The warming cabinet is especially suited for blood sampling of large groups of animals where it is important that the temperature is electronically controlled. It is much easier to take blood samples from small animals if the body temperature has been raised. Furthermore the animal is exposed to less stress and discomfort.

The warming cabinet can also be used for post-operative care of anaesthetised animals which it is important to keep warm after an operation.

ASSWC features include:

- Full view glass door
- 240V 50Hz operation
- Digital control
- Adjustable shelves
- 2 Fixed Shelves (ASSWC72 only)
- Additional adjustable shelves available
- Audible and visual over-temp alarm
- Keyed temperature lock-out
- .35kw/hr
- Programmed in Celsius temperature
- Mobile trolley (optional)



The shelves are equipped with guides, the shelves can act as cage lid. Optionally delivered with cages. The shelves act as conventional shelves and other types of cages can be used e.g. during post-operative care.



ASSWC24

	ASSWC36	ASSWC72	ASSWC24
Type2000	2	5	1
Type1500	3	6	2
Type 1291 (III-H)	6	12	4
Type 1290 (III)	6	12	4
Type1284(II-L)	9	27	6
Type1264(II)	9	27	6
Type1145	12	36	8
Options			
Fold-down table	\checkmark	\checkmark	\checkmark
Transport handle	✓	✓	✓
Removable cage shelf	✓	✓	✓
Power outlet socket	✓	✓	✓
Optional Red Tint Doo	r ✓	✓	✓
Optionally on wheeled	l trollev a	t working l	height.

Dimensions	Width	Depth	Height
ASSWC24			
External	765	675	625
Internal	660	585	390
ASSWC36			
External	765	675	915
Internal	660	585	635
ASSWC72		2.	
External	765	675	1895
Internal	660	585	1550



animal lab equipment euthanasia cabinet

Euthanasia Cabinet

Multi-purpose CO2 Cabinet

Product Code: ASEC1

The Able Scientific Euthanasia Cabinet turns the unpleasant task of euthanising animals into a simple and unemotional procedure.

The cabinet has methodological flexibility in that it can be used to batch euthanise or to process 3 cages at a time for in cage euthanasia. A flow meter and control is included so CO2 can be accurately dispensed at the optimal fill rate of 20% environmental volume per minute.

For safety, the cabinet it fully airtight and is fitted with a gas scavenging unit.

Able can custom build the cabinet to your dimensional specifications, though the standard size is large enough to process 3 standard size rat or mice cages or 2 large rat cages.



Features

- Mobile Cabinet
- 2 lockable and 2 fixed swivel castors
- Gaslift assisted lid

- Large viewing window
- 3 CO2 pipeout internal

Options

- CO2 Gas heater
- CO2 Flowmeter

Stability - The wide base and large lockable castors give the cabinet more than ample stability

Ease of use - The simple process of operation, large lockable castors for mobility, quick-coupling gas connections and the gas-lift assisted lid, all contribute to making the euthanasia cabinet very easy to use.

Life span and Maintenance - The cabinet will last indefinitely and the only maintenance would be the replacement of the lid seal once a year (if that)

Cost of operation - 200 litres of gas

(enough to fill an empty cabinet) cost about 22 cents - Your savings on Vet cost would pay for the cabinet 1 1/2 times in the first year of use!

Automatic CO2 Delivery Unit

Product Code: AS044

A fully automated CO2 Euthanasia system designed to supply gas for a pre-set time to a chamber of your choice.

Features Include:

- Simple Operation
- Gas tight quick release fittings to chamber to prevent any loss of gas if unit is left running while disconnected from chamber.
- Will suit any size of chamber. Fill rates can be calculated as follows
- Volume of Chamber (litres) = Flow Rate (litres per minute)
- Desired Running Time
- Accurate digital timer, with options in minutes, seconds or fractions of
- Will suit either cylinder gases (regulator required) or piped gas installations.





Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300

co, systems - chamber



Pre-Set CO2 System-1 Chamber-S/S Housing

Product Code: AS044AX

A product very similar to our already popular Auto Co2 Delivery Unit but without the need for calculating chamber volumes to obtain the correct CO2 concentration.

This system has 3 pre-set settings. Each of the settings is calculated for use with one of our small, medium or large CO2 chambers.

- Simple operation
- Automatically provides a 20% rising concentration.
- No discrepancy between procedures
- Simple wall mount installation
- Accepts cylinder and / or piped gases (high pressure tube provided)



Single Cage Automated CO2 Unit

Product Code: AS047

A fully automated CO2 Euthanasia system designed to supply gas for a pre-set time to the animal in their home cage (with the lid removed).

Simple operation incorporating the following features...

- Preprogrammed to a 20% rising concentration to eliminate discrepancy between cycles.
- CO2 Distributed via a plenum chamber through the lid to ensure even CO2 distribution for accurate rising concentration.
- A Simple dump vent allows all CO2 to drain between procedures.
- Will suit either cylinder gases (regulator required) or piped gas installations.



CO² Work Station

Product Code: AS043

Similar in basic principle to them Automatic CO2 Delivery Unit, except mounted on a fully stainless steel trolley with the facility to house 2 x Size F CO2 Cylinders

- Quick changeover between cylinders using splitter valve
- Supplied complete with Large and Medium Chambers (clear or red– see above)
- Supplied complete with CO2 Regulators to suit Size F Cylinders (Order Code AS025)





Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

^{*}The stand and chamber are for display purposes only*



guillotines / co₂ systems - chamber



Guillotines

Code	ASNG701-S
Description	Small 2" Cutting Edge
Code	ASNG702-M
Description	Medium 4" Cutting Edge
Code	ASNG703-L
Description	Large 6" Cutting Edge



Economy CO² Chamber

Code Description	ASM1CO2-PC Polycarbonate AS340 CO2 Chamber complete with seal Self drill for gas tube insert
Code Description	ASMB1CO2-PC Polycarbonate AS980cm2 CO2 Chamber complete with seal Self drill for gas tube insert
Code Description	AS2000CO2-PC Polycarbonate AS2000cm2 CO2 Chamber complete with seal

Many other sizes available

All include sliding lids and male quick release fittings.

- Perforated PVC false floor
- Diffuser pipe fitted beneath false floor to ensure even distribution of anaesthetic
- All pipe connections at one side to increase work space



Deluxe CO² Chamber

Code	AS045
Description	Small CO ² Chamber - White Perspex with Clear Lid
Dimension L x W x H (mm)	250 x 100 x 100
Code	AS045A
Description	Medium CO ² Chamber - White Perspex with Clear Lid
Dimension L x W x H (mm)	300 x 200 x 200
Code	AS045B
Description	Large CO ² Chamber - White Perspex with Clear Lid
Dimension L x W x H (mm)	450 x 300 x 300
Code	AS045R
Description	Small CO ² Chamber - Red Perspex
Dimension L x W x H (mm)	250 x 100 x 100
Code	AS045AR
Description	Medium CO ² Chamber - Red Perspex
Dimension L x W x H (mm)	300 x 200 x 200
Code	AS045BR
Description	Large CO ² Chamber - Red Perspex
Dimension L x W x H (mm)	450 x 300 x 300

Please note that all chambers are supplied as standard with Male Push on Fittings, suitable for a tubing connection or to a female quick release inlet. If you require any other fittings on the chamber – please Inquire.



barrier / alarm system



Safety Rodent Barrier

Code	Description	Size Height (mm)
ASFM100	Supplied complete with side runners and fixings	450





Eco-Barrier for Rodents

Code	Width (mm)	Size Height (mm)
ASEBF100	750 or as required	450

Custom sizes available - 1800 73 1300

Animal Facility Fire and Security Alarm system

Minimum Voltage: 10V DC

Wattage: 5W

Compliancy Rating: CE Marked

(electromagnetic compatibility (EMC) Regulations 1992) and UL Case Tough, durable, high impact

powder coated case Mounting Wall plate

mounted using pre-drilled holes

Installation: Internal terminal block

Operating at a special, certified sound frequency means your animals do not get disturbed, yet staff finds it loud and

Code	Dimensions W x D x H (mm)	Sound Output	Voltage V DC	Qty
ASSILENTONE	219 x 140 x 100	97dB@450mm	24	1







stickers and identification





ASACH Adhesive Card Holders, Packs of 10.



Able's Cage and Identification Cards

NB	Code	Description	Qty/Ctn
Α	ASICPOS-W	White Identification Cards printed one side 125 x 75mm	250
В	ASCCPBS-B	Blue Cage Cards printed both sides 125 x 75mm	250
С	ASCCPBS-Y	Yellow Cage Cards printed both sides 125 x 75mm	250
D	ASCCPBS-P	Pink Cage Cards Printed both sides 125 x 75mm	250

MINIMUM ORDER 1 x PACK/250. Other sizes available: Landscape or portrait,



NB	Code	Description
Α	ASRBSRL	RBS Label 500/Box 25mm∅
В	ASGMRL	GM Label 500/Box 25mm∅
С	ASTGRL	Tg Label 500/Box 25mmØ
D	ASKORL	Ko Label 500/Box 25mmØ
E	ASCULLRL	CULL Label 500/Box 50x25mm
F	ASSICKPL	Sick Label 500/Box 50x25mm
G	ASPC2LAPL	PC2 Label 100/Box. Permanent autoclavable 50 ² mm
Н	ASPC2SAPL	PC2 SML Label 100/Box. Permanent autoclavable 25 ² mm
-	AS25RL	Plain Label 500/Box. 25mm∅
-	AS5025RL	Plain Label 500/Box. 50x25mm
Ma	ny other siz	es styles and colours available AS5025RI -G GOLD

Many other sizes, styles and colours available. A AS5025RL-P PINK. Please call for assistance.

ASBBS Body Bag Labels 125x75mm Permanent



Goldenrod Animal Lancet

With the Goldenrod Animal Lancet you can now take multiple blood samples from smallanimals in the same day and never lose or hurt an animal. Speed up the blood collecting process with this specially designed sterile disposable blood lancet that is inexpensive, easy, fast to use and humane. Available in three point lengths: 4mm, 5mm, and 5.5mm, for various size animals and blood volumes required. Easily draw one or two drops to a 1/2 mil.



- · Consistent amounts ofblood each test
- Quick Recovery The animal is not affected
- Fast Sterile ready for use
- Humane Similar lancets are used on humans
 Inexpensive Reduce research costs
- Easy to Use Works every time
- Rapid Collection Blood flow stops in seconds
- · Allows Multiple Tests of the same animal
- Disposable No cross contamination

Code	Description
ASGRL-R3	All Ages - 3mm point (Packs of 1000 Lancets)
ASGRL-R4	2 to 8 weeks old - 4mm point (Packs of 1000 Lancets)
ASGRL-R5	2 to 6 months old - 5mm point (Packs of 1000 Lancets)
ASGRL-R6	Over 6 months old - 5.5mm point (Packs of 1000 Lancets)
FOR I O DROPE	C. DOINT LENGTH FOR MICE 2 - POINT LENGTH FOR DATE E-

FOR 1-2 DROPS: POINT LENGTH FOR MICE 3mm POINT LENGTH FOR RATS 5mm





rodent caging



Able Scientific's durable plastic cages are made to withstand repeated handling, washing, disinfecting and contact with animal wastes.

Using plastic materials offer warm surfaces that are ideal for housing laboratory animals. They are convenient to use, clean, maintain and dispose. Each cage is available in polycarbonate, polypropylene, polysulfone and polyphenylsulfane.

Each cage is also available with aluminium cage rack, filter top, high grade Stainless Steel wire lid, water bottles and caps to meet the individual's desired specifications.

POLYSULFONE

- Autoclavable @ 134°C x 1000 +cycles
- Clarity to 75%, gold tint for optimum light intensity
- 90% Transparent
- High impact strength, resists chemicals and solvents.
- Withstands continuous autoclave cycles

POLYCARBONATE

- Autoclavable @ 121°C
- Transparent
- · Exceptional impact strength
- Exceptional heat resistance
- Easily affected by hydrolysis from autoclaving and alkaline residuals from steam generators

POLYPROPYLENE

- Autoclavable @ 134°C
- Highly resistant to chemical attack
- White, translucent or opaque plastic
- Warm surface plastic
- Light weight and quiet to use

POLYCLEAR

- Autoclavable @ 115°C
- Lightweight
- High Clarity
- High Impact Strength



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide Freecall: 1800 73 1300 www.ablescientific.com.au




caging needs

rodent caging as340, as330, as500



Size: 336 x 159 x 129mm - Floor Area - 350cm2

For: Box Qty: 30





M2 (AS330B) Code::

333 x 161 x 129mm - Floor Area - 340cm² Size:

For: Mice Box Qty: 30



M2 (AS330L) Code: Flat Top Lid Description: Mice For: 20 Box Qty:

M1 (AS340L)

Flat Top Lid

Mice

20




M3 (AS500B) Code::

487 x 159 x 129mm

Floor Area - 510cm²

Mice / Holding / Breeding

Box Qty:



M3 (AS500L) Code: Description: Flat Top Lid Mice Box Qty: 40

ОРТІС	ONAL	LID OPTIONS			SPECIES		
LID WITHOUT	LID WITH	RAISED HEIGHT	TOP (mm)	TOP HATCH	DROP IN	HOPPER	SPECIES
DIVIDER	DIVIDER	(mm)	INTERNAL	ACCESS (mm)	RAT	GUINEA PIG	
✓	✓	50	170	-	-	-	MICE



Rodent Caging AS330/AS340 Suspension Racks

# of Cages per Rack	Length (cm)	Width (cm)	Height (cm)
48 Cage - 8 cages (h) x 6 cages (w)	140	35	130
56 Cage - 8 cages (h) x 7 cages (w)	140	35	148
64 Cage - 8 cages (h) x 8 cages (w)	140	35	143
72 Cage - 8 cages (h) x 9 cages (w)	140	35	158
96 Cage - 8 cages (h) x 6 cages (w) x 2	140	65	148
128 Cage - 8 cages (h) x 8 cages (w) x 2	140	65	143
144 Cage - 9 cages (h) x 8 cages (w) x 2	140	65	158

- Wheel base 46cm
- 64/72 cage compact sizes
- · Other sizes available
- Square aluminium tube mobile on 4 castors 2 braked
- · Stainless steel available
- · Also available with grid and tray

Fits standard 7 or 9 tier shelf racks

7 tier: holds 70 cages 9 tier: holds 90 cages



Rodent Caging AS500 Suspension Racks

# of Cages per Rack	Length (cm)	Width (cm)	Height (cm)
56 Cage - 7 cages (h) x 8 cages (w)	140	50	148
64 Cage - 8 cages (h) x 8 cages (w)	140	50	143
72 Cage - 9 cages (h) x 8 cages (w)	140	50	158

- Wheel base 56cm
- 64/72 cage compact sizes
- · Other sizes available
- Square aluminium tube mobile on 4 castors 2 braked
- Stainless steel available
- Also available with grid and tray

Fits standard 7 or 9 tier shelf racks

7 tier: holds 70 cages 9 tier: holds 90 cages





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au





Code: : MB1 (AS980B) Size: 451 x 283 x 129mm Floor Area - 970cm²

For: Mice / Rats / Stack Holding / Breeding

Box Qty: 10




For: Mice Box Qty: 20



Description: 80mmH Top Lid
Code: MB1 (AS980HTL) - SS

For: Mice





Description: 80mmH Top Lid with hatch
Code: MB1 (AS980HTHL) - SS

For: Mice Box Qty: 20

OPTIONAL LID OPTIONS			SPECIES				
LID WITHOUT	LID WITH	RAISED HEIGHT	TOP (mm)	TOP HATCH	DROP IN	HOPPER	SPECIES
DIVIDER	DIVIDER	(mm)	INTERNAL	ACCESS (mm)	RAT	GUINEA PIG	
✓	✓	85	205	150 x 130	D-RF	-	MICE & RAT

Rodent Caging AS980 Racks

# of Cages per Rack	Length (cm)	Width (cm)	Height (cm)
30 Cage - 6 cages (h) x 5 cages (w)	157	46	127
36 Cage - 6 cages (h) x 6 cages (w)	157	46	142

- Wheel base 46cm
- 64/72 cage compact sizes
- Square aluminium tube mobile on 4 castors 2 braked
- Stainless steel available
- · Also available with grid and tray

Fits standard 7 or 9 tier shelf racks

7 tier : holds 42 cages 9 tier : holds 54 cages



Drop-in Feeder options for MB1: refer to page 42



caging needs

rodent cage AS2000





Code:: **AS2000B**

Size: 592 x 405 x 205mm - Floor Area - 2200cm²

Rats / Guinea Pigs / Ferrets

Box Qty: 10





AS2000HTHL-SS High Top Lid with Hatch

Rats 6



Code:

ASDIF-SS

Description: Drop-in Feeder to suit

AS2000 High Top Lids

Box Qty:





Code: ASDIFGP-SS
Description: Drop-in Guine

Drop-in Guinea
Pig Feeder to suit

AS2000 High Top Lids

Box Qty: 10

Code: AS2000HTHLDF-SS

Description: Flat Top Lid **For:** Mice and Rats

Box Qty: 10

OPTIONAL			LID OPTIONS			SPECIES	
LID WITHOUT	LID WITH	RAISED HEIGHT	TOP (mm)	TOP HATCH	DROP IN	HOPPER	SPECIES
DIVIDER	DIVIDER	(mm)	INTERNAL	ACCESS (mm)	RAT	GUINEA PIG	
✓	✓	80	280	200 x 200	D-RF	D-GPF	MICE / RAT & GUINEA PIG

Service Trays

Service trays are available for AS980 and AS2000 cages and are made from high quality polypropylene. These can be used in conjunction with grid floors to collect waste and excreetement

Code: MB1WT-PP

Description: Service Tray Polypropolyne

Size: 450 x 280 x 40H

Code: AS2000WT-PP
Description: Service Tray Polypropolyne

Size: 555 x 375 x 40H







Code	Description	Dimensions	Box Quantity
ASNKP-14378	Horizontal Card Holder with spring. Stainless Steel Also available in Galvanised	143L x 78H	100
ASNKP-12778	Horizontal Card Holder with spring. Stainless Steel Also available in Galvanised	127L x 78H	100
ASCHWH-13078	Horizontal Card Holder with spring. Stainless Steel Also available in Galvanised	10L x 78H	100
			R

Wire False-floors

Mesh bottom cages are basically solid bottom cages with the base cut out and replaced with an electro polished 304 Stainless Mesh Floor. They are ideal for experimental reasons, when rodents need to be housed on mesh floorings and the excrement can be collected from a separate service tray beneath.

Also available, as featured, is the raised mesh bottom which is suitable for any cage with a solid base. This is the most simple way of separating the animals for their excrement.





	Codes:	Description:
-	AS340GF	Solid bottom cage with the base cut out and
	AS980GF	replaced with an electro polished A1S1304
	AS2000GF	Stainless Steel Mesh Floor

Description: Codes:

AS340RGF Raised mesh bottom for any cage with a solid base AS980RGF AS2000RGF



caging needs

maxi seal static isolator micro with silicone seal





Able Scientific has a filter top for the M1, MB1 and AS2000 with others available on request.

3 Sided Filter cover: Reduces ammonia, carbon dioxide and humidity levels by the spontaneous airflow through 3 surfaces in the filter cage environment.


99% Total open filter area: Respectively giving total diffusable convection air displacement. 89% retention of 1-6u particles.

Integral silicone SEAL: For total protection of Air Borne contaminants and micro environment inside cage.

Stackable Able Filter tops: Available in any plastic.


Dual retaining clip: Prevents accidental dislodgement of filter cap and gives full security to your Barrier Contained cage Control.

Wire support frame for Filter sheets: Positive seal all round.



AS2000FCC FILTER TOP
AVAILABLE

able



HEPA Filter Paper for All Cages/Manufacturers/Styles

Able Scientific holds stock of large rolls which are die-cut to suit every cage.

Contact us to confirm your cage style and if we don't already stock your size we will manufacture to suit





enriched rat caging system



Able Scientific's enriched rat cage rack system has a number of housing benefits including improved social interaction in an enriched environment and greater provision for long term/ lifetime studies where a wide range of natural behaviour can be displayed.



We have used the foot print design of our popular EC2 rabbit caging in this rat cage system, enhanced with solid 4320cm², Noryl Plastic cage base, permitting the use of Able Scientific's Enrichment bedding and thus providing a cleaner and drier environment for the animals.

Options:

The rack is available as a fully autoclavable unit and can be fitted with an automatic watering system.

Noryl cage base atoclavable at 121°C

Washing and cleaning:

Able Scientific's enriched rat cage rack is designed to be cleaned in a rack washer at 85OC, cages, roof and resting shelves can easily be removed from the cage to allow the rack washer to clean every corner of the rack system.

Capacity:

Depending on the body weight of the rat, we recommend between 8-16 rats (400g) per cage.

Dimensions

External Rack Dimensions:

(L) 895 x (W) 685 x (H) 1815mm

External Cage Dimensions:

(L) 823 x (W) 662 x (H) 110mm

Internal Cage Height: 460mm

S/S Doors protect cage and have safe seal against runaway rats

Stainless Steel centre bent sipper

Freecall: 1800 73 1300



Removable polypropylene resting shelf/shelter

able



Graduated Polypropylene Water Bottles

AS1000WB-PP Code:

Description: 1000ml

Code: AS500WB-PP

Description: 500ml

AS600SQWB-PP Code:

Description: 600ml

Code: AS300WB-PP

Description: 300ml

Code: AS250SQWB-PP

Description: 250ml

Graduated Polysulfone Water Bottles

> AS300SQWB-PS Code:

Description: 300ml

AS450SQWB-PS Code:

Description: 450ml

AS750SQWB-PS Code:

Description: 750ml



AS600SQWB-PC Code:

Description: 600ml

AS250SQWB-PC Code:

Description: 250ml

ASCBC Code:

Description: Conical Bottle Cap



Description: 25mm Nozzle Cap


AS50BC Code:

Description: 50mm Nozzle Cap

Description: 65mm Nozzle Cap









Description: 125mm Nozzle Cap with No Balls

AS95BBC



caging needs bottle accessories



Rubber Bottle Bungs



Code:

AS200B-GR

Description: Dome Top 36-28mm Double Seal 10 x life span Specially designed dome

> bung to reduce RSI in cage facilities

Code: AS150B-GR Description: Flat Top 38-28mm

10 x life span



Code: AS100B-BR

Description: Flat Top 36-28mm Double Seal



ASLOR-S Code: Description: Large White Double Silicone Seal

AS50B-BR Code: Description: Flat Top 29-22mm

Double Seal

AS30B-BR Code: Description: Flat Top 38-22mm



AS25B-BR Code:

Description: Flat Top 25-22mm



Code:

ASBO-S

Description: Bottle 'O Rings/ Green Silicone



Stainless Steel Cap Remover


Stainless Steel Bottle Crates

AS15BC-SS Code: Description: 600ml/1Lt Bottle

Code: AS24BC-SS Description: 250/500ml Bottles

Code: AS28BC-SS Description: 250/500ml Bottles

Code: AS20BC-22 Description: 450/500ml Bottles





ASCR-SS Code:

Description: Easy remove S/S Bottle Caps

Dimensions: 80mm x 250mmH

Ball Sipper Tubes

Code: AS100B
Description: 25mm Bent 30°

Code: AS125B
Description: 25mm Bent 30°

Code: AS150B
Description: 25mm Bent 30°

Code: AS50S

Description: 50mm Straight

Code: AS65S
Description: 65mm Straight

Code: AS90S
Description: 90mm Straight

Code: AS115S

Description: 115mm Straight

Code: AS140S
Description: 140mm Straight

Code: AS150C
Description: Centre Bent 30°

Code: AS125C

Description: Centre Bent 30°

Code: AS100C Description: Centre Bent 30 **Sipper Accessories and Spare Parts**



Code: ASFPBH500

Description: Adjustable height hanging 500ml bottle holder

Code: ASFPBH1000

Description: Adjustable height hanging 1L bottle holder

Code: ASLV2000

Description: Automatic watering sippers. Leakproof.

Rats and Mice

Code: ASLV25

Description: Automatic watering

sippers. Rats and Mice

Code: ASLV125

Description: Automatic watering

sippers. Rodents and Rabbits

Code: ASTVC-SS

Description: Auto Watering

Sipper Tube Core

Code: ASTVFS-SS

Description: Auto Watering

Sipper Tube Filter





Code: AS15MBF-SS
Description: Suits 600ml-1L 15 place
crates Bottle Filler

Code: AS28MBF-SS
Description: Suits 250-500ml 28 place crates Bottle Filler

Code: Descripti AS24MBF-SS

Description: Suits 250-500ml 24 place

crates Bottle Filler



caging needs

floor pens for rabbits and guinea pigs







Dimensions: 1750L x 380W x 1715Hmm

Rack Holds: 70 x AS340 (M1) 42 x AS980 (MB1)

AS9TR380-A Code:

Description: Aluminium 9 tier open shelf rack Dimensions: 1750L x 380W x 1715Hmm

Rack Holds: 90 x AS330 (M2) 90 x AS500 (M3)

AS7/9TR380-A Code:

Description: Aluminium 7/9 tier open

shelf rack

1750L x 380W x 1715Hmm Dimensions:

Interchangeable shelf 7 or 9 tier rack



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

ULTRA Cage Assista-Lift

Code: ASUL40-SS

The Ultra is a Specialist Lab Lifter made from Full high grade Stainless Steel. It shines where space and speed are crucial. It is designed specifically for lights items, and is particularly good for larger Rat cages with features including:

- Variable Lifting speed from 10mm/second up to 150mm/second allows precision height positioning yet fast lifting
- Specially designed for Laboratories, with flat open surfaces being easy to clean and providing no place for dust, dirt or dander to accumulate



- · Charging is required only weekly or longer
- Small, Compact Light and Easy to Manoeuvre
- · No service or maintenance required
- Overall Dimensions: 670L x 405W x 2025H mm
- Lifting Depth/Height: 200 / 1710 mm
- · Utilises an Italian made Drive motor with Special
- · Gearing to allow precise lifting/lowering.



Hygienic design - easy to clean



Large wheels, easy to move





We are Making Life Easy Everyday



We specifically developed www.able-everyday.com

for your everyday needs and we have made ordering easy, saving you time and money.


Visit our website today and see how easy it is.



A Fast-Rack package, is a complete breeding setup at a budget cost with quick delivery time. Options for upgrade are available.

A complete system using an advanced proven caging design for breeding purposes.

The rack comes in 2 Fast-Rack configurations for bulk breeding or smaller hobby breeding. It is heavy duty with shelves, adjustable every 25mm and either wheels with 2 lockable, or rubber adjustable feet.





Includes:

Rack with Castors

AS340B-PP Polypropylene 340cm² Cage Bottom

Stainless Steel Polished Wire Lid and Hopper AS340L-SS Polypropylene 300mL Graduated Bottle AS300WB-PP

Stainless Steel Conical Bottle Cap with Silicon Seal **ASCBC**

CUSTOM OPTIONS

- 250mL Bottle PP
- 500mL Bottle PP
- Rubber Bung & Sipper
- 50mm Sipper Tube Cap
- Polycarbonate Clear Plastic
- Polysulfone Clear Plastic
- False Floor Caging
- Label Card Holder

Stand alone non-leak stainless steel valve. automatic watering system. Auto flush. Ask for Pricing.



70 CAGE PACKAGE

Code: AS340FMB-70

Dimension (mm): 1210L x 455W x2035H

(1895H with feet)

Description: Rack & Cages - Fast-Rack

AS340 model x 70

Delivery: 3-5days Metro, Australia Wide

35 CAGE PACKAGE

AS340FMB-35 Code:

Dimension (mm): 1210L x 455W x2035H (1895H with feet)

Description: Rack & Cages - Fast-Rack

AS340 model x 35

Delivery: 3-5days Metro, Australia Wide

Enquire for pricing details




Aluminium Flexi Rack



Stainless Steel Flexi Rack



Solid Shelf Style



Suspension Style Rack



mouse breeding or holding system



A complete system using an advanced proven caging design for breeding purposes.

The rack comes in 2 Fast-Rack configurations for bulk breeding or smaller hobby breeding. It is heavy duty with shelves, adjustable every 25mm and either wheels with 2 lockable, or rubber adjustable feet.

This is a longer cage for bulk holding of larger numbers or trio breeding. It has 500cm² floor area.



Includes:

Rack with Castors

Polypropylene 500cm² Cage Bottom AS500B-PP Stainless Steel Polished Wire Lid and Hopper AS500L-SS AS300WB-PP Polypropylene 300mL Graduated Bottle

ASCBC

AS500FMB-70 Code: Dimension (mm): 1210L x 455W x2035H

(1895H with feet) Description: Rack & Cages - Fast-Rack

AS500 model x 70 Stainless Steel Conical Bottle Cap with Silicon Seal Delivery: 3-5days Metro, Australia Wide

CUSTOM OPTIONS

- 250mL Bottle PP
- 500mL Bottle PP
- Rubber Bung & Sipper
- 50mm Sipper Tube Cap
- Polycarbonate Clear Plastic
- Polysulfone Clear Plastic
- False Floor Caging
- Label Card Holders

Stand alone non-leak stainless steel valve, automatic watering system. Auto flush. Ask for Pricing.



35 CAGE PACKAGE

AS500FMB-35 Code: Dimension (mm): 1210L x 455W x2035H

(1895H with feet)

Rack & Cages - Fast-Rack Description:

AS500 model x 35

Delivery: 3-5days Metro, Australia Wide

Enquire for pricing details




Aluminium Flexi Rack



Stainless Steel Flexi Rack



Solid Shelf Style



Suspension Style Rack



mouse / rat breeding or holding

A complete system using an advanced proven caging design for breeding purposes.

The rack comes in 2 Fast-Rack configurations for bulk breeding, or smaller hobby breeding or stock holding. It is heavy duty with shelves, adjustable every 25mm and either wheels with 2 lockable, or rubber adjustable feet.

This one is larger, 980cm² cage for breeding groups or stock holding.



Capacity / Cage: 9 - 20 Mice max. 3 - 6 Rats max.

Includes:

Rack with Castors

AS980B-PP Polypropylene 980cm² Cage Bottom

Stainless Steel Polished Wire Lid and Hopper AS980L-SS Polypropylene 300mL Graduated Bottle AS300WB-PP

ASCBC Stainless Steel Conical Bottle Cap with Silicon Seal

CUSTOM OPTIONS

- 500mL Bottle PP
- Rubber Bung & Sipper
- 50mm Sipper Tube Cap
- Polycarbonate Clear Plastic
- Polysulfone Clear Plastic
- False Floor Caging
- High Top Lid with Hatch & Locks
- Label Card Holder

Enquire for pricing details



Aluminium Flexi Rack







Stand alone non-leak

automatic watering system.

Auto flush. Ask for Pricing.

stainless steel valve.



Freecall: 1800 73 1300

20 CAGE PACKAGE

AS980FMB-20 Code:

Dimension (mm): 1210L x 455W x2035H (1895H with feet)

Description: Rack & Cages - Fast-Rack

AS980 model x 20

Delivery: 3-5days Metro, Australia Wide

40 CAGE PACKAGE

Code: AS980FMB-40

Dimension (mm): 1210L x 455W x2035H

(1895H with feet)

Description: Rack & Cages - Fast-Rrack

AS980 model x 40

Delivery: 3-5days Metro, Australia Wide

20 CAGE PACKAGE - High Top

Code: AS980FMBH-20

Dimension (mm): 1210L x 455W x2035H

(1895H with feet)

Description: Rack & High Top Cages -

Fast-Track

AS980 model x 20 with (2 cages)

Delivery: 3-5days Metro, Australia Wide

With High Top Lid








rat or mouse holding system



A complete system using an advanced proven caging design for breeding purposes.

The rack comes in 2 Fast-Rack configurations for bulk breeding or smaller hobby breeding. It is heavy duty with shelves, adjustable every 25mm and either wheels with 2 lockable, or rubber adjustable feet.

This is our largest system with 2200cm² for group housing of stack lines.







Includes: Rack with Castors

AS2000B-PP Polypropylene 2200cm² Cage Bottom AS2000L-SS Stainless Steel Polished Wire Lid and Hopper

AS600SQWB-PP Polypropylene 600mL Graduated Bottle

ASCBC Stainless Steel Conical Bottle Cap with Silicon Seal

CUSTOM OPTIONS

- 500mL Bottle PP
- 1,000mL Bottle PP
- Rubber Bung & Sipper
- 50mm Sipper Tube Cap
- Polycarbonate Clear Plastic
- Polysulfone Clear Plastic
- False Floor Caging
- Card Holder
- High Top Lid 80mm with or without Hatch & Locks

Enquire for pricing details



Aluminium Flexi Rack

Stand alone non-leak stainless steel valve, automatic watering system. Auto flush. Ask for Pricing.



10 CAGE PACKAGE

AS2000FMB-10 Code: Dimension (mm): 1210L x 455W x2035H

(1895H with feet)

Description: Rack & Cages - Fast-Rack

AS2000 model x 10 (2 bottles/cage)

Delivery: 3-5days Metro, Australia Wide

10 CAGE PACKAGE - High Top

Code: AS2000FMBH-10 Dimension (mm): 1210L x 455W x2035H

(1895H with feet)

Description: Rack & Cages - Fast-Rack

> AS2000 model x 10 with High Top Lid (2 bottles/cage)


Delivery: 3-5days Metro, Australia Wide



Stainless Steel Flexi Rack



Solid Shelf Style



Suspension Style Rack



animal transport

animal transport accessories



- Fully autoclavable multiple times
- Double wall polypropylene insulates and helps stabilise temperatures

Ample space for labelling-

Light weight material helps keep freight cost down

Up to 5 dividers fitted into either size shipper



A wire lined viewing window ensures safe viewing and no escapees


IATA approved < markings with required warning text

Double mesh protected filter panel to ensure filters are never damaged or —compromised



Tapered sidewalls means filter area can't be blocked and boxes are stackable. Delivered assembled to save time.





Delivered stackable and assembled to save you time and cost

- 200 small / pallet
- 100 large / pallet

MINI SHIPPERS

Disposable Small Ship Boxes for internal shipping or short transit times with air vent holes. Optional Mesh and Filter Paper for added protection.

Product Code: AS400SISFP

Description: Small Box Flat – Ready to Assemble 400sqcm

Mice up to Rats

Qty: Box/50

Product Code: AS1000SISFP

Description: Small Box Flat – Ready to Assemble 1000sqcm

Mice up to Rabbits

Qty: Box/50 Box/50

FILTER PAPER CODE: ASSISFP

MESH INSERT CODE: ASSISM





Mesh and Filter Inserts When Assembling

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

able

Freecall: 1800 73 1300

animal transport iata approved transport shippers

Large Animal Transport Shipper 580 x 370 x 210mm H

Capacity: 30 mice up to 25am. 5 rats up to 250am maximum

Capacity. 30 mice	ap to 23gm. 3 rats up to 230gm n	ιαλιιτιαι
Code		Box of of
AS1300ATSAS	Animal Transport Shipper Assembled Large	100
AS1300ATSAS1D	Lrg Shipper Assem. W/ 1 Divider	100
AS1300ATSAS1D1W	Lrg Shipper Assem. W/ 1 Divider/window	100
AS1300ATSAS1D2W	Lrg Shipper Assem. W/1 Divider/2 Windows	100
AS1300ATSAS1W	Large Shipper Assembled W/ 1 Intl Window	100
AS1300ATSAS2D	Lrg Shipper Assem. W/ 2 Dividers	100
AS1300ATSAS2D2W	Lrg Shipper Assem. W/ 2 Divider/2 Window	100
AS1300ATSAS2W	Lrg Shipper Assem. W/2 Windows	100
AS1300ATSAS3D	Large Shipper Assembled With 3 Dividers	100
AS1300ATSAS3D2W	Lrg Shipper Assem. W/ 3 Divider/2 Window	100
AS1300ATSAS4D3W	Lrg Shipper Assem. W/ 4 Divider/3 Window	100
AS1300ATSFP	Lrg Shipper Flat Packed	100
AS1300ATSFP+F	Large Shipper Fp With Filter In Lid	100
AS1300ATSFP1W	Lrg Shipper Flat Packed 1/window	100
AS1300FCS	Flywire Cover Seals 710mmx455mm	100
AS1300FW	Fly Wire Complete Box Seal	100
AS1300IATSFP+F	Lrg Intl Flat Pck Shipper W/ Filter In Lid	100
AS1300LD	Large Shipper Divider Loose With Mesh	100
AS1300LS	Large Shipper Air Spacer With D/s Tape	100
AS1300SLD	Solid Large Shipper Divider Loose	100
AS1300VW	Large International View Window	100



Small Animal Transport Shipper Assembled 410 x 320 x 150mm H

Capacity: 12-15 mice maximum

Code		Box of of
AS750ATSAS	Animal Transport Shipper Assembled Small	100
AS750ATSAS1D	Small Shipper Assembled With 1 Divider	100
AS750ATSAS1DW	Sml Shipper Assem. W/ 1 Divider/1 Window	100
AS750ATSAS1W	Small Shipper Assembled W/ 1 Intl Window	100
AS750ATSFP	Small Shipper Flat Packed	100
AS750ATSFP+F	Small Shipper With Mesh Filter In Lid	100
AS750ATSFP1W	Sml Shipper Flat Packed W/1 Window	100
AS750D	Small Fixed Divider With Mesh Stappled	100
AS750FCS	Flywire Cover Seal 400x455mm	100
AS750FW	Fly Wire Complete Box Seal	100
AS750IATSFP+F	Sml Intl Flat Pck Shipper W/ Filter In Lid	100
AS750LD	Small Shipper Loose Divider With Mesh	100
AS750LD-DST	Small Loose Divider With D/sided Tape	100
AS750SLD	Solid Small Shipper Divider	100
AS750SS	Small Shipper Air Spacer With D/s Tape	100
AS750VW	Small International View Window	100















Easy 'tear & pin' setup saves time, eliminates need for scalpels and means no more mess! See Page 63



animal transport

animal transport accessories



Animal Transport Asscessories

Cat Carrier

Code	Description
ASCCBLC-SS	Cat Carrier Complete S/Steel Lid with handle,lockable and PP Base Blue or White
ASCCBLC-G	Cat Carrier Complete galvanised lid with handle, lockable and PP Base Blue or White



Semi Auto Box Strapper

ASEXS306	Semi Auto Strapping Machine	of 1	AUD \$ 1395.00
	Animal Boxes &		

- Automatically tensions, seals and cuts the strapping.
- Very robust machine with adjustable tension and feed length.
- Suitable for 12mm x 3000m machine strapping.



Centaur Poly Machine Strap

Code	Description	Dimensions (mm x m)	Rolls of	Price AUD \$
ASEXS4503	PP Machine Strap Prem Clear	12 x 3000	1	98.00
ASEXS4503B	PP Machine Strap Prem Blue	12 x 3000	1	98.00

- Reduce down time with trouble free strapping.
- High performance strapping for use in automatic machines.



Centaur Poly Machine Strap

Code	Description	Dimensions (mm x m)	Rolls of	Price \$/roll
ASPHS12	PP Hand Strap Disp Box Blue	12 x 1000	1	46.00

- Reduce down time with trouble free strapping.
- High performance strapping for use in automatic machines.



Buckles Wire and Poly

Code	Description	Dimensions (mm)	Ctn of	Price \$/ea
ASPHSS12	Wire Buckles - PP Strap	12	1000	129.00
ASPHSB12	Plastic Buckles - PP Strap	12	1000	57.50

- Strap can be retensioned at anytime.
- Use wire buckles in place of plastic when extra strength is needed.



- IATA Approved
- Polypropylene Coreflute Repeatedly Autoclavable @ 121°C
- Poultry, Ferret, Rabbit and Cats
- Wire Lined Filtered Windows
- Floor Area: 2200cm²
- Dimension: 600 x 410 x 310 H mm



Code	Description	Packs of
AS2200PTS	Assembled wire line shipper	10
AS2200PTS	Poultry And Rabbit Transport Shipper	100
AS2200RFS	Poultry/rabbit Transport Shipper Flat Pack	100

Shipper Lid Stapler

Code

ASP6C-8S	Stanley Stapler as shown below
	Ideal for sealing shipper lids
ASSB9mmS	Staples for above 1000/box





QIKSHIP TM

animal transport

aflat pack shippers



It comes flat

- More per pallet
- Lower shipping costs
- Less storage space required



Assembled and ready to use in 10 secs.

- No tools or staples required
- Easy to collapse for reuse & storage
- No training required



4 compartment shipper

Description

Long divider for 1300QS



Hanging position for Necta Gel Sachets. No staples needed. Lid when positioned locks Necta sachets in position.



AVAILABLE FROM MARCH 20





All filters protected via mesh



KEEP AIR SPACES CLEAR SE THE UNINUETE

LARGE

SMALL

EU PALLET QUANTITY 150

EU PALLET

QUANTITY

400

AU/US PALLET QUANTITY 150

AU/US

PALLET

QUANTITY

400

Description
$1200 cm^2$ QikShip, Flat packed. Assembled size: 435L x 300W x 165H mm
Short divider for 750QS
Long divider for 750QS
$1300 cm^2$ QikShip, Flat packed. Assembled size: 565L x 350W x 208H mm
Short divider for 1300QS

Don't forget your **NECTA** water supplement

Ordering Information Shelf Life 24 Months Code: NECTAH20 Storage @ 75g (2.67oz) 100 sachets per carton Room Temp. Barrier Packed in bags





AS1300D2

ASQSVW

Code

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Viewing window, centre of lid (Optional)

animal transport


rigid shippers





Sliding lid produces a compression seal all around the lid.

- Sliding lid allows opening of compartments to access animals one by one
- Patented



Security via the use of coloured lid lock cables. Use 1 as seal and 3 others as stacking locks to secure multiple shippers together for shipping

- Patented



Hanging position for water gel sachets in all 4 compartments if using dividers. Lid locks all sachets in place, when slid into position.

- Patented







can give AVAILABLE FROM MARCH 2016

A seal

and security no other shipper





- IATA markings permanently moulded into lid.
- Also provides space for shipping labels



Strapping lugs to ensure straps stay in position and to ensure the lid lock clip is held shut during transit.

Code	Description
AS760SS	760cm ² ShipSafe Lid & base. Size: 435L x 272W x 185H mm
AS760D1	Short divider for ShipSafe 760SS
AS760D2	Long divider for ShipSafe 760SS
AS2200SS	2200cm ² ShipSafe, Lid & base. Size: 580L x 485W x 230H mm
AS2200D1	Short divider for ShipSafe 2200SS
AS2200D2	Long divider for ShipSafe 2200SS



EU PALLET QUANTITY 200

AU/US **PALLET** QUANTITY 250

LARGE

EU PALLET QUANTITY 100

AU/US **PALLET QUANTITY** 150

Don't forget your **NECTA** water supplement

Shelf Life 24 Months Storage @ Room Temp. **Ordering Information** Code: **NECTAH20** 75g (2.67oz) 100 sachets per carton Barrier Packed in bags





	Primary Animal	Process Level	Key Ingredients	Self Life	Appro	x Nutriti	on Values		Ordering Information
pure water	Rodents Guinea Pigs	Barrier bag packed	98.7% purified water gelling agent	24 Months Storage - Room Temp.	Energy Protein Fat	10kj 0 0	Carbohydrates Dietary Fibre Sugar	0 1.2g 0	Code: NECTAH20 75g 100 sachets per carton Code: ASNECTAR-40 40g 150 pack per carton
pinworm treatment		ABLE NECTA PLUS Pinworm Treatment Barrier bag packed	98.7% purified water gelling agent fenbendazole 150ppm	24 Months Storage - Room Temp.	Energy Protein Fat	10kj 0 0	Carbohydrates Dietary Fibre Sugar	0 1.2g 0	Code: ASNECTA + 75g 100 sachets per carton
NECTA punch raspberry flavour		ABLE NECTA PUNCH - Raspberry Flavour Provides enrichment, hydration and a medication delivery vehicle Barrier bag packed Sweetener helps mask medication taste,	76% purified water gelling agent, raspberry flavour	24 Months Storage - Room Temp.	Energy Protein Fat	45kj 0 0	Carbohydrates Dietary Fibre Sugar	0.7g 1.2g 0	Code: ASNECTA-R20 20g 300 pack per carton Code: ASNECTA-R40 40g 150 pack per carton

Other Uses

Necta is also useful as an ad-hoc moisture source anywhere in your facility. Other specific uses for NECTA Gel include aiding in post-surgical recovery and metabolism studies.

aiding delivery.







Free enrichment with every box purchased



- Animal transport fastens easily to the side of a shipper, keeps clean, dry, and is a low cost single use solution.
- Can be used as a supplement for compromised, recovering or weaning animals
- When transitioning animals to an automated watering system
- Back up Water Supply Disaster Recovery Plan
- As a drug delivery method. Heat; inject with syringe; Cool; administer to animal.

How much Necta should I provide for my animals during shipment?

There are quite a number of variables to be considered when determining the amount of Necta needed, including species of animal, the number of days in transit, the number and weight of the animals.

Always take into consideration the regions of travel, in order to try and allow for factors such as ambient temperature and environmental conditions as they may impact the daily water consumption. We have made a suggestion below to be used as a guideline during shipping.

- Mouse 4-7g / day
- Rat 24-60g / day
- · Guinea Pig 50-80g / day
- Rabbit 100-600g / day

We normally recommend adding one (1) days allowance to the travel time, in the event of unexpected delay. For example, a two (2) day shipment should have at least three (3) days of hydration.

How should I store my Necta?

Necta is designed to be stored at room temperature and does not require any special handling. Necta shelf life is 24 months or greater.



aspen chew sticks and bricks



Aspen Chew Sticks

"Enrichment is a dynamic process in which changes are made to husbandry practices or the animals' standard physical environment for the purpose of promoting expression of the species appropriate behaviour and activities, while minimising stress-inducing behaviours." Chewing is a natural behaviour of rodents, and provisions must be made for this in every enrichment program.

Code
Description
Packaging:

Dimensions (mm)


Qty/Ctn

Aspen Chew Sticks for All Rodents. Bulk, Low Cost

50 per bundle. Paper wrapped. Autoclavable
114L x 10W x 2H / Bundle

10,000

ASAECS-A







AEBS-A

Small Aspen Chew Bricks - Screened 10 x 10 x 50L

1000

Code AEBM-A

Description Medium Aspen Chew Bricks - Screened

Dimensions (mm) 20 x 20 x 100L

200

Code AEBL-A
Description Large Aspen Chew Bricks - Screened

Freecall: 1800 73 1300

Dimensions (mm) 40 x 40 x 200L

50



Aspen Rabbit Brick

Great For Rats, Guinea Pigs and Rabbits!

Code
Description
Dimensions (mm)
Qty/Ctn

ASAERBS-A

Normal Aspen Rabbit Brick

60 x 60 x 22H

100



able



huts/igloo/fastracks



Tee Pee 'P' Mouse Hut

Great For Mice! Fits All Cages!

Code ASDMHP-P

Description Screened Recyclable Paper Tee Pee 'P'

70 x 140 x 60W

Qty/Ctn 480



Paper Mouse Hut

Great For Mice! Fits All Cages!

Code
Description
Dimensions (mm)
Qty/Ctn

ASGLPBMH-P
Blackless Mouse Hut
70 x 100 x 60W
600

Mouse House Igloos and Fastracks

Code
Description
Dimensions (mm)
Qty/Ctn

Code
Description
Dimensions (mm)
Qty/Ctn

ASIMHR-PC

Red Igloo Mouse House-PC 108Ø x 58H 200

ASIMHA-PC
Amber Igloo Mouse House-PC
108Ø x 58H
200

Dimensions (mm)
Qty/Ctn
Code

Description
Dimensions (mm)
Qty/Ctn

Code

Description

ASIFTA-PC

Amber Fastrack-PC 153Ø 200

ASIFTB-PC
Blue Fastrack-PC

153Ø 200







Aquatic Enrichment

Code
Description
Dimensions (mm)
Qty/Ctn

Code
Description
Dimensions (mm)
Qty/Ctn

ASK3570

Igloo Blue PC 108Ø x 56H 200

ASIFTA-P Replacements Fastrack Axles Non Squeak Poly

ASK3102 Hut Blue PC 95W x 45H x 75L 50 Code
Description
Dimensions (mm)
Qty/Ctn

Code
Description
Dimensions (mm)
Qty/Ctn

ASK3170

Retreat Blue PC 95W x 95H x 15L 100

ASK3600 Tent Blue PC 32H x 64L 50



Disposable Igloo and Fastracks

Code
Description
Dimensions (mm)
Qty/Ctn

ASK3174

Red Igloo Mouse House-PC $95\emptyset \times 50H$ 300 (25/SLEEVE)

Code
Description
Dimensions (mm)

Qty/Ctn

ASK3175 Red Fast Track

135Ø x 50H 300 (25/SLEEVE)



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300

mouse and rat hut and tunnels!



Fun Tunnels

Great For Mice And Rats!

Code MFT-P

Description Mini Fun Tunnel - Screened 100% Recycled Pulp

Dimensions (mm) 44Ø x 90L Qty/Ctn 500

Code


Description Rat Fun Tunnel - Screened 100% Recycled Pulp'

3mm Thick Walls for Longer Life

100Ø x 250L Dimensions (mm)

RFT-P

Qty/Ctn



Polycarbonate Fun Tunnels

Great for Mice and Rats

ASMFTR-PC Code

Standard Fun Tunnel Red-PC Description

Dimensions (mm)

Qty/Ctn

100 Qty/Ctn

Description Dimensions (mm) 57Ø x 98L

Qty/Ctn

Code

Description Dimensions (mm)

Qty/Ctn

Code

Code Description

57Ø x 98L

ASMFTA-PC Code Standard Fun Tunnel Amber-PC Description Dimensions (mm)

100

ASRFTA-PC

Amber Rat Fun Tunnel

82Ø x 153L

50

ASFTWHM-SS

Wire Hanger for Standard Tunnel S/S


100

ASRFTR-PC

Red Rat Fun Tunnel 82Øx 153L

ASFTWHR-SS

100



Rodent Resort

Great for Mice! Fits All Cages!

ASRRRES-PC Code Description

Dimensions (mm) Qty/Ctn

Polycarbonate Red

87L x 62W x 58 100

Code Description Dimensions (mm) Qty/Ctn

Qty/Ctn

Description

Qty/Ctn

Code

ASBRRES-PC

Polycarbonate Blue 87L x 62W x 58

100



Great for Mice, Rats and Guinea Pigs!

ASRRR-PC Code Red Rodent Retreat For Rats Description Dimensions (mm) 96x96x153I

50 Qty/Ctn

ASRRA-PC Code

Amber Rodent Retreat For Rats Description

Dimensions (mm) 96x96x153L

Qty/Ctn 50











mouse and rat hut and tunnels!

Tee Pee 'F' Mouse Hut

Great For Mice! Fits All Cages!



Compact

2 Sizes

Autoclavable

Quick & Easy to assemble

Low Cost

Excellent Enrichment

Proven References

Lasts up to 6 months

TPCW-PP Description

Dimensions (mm)

Qty/Ctn

TeePee Corner Mouse Hut Autoclavable, Polypropylene 125 x 125 x 65H mm

200



WALL THIS

REDUCES NOISE



TPMW-PP Code Description

TeePee Mouse Hut Autoclavable, Polypropylene 125 x 103 x 65H mm Dimensions (mm) 200

Mouse Huts

Code Description

Dimensions (mm) Qtv/Ctn

ASK3271

Red Autoclavable 90 x 72 x 45H

50

Code Description

Dimensions (mm)

Qty/Ctn

ASK3272

Amber Autoclavable 90 x 72 x 45H

Qty/Ctn



Guinea Pig Hut

Great for Aquatics and Guinea Pigs!

ASK3261

Description Dimensions (mm)

Red. PC Stackable, Autoclavable 164 x 115 x 204L

Qty/Ctn 12

Rabbit Hut

For all Large Animals,

Description

Dimensions (mm) Qty/Ctn

ASK3262 Red, Stackable, Autoclavable

225 x 280 x 305L

12



Fat Rat Hut

Code

Description Dimensions (mm)

PC Fat Rat Hut Red Certified (Contaminant Screened) 159 W x 86 H x152 L

Qty/Ctn 50

Pup Tents

Code Description **ASK3390**

Amber Certified (Contaminant Screened)

Dimensions (mm) Qty/Ctn

32H x 64W

500

Code

Qty/Ctn

Description

Dimensions (mm)

ASK3389 Red Certified

(Contaminant Screened)

32H x 64W 500





rubber and plastic chew toys



Crawl Ball

Great For Mice, Rats, Aquatics and Small Guinea Pigs!

Code	ASK3329	Code	ASK3330
Description	Polycarbonate crawl ball,	Description	Polycarbonate crawl ball,
	Rats up to 300g • Red		Rats up to 300g • Amber
Dimensions (mm)	96Ø	Dimensions (mm)	96Ø
Otv/Ctn	50	Otv/Ctn	50



Super Challenger Ball

Great For Primates, Swine and Canine!

Code	ASK3100-S
Description	Super Challenger Ball S/S disk in middle, 12 attaches to outside of cage. Cage washable
Dimensions (mm)	165Ømm with 255L Chain
Qtv/Ctn	12



Jingle Ball

Great For Canine Rabbit Primate & Swine!

Circal i Oi C	arille, Habbit, Frimate & S	WILLE:	arear i oi a	ulliea rig & Sw
Code	ASK3001		Code	ASK3225
Description	Solid one piece construction Autoclavable • 3 x S/S jingles inside		Description	Polypropylene Ferret E 76mm holes • Cage w
Dimensions (mm)	115Ø		Dimensions (mm)	255Ø
Qty/Ctn	50		Qty/Ctn	12

Ferret/Guinea Pig Ball

Great For Guinea Pig & Swine!

ode	ASK3225		
escription	Polypropylene Ferret Ball		
	76mm holes	 Cage washable 	
imensions (mm)	255Ø		
ty/Ctn	12		

Taz Ball

Great For Canine, Rabbit, Ferret, Swine and Primate!

Great For Garmie, Flassit, Forfet, Gwille and Fillington				
Code	ASK3402	Code	ASK3401	
Description	Taz Ball Assorted Colours	Description	Taz Ball Assorted Colours	
Dimensions (mm)	Small - 54Ø	Dimensions (mm)	Large - 72Ø	
Qty/Ctn	12	Qty/Ctn	12	

Coloured Dumbells

Great For Mice, Rats, Aquatics and Small Guinea Pigs!

Code	ASDBSO-PP	Code	ASDBMO-PP
Description	Multi Coloured Dumbell - PP/SML	Description	Multi Coloured Dumbell-PP/MED
Dimensions (mm)	48H x 100L	Dimensions (mm)	62H x 128L
Qty/Ctn	100	Qty/Ctn	100





rubber and plastic chew toys



Nylabone

Great For Canine, Guinea Pig, Rabbit, Primate and Swine!

Code	AS
Description	Reg
Dimensions (mm)	321
Qty/Ctn	50
Code	AS

ASK3203/NB-115 gular • Dark Chocolatel W x 115L ASK3201/NB-115

50

Code Regular • White Chocolate Description 32W x 115L Dimensions (mm) Qty/Ctn

ASK3200/NB-87 Code Petite • Dark Chocolate Description Dimensions (mm) 26W x 96L Qty/Ctn

ASK3202/NB-87 Petite • White Chocolate 26W x 96L 50



Kong Squeaker

Great For Canine, Swine and Primate!

ASK3348

Qty/Ctn

Description

Code Description

Dimensions (mm)

Qty/Ctn

Kong squeaker tennis ball. Inexpensive and disposable 64Ø

50

Big Red Apple

Great For Swine and Canine!

ASK3263

Code

Description

Cage Washable • Apple scented 12

 Polyethylene Dimensions (mm) 230Ø Qty/Ctn 12



Hercules

Great For Swine and Canine!

Code Description

Dimensions (mm) Qty/Ctn

ASK3210 Small solid thermoplastic

dental device, Cage washable 64W x 127L

Code Description

Dimensions (mm) Qty/Ctn

ASK3213

Largesolid thermoplastic dental device, Cage washable 83W x 153L

12

Squeeze and Toss Football

Great For Canine, Rabbit, Primate and Swine!



Code Description Dimensions (mm) Qty/Ctn

ASK3290 Squeeze & Toss Football S Small 62Ø x 110L

Description Dimensions (mm) Qty/Ctn

ASK3292

Squeeze & Toss Football S Large 115Ø x 204L

12

ASK3291 Code Description Dimensions (mm)

Squeeze & Toss Football S Medium 76Ø x 146L

Dura Mirror

For all Large Animals, Particularly Primates!

Qty/Ctn

Code Description ASDM46C

Double sided polycarbonate encased in colourful frame Includes stainless steel swivel, chain and clip

104W x 174H 215 Dimensions (mm)

Qty/Ctn





rubber and plastic chew toys



Longlife Tunnels

Description

Dimensions Qty/Ctn

Code Description

Dimensions Qty/Ctn **ASLLTRL-SS**

Round S/Steel Enrichment Tunnel Large (Rat) 100Ø x 300mm L

24

ASLLTRS-SS

Round S/Steel Enrichment Tunnel Small (Mouse) 50Ø x 75mm L

24

Code Description

Dimensions Qty/Ctn

Code Description

Dimensions Qty/Ctn **ASLLTSL-SS**

Square S/Steel Enrichment Tunnel Large (Rat) 100 x 100 x 300mm L 24

24

ASLLTSS-SS

Square S/Steel Enrichment Tunnel Small (Mouse) 50 x 50 x 75mm L

24





Haus Mouse

Code Description

Dimensions Qty/Ctn ASRMH-SS

Stainless Steel Enrichment Haus - Rats

150mm Ø 24 Code Description

Dimensions Qty/Ctn ASMMH-SS

Stainless Steel Enrichment Haus - Rats 100mm Ø

24

- Simply hang in cage
- Rabbits can rub their body against the all stainless steel beaded chain
- Or chew on the ends
- Multi Purpose Enrichment For All Animals Especially Rabbits



Code

Description

Dimensions

Qty/Ctn

Autoclavable Rodent Calmer

Code Description

Dimension Qty/Ctn **ASERR-RS**

Stainless Steel beaded chain with nylon spacers, clips to cages. 125mm (L)

24



Autoclavable Rabbit Calmer

Code Description

Dimension Qty/Ctn **ASERLXR-RS**

Stainless Steel beaded chain with nylon spacers, clips to doors/lids 150 x 255mm (L)

12

Longlife Huts

Code Description

Dimensions Qty/Ctn

Code Description

Dimensions Qty/Ctn **ASLLHL-SS**

Stainless Steel Enrichment Huts - Large

255 x 255 x 305mm L

24

ASLLHM-SS Stainless Steel Enrichment Huts - Medium 75 x 100 x 150mm L

24

ASLLHS-SS

Stainless Steel Enrichment Huts - Small 50 x 75 x 75mm L

50 x 24



Split Rings

Multi Purpose Enrichment for All Animals!

Code ASR25-NP
Description Nickel Plated
Dimensions (mm) 25Ø
Qtv/Ctn 100

able



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide Freecall: 1800 73 1300 www.ablescientific.com.au



steel, large animals and primate toys

Running Wheel

Great for Mice and Smaller Rats!

Code
Description
Dimensions (mm)
Qty/Ctn

ASRW-SS
Stainless Steel Fits Most Cages
110Ø x 102W
12

Code Description

Dimensions (mm)
Qty/Ctn

AS16RW-SS

Stainless Steel Running Wheel Sit on Floor or Hanging 110Ø x 102W



Hanging Bell Stainless Steel

Code
Description
Dimension
Qty/Ctn

ASB15-SS S/S Heavy Duty Bell 38mm H x 50mm opening

//Ctn | 12

All Stainless Steel Bell

 Has chain and eyelet for hanging





S/S Rattles

For Swine, Primate, Ferret, Guinea Pig, Rabbit and Canine!

Code	ASK3310-C	Code	ASK3311-C
Description	Triangle Rattle. Stainless Steel	Description	Round Rattle. Stainless Steel
Dimensions (mm)	77	Dimensions (mm)	77
Qty/Ctn	12	Qty/Ctn	12



Multi Purpose Enrichment for All Animals!

Code ASKEC-SS

Description Multipurpose Enrichment Chain. Stainless Steel 3.4

Qty/Ctn 12



S/Steel Twist Clip

For Swine, Primate, Ferret, Guinea Pig, Rabbit and Canine!

Code	ASTC-SS 316	Code	ASQL-SS 316
Description	S/Steel Twist Clip	Description	S/Steel Quicklink
Dimensions (mm)	55L	Dimensions (mm)	45
Qty/Ctn	50	Qty/Ctn	50

Used to suspend various enrichment devices 45mm L x 10mm Openings Inside

Shine Mirror

Great For Canine, Primate, and Swine!

l
l
l

ASK3150 Stainless Steel Monkey Shine Mirror 1590

12



S/S Rings

Great For Canine, Primate, and Swine!

Code	ASSR90
Description	Stainless Steel Ring
Dimensions (mm)	90Ø
Qty/Ctn	12



The type of bedding used in a facility can greatly influence the results of experimental procedures.

Bedding is one of the most important items within the micro-environment of an animal. It provides warmth, maintains the environment of the cage, and adds to the overall welfare of the animals in care. It is an essential item for all animals in captivity.

Two things to think about when considering bedding choices:

- 1) the needs and requirements of the animals to be housed
- 2) what experimental procedures will be performed.

There are many different types of bedding available on the market and it can be a bewildering experience to choose the type that best meets all of the requirements.

We have made things easy by bringing a specially selected range of only the highest quality beddings to you. We ensure that they are of high value, so your budget can go a little further, allowing you to maybe, include some enrichment and make your animals even more comfortable and your research even better.

We're committed to making your life easier!

The Able Team

PuraPaper - Premium

PuraPaper chip bedding, larger bags than all other brands and more absorbent. approx 50L Bags

Code	Pack Type	Pallet Qty	One Bag Fills
ASSAD-P	Woven Poly Bags	80	104+ cages

- Up to 3 weeks between changes
- White for excellent observation
- Free flowing for dispensers
- Completely dust free
- More cages per bag
- Greater Absorbency
- Autoclavable bag 121°C
- Biodegradable
- Easy cleaning

Request Certificates of Analysis www.purabed.com

Raw Material: Pure Cellulose Size Grain: 5 - 8mm square cut

Absorbency: (Density 220kg/m³) 9 to 10 times its weight in water

Dust Level: Less than 355 m: 0.025%







Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au







PuraChips - Premium

10kg + Premium Coarse Aspen Enrichment Bedding.

Code	Pack Type	Pallet Qty	One Bag Fills
ASTAEB-CA	Poly Bags	50	131+ cages

- Up to 3 weeks between changes
- From sustainable certified source
- Chemical free processing
- Sterilised during drying
- Lowest dust bedding
- Mycotoxin free
- Biodegradable

Request Certificates of Analysis www.purabed.com

NOTE: All bags autoclavable and can be irradiated at cost










Autoclavable

PuraChips - Premium

10kg + Premium Fine Aspen Enrichment Bedding.

Code	Pack Type	Pallet Qty	One Bag Fills
ASTAEB-FA	Poly Bags	50	117+ cages



- From sustainable certified source
- Chemical free processing
- Sterilised during drying
- Lowest dust bedding
- Mycotoxin free
- Biodegradable

NOTE: All bags autoclavable and can be irradiated at cost









PuraChips - Coarse Grade

63L PuraChip Coarse Aspen Enrichment Bedding.

Code	Pack Type	Pallet Qty	One Bag Fills
ASAEB-CA	Paper Bags - 3 Ply	60	125+ cages

NOTE: All bags autoclavable and can be irradiated at cost









Request Certificates of Analysis www.purabed.com

PuraChips - Fine Grade

63L PuraChip Fine Aspen Enrichment Bedding.

Code	Pack Type	Pallet Qty	One Bag Fills
ASAEB-FA	Paper Bags - 3 Ply	60	109+ cages

NOTE: All bags autoclavable and can be irradiated at cost









Omar, S, Lemonnier, B, Jones, N, Ficker, C, Smith, ML, Neema, C, Towers, GHN, Goel, K, Arnason, JT 2000, 'Antimicrobial activity of extracts of Eastern North American hardwood trees and relation to traditional medicine', Journal of Ethnopharmacology, vol. 73, no. 1, pp. 161-170.

Smith, E, Stockwell, JD, Schweitzer, I, Langley, SH & Smith, AL 2004, 'Evaluation of cage micro-environment of mice housed on various types of bedding materials', Journal of the American Association for Laboratory Animal Science, vol. 43, no. 4, pp. 12-17.



PuraChips - Extra Fine Grade

63L PuraChip Extra Fine Aspen Enrichment Bedding.

Code	Pack Type	Pallet Qty	One Bag Fills
ASAEB-XFA	Paper Bags - 3 Ply	50	111+ cages

■ Excellent for Diabetic Research

NOTE: All bags autoclavable and can be irradiated at cost







Request Certificates of Analysis www.purabed.com



PuraChips - Enriched Fine Grade

63L PuraChip Fine Aspen Bedding Enriched with Pure Cellulose

Code	Pack Type	Pallet Qty	One Bag Fills
ASAEB-EFA	Paper Bags - 3 Ply	50	109+ cages

NOTE: All bags autoclavable and can be irradiated at cost







PuraFlake - Screened Aspen

Large Soft Aspen Flakes for Bedding and Enhanced Nesting - Compressed

Code	Pack Type	Pallet Qty	One Bag Fills
ASPF20-A	Polyethylene Bags - 20kg Clear	24	1200+ cages

- Natural material with great nesting and enrichment qualities
- Eliminates Allergen Problems
- Clean long lasting look
- Virtually dust free
- Excellent absorbtion
- Heat treated contamination free
- Mycotoxin free

- From sustainable source
- Biodegradable
- Perfect for trans-genics and large animals
- High volume 550L compressed to 74L in bag
- Suitable for large animals where bulk coverage is needed







PuraSoft - Screened Sofwood

Selected Softwood Chips 75L bags

Code	Pack Type	Pallet Qty	One Bag Fills
ASPSP75-P	Polyethylene Woven Bags - Autoclavable	60	90+ cages

- 100% Biodegradable
- Low dust content
- Heat treated processing
- Contaminant free heat treated
- Ultra high absorbency
- Ultra high volume 75L





PuraPack - Screened

Selected softwood shavings for bedding and enhanced nesting compressed to 3kg

Code	Pack Type	Pallet Qty	One Bag Fills
ASPPB-3	Polyethylene Bags - Clear with Carry Handle	160	105+ cages

- 100% Biodegradable
- Low dust content
- Heat treated processing
- Contaminant free heat treated
- Ultra high absorbency
- Ultra high volume 60L
- Eliminates OHS bag issues
- Selected soft wood shavings
- Autoclavable out of bag
- For a dry, low odour cage
- Natures best









PuraCob - Premium

10kg PuraCob No. 8 Coarse Dust Free.

Code	Pack Type	Pallet Qty	One Bag Fills	Price \$/ea
ASCCB-C	Polyethylene Bags - Autoclavable	70	62+ cages	0.00

- Highest Ammonia control
- Guaranteed dust free
- More cages per bag
- Greater Absorbency
- Autoclavable bag 121°C
- Longer lasting cages
- Biodegradable
- Small compact bags for easy handling







Request Certificates of Analysis www.purabed.com



PuraCob - Premium

10kg PuraCob No. 12 Fine Dust Free.

Code	Pack Type	Pallet Qty	One Bag Fills	Price \$/ea
ASCCB-F	Polyethylene Bags - Autoclavable	70	53+ cages	0.00

- Highest Ammonia control
- Guaranteed dust free
- More cages per bag
- Greater Absorbency
- Autoclavable bag 121°C
- Longer lasting cages
- Biodegradable
- Small compact bags for easy handling









Request Certificates of Analysis www.purabed.com



PuraCob - Enriched

10kg PuraCob No. 8 Fine Dust Free.

Code	Pack Type	Pallet Qty	One Bag Fills	Price \$/ea
ASECCB-C	Polyethylene Bags - Autoclavable	70	62+ cages	0.00

- Coarse bedding with Enrichment furls
- 10kg Bags
- Unmatched Consistency
- Lowest Dust







Hughes, ER, Miller, ST, Cotzias, GC 1966, 'Tissue concentrations of manganese and adrenal function', The American journal of physiology, vol .211, no. 1, pp.207-10



bedding

nesting materials - paper and aspen



"The results of this study suggest that providing more naturalistic nesting material allows mice to build more naturalistic nests. Mice built higher quality nests with the shredded paper strips than with facial tissues."

Home Improvement: C57BL/6J Mice Given More Naturalistic Nesting Materials Build Better Nests: Assoc Lab Anim Sci. Nov 2008; 47(6). Published online.

PuraCrinkle - Screened

10kg PuraCrinkle Dust Free Nesting Material Autoclable Box

Code	Pack Type	Pallet Qty	One Bag Fills
ASBCN-P	Box	18	1670+ cages

- Springy long lasting nests
- Forage friendly
- Non-dusty
- Eco Friendly

NOTE: All bags autoclavable and can be irradiated at cost



Request Certificates of Analysis www.purabed.com

PuraCrinkle - Enviropak

7gms of PuraCrinkle nest material, packed in easy portion controlled sachets

Code	Pack Type	Pallet Qty	Box
ASECNT-P	Box	16	1000 sachets





- **PROVEN** PuraCrinkle is the best nest material available
- **CONVENIENT** Easily dispensed
- PORTION CONTROL Consistent amount in each pack
- COST EFFICIENT No waste no mess. No lost time



bedding

nesting materials - paper and aspen

The Natural hardwood, and precise splinter free production of the aspen nesting wool provides a springy natural product which exhibits very similar qualities and benefits to the animal as shredded paper.

Home Improvement: C57BL/6J Mice Given More Naturalistic Nesting Materials Build Better Nests: Assoc Lab Anim Sci. Nov 2008; 47(6). Published online.



PuraNest - Screened

Aspen Nesting Material 90L

Code	Pack Type	Pallet Qty	One Bag Fills
ASTAN-3	Box - 3 kg	24	650+ cages

- Springy and Long Lasting
- From sustainable certified source
- Chemical free processing
- Heat sterilised during drying
- Eliminates allergen problems
- Clean long lasting look
- Virtually dust free
- Mycotoxin free
- Biodegradable
- Forage Friendly

NOTE: All bags autoclavable and can be irradiated at cost

Request Certificates of Analysis www.purabed.com



PuraWool - Premium

Virgin Paper Wool Cellulose Sacks 10kg

Code	Pack Type	Pallet Qty	One Bag Fills	
ASAEPW-P	Plastic PE Bags	30	1500+ cages	

PuraShred - Premium

Virgin Paper Wool Cellulose Sacks as above but in fine shredded pieces - 2kg

	Code	Pack Type	Pallet Qty	One Bag Fills
Market and	ASAEPS-P	Plastic PE Bags	96	210+ cages
	Maria de la companya	Sustainable SBiodegradab		

- Easy to dispense short fibres
- Doesn't tangle legs
- Expands into high volume nests
- White for easy observation



bedding nesting materials - cotton



Cotton Nestlet

Great For Mice And Rats

Cotton Nestlet - Square - Certificate on Request

Code Dimensions Qty/Box (mm)

ASNLETS 50 x 50 x 50 / pieces 3600 (100 sheets)





Cotton Cocoons

The Latest In Rodent Enrichment, Small, Lightweight and Cylindrical With Very Short Fibres Making Them Safe For The Animals

Code	Dimensions (mm)	Qty/Box
ASKMCOC	12Ø x 38L	6000 (200 bundles)





able

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300



cage wash and disinfectant detergents introduction

THE JEWEL CAGE WASH AND DISINFECTANT DETERGENTS

Quality and technologically advanced formulations gives Jewel disinfectants an edge in every way. The environmentally friendly formulations and effective wash process we can achieve, mean that we also offer greater value than other detergents.

The range consist of 5 formulas:

Jewel Neutral

- A high value, neutral disinfectant low foam, soft on cages and does not require both the acid and alkaline cycles to achieve results. With chelants for hard water.

Jewel Green Wash 2

A 'Green' non-caustic alkaline, easy rinse, low foam with chelants tolerating hard water

Jewel Supa Wash 1 Jewel Total Cleanse

- A phosphoric acid, descaler, low foam detergent, tolerating hard water. High Value
- A stand alone blend of phosphoric/citric acids softener and descaler, eliminating need for an alkaline, saving time and cost in washing cycles. A 'Geen' solution.

Jewel Finish

- A high value low foam wash disinfectant tolerating hard water. Neutral solution soft on cages and doesn't require acid and alkaline.

These are perfectly formulated to suit all washers and hand wash processing of cages, trolleys, racks and instruments.

The use of any of these formulas can be broken down typically into Wash Cycles as follows:

SUPER HIGH VALUE	STANDARD	SUPER PERFORMANCE HIGH SANITATION REQUIREMENT
Jewel Neutral - Acid 0.35 - 5% mix Finishing Agent - as desired.	Supa Wash 1 - Acid 0.2 - 5% mix Green Wash 2 - Alkaline 0.2 - 5% mix Finishing Agent - as desired.	Total Cleanse - All in One Acid. 0.2 - 5% mix Finishing Agent - as desired.
Key Consideration: Cost	Key Consideration: Cost & Environment	Key Consideration: Cost, Environment Sanitation and Time

^{*}Generally mix of 1% is suitable, but is dependant on water hardness.

How to use

- 1. For best results, use in conjunction with automatic chemical dosing system for consistency.
- 2. A typical dose rate is 0.2-1%, this will be dependent on soiling level and water conditions (hardness etc.) Soft water: 1.5 2mL per Litre. Medium hard: 2 3mL per Litre Hard: 4 4.5mL per Litre.
- 3. Optimal results require detergent tank water to be maintained at 60 70°C
- 4. Ensure you rinse product as required.

Request MSDS for each product as required.

JEWEL FLUSH - Perfect to finish, sanitise after every cycle

Product Code: ASACD-10

Description: Jevel Finis 10L drum. Use at 0.5:100

A neutralising 100% sanitising agent to compliment every wash cycle in an animal facility. Ingredients of chlorine dioxide ensure total safety even in food grade situations and absolute sanitation every time.



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.ablescientific.com.au

cage wash and disinfectant detergents

acid cleaner/descaler/cage wash fluid/detergent





JEWEL TOTAL CLEANSE - One-Step Acid Cleaner and Descaler

Code Description

ASJCWTC-20 Total Cleanse 20L Tub

ASJCWTC-200 Total Cleanse 200L Drum

Total Cleanse is a phosphoric/citric acid cleaner/descaler formulated for the research, pharmaceutical, and biotech industries. It effectively removes a wide range of process and research residues, such as inorganic salts and scales, particulate carbon and urine scales, fecal matter, oils and proteins.

This product is an effective, ONE-STEP cleaner and descaler in animal cage wash applications, eliminating the need for alkaline detergents. This product is very effective in pharmaceutical/biotech/cosmetic process cleaning and derouging.

Low foaming Total Cleanse will not cavitate recirculation pumps. Total Cleanse is extremely free rinsing to achieve a clean, residue free surface and has excellent hard water tolerance to eliminate mineral deposits. The surfactant system in Total Cleanse remains effective across a wide temperature and pH range, even during pH neutralization prior to discharge, thus reducing redeposition of process residues.



JEWEL NEUTRAL - Neutral PH Cage Wash Fluid - 2 in 1

Code Description

ASUTEX-20 Jewel Neutral 20L Tub

ASUTEX-200 Jewel Neutral 200L Drum

Neutral PH solution gives extremely effective washing without the calcium deposit / scaling build-ups. Prolongs cage life. Also eliminates requirement for 2 fluids - Alkaline and Acids as often used.

PH neutral detergent which is ideal for use within cage washers, bottle washers and rack washers for removing organic soiling on all types of conventional, IVC, large format caging and associated equipment.

Jewel Finish is economical in its use, versitile and has multi-suface use. The surfactants effectively clean organic soiling and the in-built seqestriants provide water softening properties inhibiting surface scale and mineral deposit build-up. It is biodegradable, solvent free and suitable for use on low temperature washing below 50oC and allows PH neutral waste waster for draining.

Jewel Finish should be dosed between 0.35-0.5% dependant on soiling levels and water conditions.



JEWEL GREEN WASH 1 - Non-Hazardous Acid Detergent

Code Description

ASJCWAL-20 Green Wash 20L Tub

ASJCWAL-200 Green Wash 200L Drum

Green Wash 2 is a concentrated non-caustic liquid alkaline cleaning agent formulated for the pharmaceutical, biotechnology, cosmetic, and medical device industries. It effectively removes a wide range of process and research residues, proteins, organics, and oils. When used as directed, Green Wash 2 is safe for use on aluminum, galvanized and other soft metals. The product is designed to be an excellent laboratory animal cage wash product at 0.2% to 1% use dilution.

Green Wash 2 is designed to be low foaming at all temperatures for easy rinsing and will not cavitate recirculation pumps. Extremely free rinsing Green Wash 2 provides clean, residue free, surfaces. Chelants provide excellent hard water tolerance that eliminates mineral deposits.



JEWEL SUPA WASH - Non-Hazardous Alkaline Detergent

Code Description

ASDTSW-20 Supa Wash 20L Tub

ASDTSW-200 Supa Wash 200L Drum

Jewel Supa Wash 1 is a concentrated liquid, acidic cleaner/descaler formulated for the pharmaceutical, cosmetic, and medical device industries. It effectively removes a wide range of process and research residues, such as inorganic salts and scales, particulate carbon and urine scales. This product is effective in animal cage wash applications, laboratory glassware washing, and pharmaceutical/biotech process cleaning and derouging. Low foaming Jewel Supa Wash 1 will not cavitate recirculation pumps and is extremely free rinsing to achieve a clean, residue free surface. Jewel Supa Wash 1 has excellent hard water tolerance to eliminate mineral deposits.

The surfactant system in Jewel Supa Wash 1 remains effective across a wide temperature and pH range, even during pH neutralization prior to discharge, thus reducing redeposition of process residues. When used as directed, Jewel Supa Wash 1 is safe for use on both glassware and stainless steel substrates and a wide variety of plastics including polycarbonate.

able



Mayo Stands

Mayo Table

Durable Construction Attractive Professional Appearance Removable Stainless Steel Tray

> GO TO ablescientific.com.au for more products and infomation

Able Exam/Diagnostic Lights

3-Year Warranty

- Multi-Faceted Reflector **Eliminates Shadows**
- Prefocussed 155m Spot at 610mm 4000 Foot-Candles
- 12V/75W Halogen Color Corrected To 4000 Kelvin
- Articulating Arm Extends 55.5" From Center Rotates 40° Up / Down



AS121-0213-12 AS121-0213-14

AS121-0213-15 AS121-1257-00

Wall Mount Single Ceiling Mount

Dual Ceiling Mount Replacement Bulb









One-hand, finger-tip control adjusts

side panels from flat to 95° "V"

via pneumatic cylinders.





Electric or Hydraulic Adjustment

Shown With Optional Heated Top

Built-in Drainage Reservoir -Slides Out For Easy Cleaning -More Aseptic Environment



Hydraulic column tables have no hands height adjustment pump foot pedal to raise, depress pedal to lower no knobs to loosen!

V-Top Hydraulic Column

AS100-4041-21 1270mm Heated AS100-4041-00 1270mm Non-Heated AS100-4071-21 1524mm Heated AS100-4071-00 1524mm Non-Heated



Quick-Release

Tie-Down Cleats

Low Profile

Weighted Base

Will Not Tip

AS100-3041-21 1270mm Heated AS100-3041-01 1270mm Non-Heated AS100-3071-21 1524mm Heated AS100-3071-01 1524mm Non-Heated



Finger-Tip Control Tilts Top From Level To 37°

Drain Trough -

Slides Out Easily

For Cleaning

"No Hands"

Height

Adjustment

28.5mm Thick Inner Board

For Solid Quiet

Surface

Patent No.

5,826,286

Hydraulic Adjusts 851mm - 1003mm

Electric Adjusts 749mm - 1054mm

Width: 508mm Length: 1270mm or 1524mm



200-3041-09 IV Rod Assembly Kit



Flat-Top Surgery Tables Available

Hydraulic Adjusts 825.5mm - 977.9mm

Electric Adjusts 723.9mm - 1028.7mm



Able Surgery Light

3-Year Warranty

Optimal Shadow-Free Lighting

381mm Reflector Prefocused 152.4mm Spot at 914.4mm 4000 Foot-Candles

12V/100W Halogen Color Corrected To 4000 Kelvin 1410mm Articulating Arm Rotates 40° Up / Down Removable Handle For Sterilizing



Dual Ceiling Mount



Single Ceiling Mount



Wall Mount

AS121-0215-12 Wall Mount Single Ceiling Mount AS121-0215-14 AS121-0215-15 AS121-1282-00 AS121-1256-00 Also Available

AS121-0285-15

AS121-0515-14

Dual Ceiling Mount Extra Sterilizable Handle Replacement Bulb

Combination Surgery/Spot Light **Dual Ceiling Mount**

Excel Light With 406.4mm Reflector Single Ceiling Mount

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

www.ablescientific.com.au

Freecall: 1800 73 1300



equipment

trolleys, feed / bedding bins and transport



Heavy Duty 2 Tier Trolley

ASC2TT-SST
Stainless Steel 2 Tier Trolley with Plastic Trays x 2
1170 x 565 x 965
ASC2TT-SS
A30211-33
Stainless Steel Standard 2 Tier Trolley

Stainless Steel Feed/bedding Trolley

With Dust Separator



Code	ASCFBT2B-SS
Description	Heavy duty stainless steel feed or bedding trolley with handles on both ends. 4 castors, 2 braked corner bumpers. Holds 2 bins as below.
Dimension (mm) L x W x H	850 x 500 x 900

Code	ASCFBB-SS
Description	Bin with removable lid and perforated mesh bottom for dust separation. Removable waste tray integrated.
Capacity	130L (approximately 2 bags bedding/feed)
Dimension (mm) L x W x H	400 x 450 x 650mm

Optional half height bins for extra storage space beneath, on request: CFBT2BH-SS

Lockable Cage Transport Trolley - General Purpose



Code	ASCLCTT-SS
Description	Cage transport trolley with 2 levels inside. Lockable doors vented on ends and between internal shelves. Fully stainless Steel with 2 lockable castors.
Dimension (mm) L x W x H	1200 x 600 x 900



Heavy Duty General Purpose Cage / Bottle Rack

Code	ASC2TSMBR-SS
Description	Stainless Steel Heavy Duty Mobile Bottle / General Purpose Rack 2 Tier
Dimension (mm) LxWxH	1050 x 625 x 1710
Code	ASC2TRD
Description	2 Doors with lock at front and on sides for holding doors open. Add 50mm Wide and 60mm Length
Code	ASC2TRC
Description	Rack Cover - To keep Contents Clean and Secure 100% Polyester - Durable, Heat Resistant We can make rack covers for all Racks / Trolleys. All we need is your rack dimensions.



Code



Autoclavable S/S Transport Trolley

Code	ASAJ 67
Description	Autoclavable S/S transport trolley for 12 x 18 bottle crates
Dimension (mm) L x W x H	595 x 700 x 1685
Code	ASAJ 68
Code Description	ASAJ 68 Autoclavable S/S transport trolley for 10 x 18 bottle crates





Heavy Duty Flat Bed Trolley

ess Steel Flat Bed Trolle	y
600	
LT-SS	
ess Steel Large Flat Bed	Trolley
x 600	
X 600	

ASCST-SS



index alphabetical ordering

Abla Evander	Pag
Able Everyday	53
Absorbent Pads	27
Acid detergent	82
Acrylic Matrix	30
Air, Warming Unit	30
Alarm Oxygen	23
Alarm system	36
Aldasorber	16
Alkaline Detergent	82
Alm Retractor	3
Anaesthesia Kit	16
Anaesthesia masks	19
Animal lab	19
Aquatic Enrichment	65
Aspen bedding	73
Aspen Chew Sticks	64
Balls, Enrichment	68
Bedding Bin	85
Bedding, Aspen	73
Bedding, CornCob	77
Bedding, Paper	72
Big Red Apple	69
Bins, Feed/Bedding	85
Blades, Matrix	10
Blankets	3
Blocks, Chewing	64
Bottle Bungs	48
Bottle cap	47
Bottle Cap Bottle Crate Filler	49
Bottle Crates	48
Bottle bolder	49
Bottle Rack	86
	47
Bottles Proin Matrix	
Brain Matrix	5/
Breeder Cages	54
Brooder Bunga Battle	30
Bungs Bottle	48
Cabinets, warming	32
Cage lifter	52
Cage Racks	5′
Cage Trolley	85
Cage Wash	8
Caging	38
Caging racks	40
Camera Bracket	14
Canine Enrichment	68
Capnovet	24
Card Holders	37
CardioStore	23
Cards, Identification	37
Chain Enrichment	7
Challenger Ball	68
Chew Sticks	64
Clips, Wound	(
CO2 Cabinet	33
CO ² Chamber	35
CO ² Work Station	34
CO2 Delivery Unit	33
CO2 System	34
	80
Cocoons Conoo Postroinero	
Cones - Restrainers	15
Conical Cap	47
CornCob	77
Coronal Matrix	3
Cosy Heat Pad	30
Cotton Nesting	80
Crawl Ball	68
Crinkle Paper Nesting	78

	Page
Detergents	81
Diagnostic Lights	83
Digital Stereotaxic Frame	22
Director, surgical	4
Disinfectant	81
Disposable Igloo	65
Disposable Needles	1
Disposable Skin Stapler	5 15
Duck Tags Dumbells, Enrichment	70
Ear Punch	4
ECG Monitoring	24
ECG3 Analyser	25
Enriched rat cage	46
Enrichment	64
Enrichment, Large Animal	68
Enviropak	78
Euthanasia Cabinet	33
Exam/Diagnostic Lights	83
False-floors	43
Fastrack	65
Fast-rack	54
Feed Bin	85
Feeding needle	1
Ferret Shipper	60
Filler, Bottle Crate	49
Filter Sheet	45
Filter top cage	44
Flake, Bedding	76
Flat Bed Trolley	86
Floorpens	50
Flowmeters and Stands	21
Frame Stereotaxic	22
Fun Tunnels	66
Gavaging needles	1
Gel Water, Necta	63
Goldenrod Lancet	37
Guillotines	35
Guinea Pig Feeder	41
Guinea Pig Hut	67
Guinea Pig, Floorpen	50
Gut Chromic-Absor. Halothane	7 16
	66
Hanger, Tunnel Heart Matrix	8
Heat Pad	30
Heatlamp	30
HEPA Filter	45
Holding cages	55
HotDog Warmer	31
Huts, Enrichment	65
IATA shippers	58
Identification Cards	37
Igloo, Enrichment	65
Induction Chamber	20
Infra-Red Light	30
Infusion Pump	28
Infusion Table	8
Instrument Case	5
Isoflurane	16
Isolator micro	44
Key Fill Applicator	21
Kong Ball	68
Kraft Paper Nesting	78
Labels	37
Lancets	37
Lifter	52
Light - micro	29

	Page
Light Stand	3
Manifold Anaesthetesia	19
Mask Anaesthetesia	19
Masks Stereotaxic	2:
Materials Handling	8
Matrices	10
Matrix Blades	10
Mayo Stand	8
Microdialysis Pump	2
Micromotor drill	2
Mirror, Enrichment	7
Mirror, S/Steel Enr.	7
Monitoring, Surgery	2
Mouse breeding	5
Mouse caging	3
Mouse house	6
Mouse kit	
Mouse matrix	1
Necta Water Gel	6
Needles, Gavaging	
Nesting Material	7
Nestlet	8
Notcher, Ear	
Nylabone	6
O'ring seal	4
Oxygen Flush Control	2
Oxygen Warning Alarm	2
Paper bedding	7
Paper Mouse Hut	6
PDMC Digital Microscope/Camera	1
Physiology Kit	
Pinworm treatment	6
Plastic Needles, Feed	
Polycarbonate Tunnels	6
Poultry Shipper	6
Premium Hook	
Primate Enrichment	6
Probe, Surgery	
Pumps - procedural	2
Punch, Ear	
Pup Tents	6
PuraChips	7
PuraCob	7
PuraCrinkle	7
PuraFlake	7
PuraNest	7
PuraPack	7
PuraPaper	7
PuraShred	7
PuraSoft	7
PuraWool	7
QuikShip™	6
Rabbit Blocks	6
Rabbit Hut	6
Rabbit Shipper	6
Rabbit, Floorpen	5
Racks Caging	4
Racks Caging Racks, General Purpose	5
Raspberry Necta	6
Rat breeding	5
Rat Caging	3
Rat Coronal	
Rat Kit	7
Rattles Enrichment	7
Regulators	2
Respiration Monitor	2
December 1 March 1	2
Respiratory Monitoring Restrainers	1



index alphabetical ordering



	Page
Retractor	3
Retreat, Rodent	66
Rodent Caging	38
Rodent Ear Tags	15
Rodent Resort	66
Rubber Bungs	48
Running Wheel	70
Safety Rodent Barrier	36
Sagittal Matrix	9
Scavenging	16
Selectatec Fitting	21
Service Trays	41
Shelf Rack	51
Shipper, QuikShip	61
Shipper, ShipSafe™	62
Shippers	58
Silentone Alarm	36
Silicone Seal	45
Silk Suture	7
Sipper Tubes	49
Spinal Cord	11
Split Rings	70
Spool, Suture	7
Stainless Steel	48
Stainless Steel Cap Remover	48
Stapler	60
Stapler, Skin/Surgery	5
Stickers	37
Surgery Board	29
Surgery Lights	83
Surgery Platform	14
Surgery Tables	84
Surgical equipment	83
Surgical instruments	10
Surgical monitoring	24
Surgical platform s/steel	27
Suture	7
Swine Enrichment	68
Syringe Pump	8
Syringe pump	28
Table, Surgery	84
Tattoo Identification	15
Tee Pee	65
Tether - Infusion	8
Thermo Controlled Surgery Platform	14
Thermostat, heater	30
Three Way Valve	23
Thumb Punch	50
Transport shippers	58
Tray Warmer	31
Treatment Tables	84
Trolley	85
Trolley, Bottle	86 49
Tubes Sipper	10
Tumor Matrix	66
Tunnels, Enrichment Valves, Watering	49
, 9	20
Vaporiser Ventilator	25
VetScav	16
	79
Virgin Paper VitalScan	24
Warm Air System	30
Warming Blankets	31
Warming Tray	31
Washing Detergent	81
Water Bottles	47
Water Gel, Necta	63
vvalor Oci, Necta	00

	Page
Watering Valves	49
Wing Band Identification	15
Wire Hanger, Tunnel	66
Wire, Retractor	3
Withdrawal Pump	28
Wound Clips	6





equipment bottle / cage racks and trolleys





What our Customers Say About Us:

Innovative Service & Solutions

the standing order system that Able has instigated has increased my confidence in receiving my supplies on..." time without the hassles. My routine day revolves around continual paperwork and this system allows me to bypass the paper work and get orders dispatched on the same day. My purchasing department are also impressed regarding the efficiency gains in their area and are satisfied that there is enough checks and balances contained within the system to ensure that ordering limits are restricted to my purchasing approval amount.

Thanks again to the Able team for their professionalism."

Vet Facility Manager - University of Melbourne VIC

"...you have bent over backwards to help us!"

Veterinary Institute – University of Sydney NSW

"...there's another big company that I know wouldn't do this!"

Malaghan Institute - Wellington NZ

"...the things they sell are of very high quality, and the service is great!"

Veterinary Facility - University of Adelaide SA

Thank you so much for your outstanding service this year. I have greatly appreciated all your help" throughout the year and assisting with my many, many requests."

Facility Manager - University of Queensland

"Thank you SO much! You have saved me!"

Technician - BioCSL VIC

Step'N Go

....we really love these new ones, the researchers like it and its lots safer, saves lots of time and wobbling around. I had seen one of the Automatic ones which was electric but it just kept jamming, and the little manual boxes ones take an age to load, but we really love this one."

Veterinary Institute - University of Western Australia

well our staff and researchers love them, they are very easy to use, they save quite a bit of time, we've..." got the static ones, not the powered ones, and they're fantastic, we couldn't do without them!"

Veterinary Institute - Monash University VIC



"The Step'N Go system we use at Sino Iron is used extensively by our Processing department. It's very easy to use and keeps the target floor area from becoming dirty and unsafe."

Superintendent Fibre Management WA



Singapore | Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Australia and New Zealand Head Office:

24 Sorbonne Crescent Canning Vale 6155 W.A. Freecall: 1800 73 1300

International: +61 8 9456 2800

Fx: +61 8 9456 3800

Email: info@ablescientific.com.au Online: www.ablescientific.com.au