















Contributing to your Success by delivering **Everyday and Technical Products at Wholesale Rates!**











OUR PROMISES

EASY ORDERING





E-MAIL sales@ables-everyday.com



+61 (8) 9456 3800



ORDER ONLINE www.able-everyday.com



able-everyday



Dear Valued Customer,

The Able Everyday Buyer's guide is here - your number one resource for clean room consumables!

Since our beginnings in 1985, we at Able have set ourselves to provide quality solutions for our customers.

These pages are a powerful go-to guide for all laboratories and clean rooms, from the medical, research, pathology and veterinary sciences, to the food industry and mining industries... and everywhere in between! You will find here a vast and ever-growing array of products aimed at making the life of technicians of all kinds as easy and safe as possible and equipping them with the best possible equipment, backed for life by our friendly, well trained team.

The team at Able is dedicated to helping you, our customers, find exactly what you need no matter how unique the application. So, if you don't immediately see what you are looking for, please don't hesitate to contact us directly either by phone or email or visit our website to view our product detail and informative videos.

We're looking forward to hearing from you.

THE TEAM AT ABLE

PS. At Able we are 100% dedicated to ensuring our customers get the best possible value and service in the market - should you find an identical product at a cheaper price please let us know and we will beat it by 5%



placing your order online step by step instructions on how to use the able-everyday ordering system

Login or Register | My Account

Registered Customers

If you have an account with us, please log in. Email Address *

Password *

Forgot Your Password?

able-everyday

Log on to your account A) Log on www.able-everyday.com

- B) Click on Login or Register tab.
- C) Enter your email and password details.
- For new customer, please create an account before login.

Create an Account



- E) Click on the category tab
- F) Select preferred range
- G) Choose your product



* Required Fields


Login


Add to Cart

H) View your product

I) Add to cart to order

J) When finished ordering, click on Cart Tab to review your Order I





Place your Order

Check your Order

Once satisfied that you have all the products that you need, click on Proceed To Checkout tab

Follow the prompts for your address and delivery. Your order will be processed and you will receive a confirmation email.



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

just a few clicks from . . .

... any desktop, laptops, phone or tablet device



Ordering online is quick and simple

In this fast paced society, you are always on the move and no matter where you are, you can get the job done!

You can now place your orders for your everyday needs anywhere, any day and at anytime, at your desk or on your phone.

Just log on to: www.able-everyday.com







Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com



able PRIORITY **EXPRESS ORDERING**

ORDER FORM FAX +61 (08) 9456 3800

PLEASE PHOTOCOPY FOR FUTURE ORDERS!

WE WILL INVOICE TO:	WE WILL DELIVER TO:		
Client:	Client:		
Contact:Signed:	Contact:		
Address:	Address:		
Address.	, radioo.		
D/On the	D/O a day		
P/Code:			
Phone:Fax:			
Purchase Order Number:	Date:		
My Order:			
CODE DESCRIPTION	QUANTITY UNIT PRICE TOTAL		
	FREIGHT & PACKAGING		
	SUBTOTAL		
In placing this order I agree to Able Everyday's standard terms an	d conditions (available on request) 10% GST		
PAYMENT DETAILS:	TOTAL		
	Please give us some feedback:		
Bankcard Master Card Visa	How do you rate our personal customer service?:		
Credit Card Number: Poor: Acceptable: Brilliant:			
	Do our products meet your satisfaction?:		
	Yes: No:		
Card Holders Full Name:	Are our delivery schedules acceptable?: Yes: No:		
	Is there any issues you would like to mention?:		
Expiry Date:/ Signature:	Any new products you would like to see?:		
	<u> </u>		





Contamina	tion Co	ontrol		1 - 2
Mats/Foggers Broom Holder and Scr Squeegees/Brooms/Ha		ıjns		
Material Ha	andling			3
Scoops/Jugs/Lotion Bo	ottle Pumps/W	aste Bucket/Dolly Trolley		
General Eq	uipme	nt		4 - 6
Premium Oxygen Conc Mobile Oxygen Conce Lab Seats/Stools/Modu	centrator ntrator			
Biohazard	Contro			7 - 9
Disinfectants Disinfectant/Indicator T Waste Bags	「ape			
Surgical In	strume	ents		10 - 52
Tweezers/Forceps Needle Holders Scissors Scalpel Probe/Hooks	Retractors Ear Punch Clamps Rongeurs Matrices	Cautery Dry Bead Steriliser Trimmer Weighing Scales Containers & Tray		
Personal P	rotecti	ve Wear		53 - 68
Disposable Gloves Dispensers Shoe Covers Dispense Shoe Covers	er	Surgical Gowns Sleeve Covers Safety Glasses Beard Covers	Hair Nets/Beret/Caps Drum/Crate Covers/Dispensers Clogs/Shoe Insoles Surgical Masks	
Microscope	e and li	maging		69 - 80
Compound Microscop MLX Series Inverted Microscope MLX-M vs MLX-B vs MI	Microso MicroLE	Zoom Series cope Camera ED Transmitted Fluorescence Reflected Fluorescence Attac		
Laboratory	Equip	ment		81 - 89
Vented Storage Cupbo Laboratory Equipment Incubator CO2 PCR Cabinet	ard	Powder Weighing Cabinets Laminar Flow Cabinets Biosafety Cabinets Class II Tompounding Equipment a		
Labcaddy				90 - 93
Personal Assistant Accessories				



contamination control

mats/foggers and scrapers



Sticky Mat - 915 x 1143mm

Code	Size (mm)	Sheets Per Pad	Pad Per Carton
ASSM3645	915 x 1143	60	5
ASSM2436	615 x 915	60	5

Able's Hurricane Ultra Fogger

Code	Diameter	Tank	Height	Qty.
	Ø cm	Capacity L	cm	Per Carton
ASHUF2796	30	3.8	36	1



DYCEM Contamination Control Mats

Code	Size m	Qty. Per Carton
ASCC02-10	1 x 1.2	1
ASCC02-20	2 x 1.2	1
ASCC02-30	3 x 1.2	1
ASCC02-40	4 x 1.2	1

Stainless Steel Broom Holder

Code	Description	Box Qty.
ASH-SS	Stainless Steel Broom Holder - Hanger	6



Cage Scrapers / Stirrers PP Temp Range - 30°C +121°C

Code	Description	O/L Size W x L mm	Box Qty.
ASPS75-PP	Autoclavable green plastic scrapers	75 x 205	6
ASPS100-PP	Autoclavable green plastic scrapers	100 x 250	6

Flexi-Scrapers

Code	Description		Qty.
ASHCHW13	Autoclavable Flexi -Scraper Blade - White	100mm (L)	6
ASHCHW14	Autoclavable Flexi -Scraper Blade - White	265mm (L)	6





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

contamination control squeegees, brooms, handles and signs



One Piece PP Squeegee - Autoclavable

Code	Description	Size mm	Qty/ Box
ASFBK28300	Squeegee One piece - Flexi Blade	300	6
ASFBK28400	Squeegee One piece - Flexi Blade	400	6
ASFBK28500	Squeegee One piece - Flexi Blade	500	6
ASFBK28600	Squeegee One piece - Flexi Blade	600	6



Sweeping Brooms - Autoclavable

Code	Description	Temp Degree °	Size mm (L)	Qty/ Box
ASFBK20136	Polyester - Soft Broom	134	280 x 50 x 55	6
ASFBK21136	Polyester - Soft Broom	134	400 x 50 x 55	6
ASFBK26135	Polyester - Soft Broom	134	500 x 60 x 55	6
ASFBK27136	Polyester - Soft Broom	134	600 x 60 x 55	6







Ergonomic Multipurpose Handles - Interchangable

Code	Description	Dia Ø / Temp Degree °	Size mm (L)	Qty/ Box
ASFBK29812	Aluminium	32 / 120	650	6
ASFBK29813	Aluminium	32 / 120	1300	6
ASFBK29814	Aluminium	32 / 120	1500	6
ASFBK29815	Aluminium	32 / 120	1750	6
ASFBK29903	One-Piece Hygienic	32 / 120	1300	6
ASFBK297H	One-Piece Hygienic	32 / 120	1500	6
ASFBK29905	One-Piece Hygienic	32 / 120	1700	6



A-Frame Signs

Code	Description	Size (mm)	Qty.
ASSTD32C	'Cleaning in Progress'	670 x 300	1
ASSTD32	'Warning Wet Floor'	670 x 300	1





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

www.able-everyday.com Freecall: 1800 73 1300



materials handling scoops/jugs/lotion bottle pumps/waste bucket/dolly trolley



Aluminium Scoops

Code	Description	Capacity kg / oz	Qty.
ASSC0012	Aluminium Scoop - Durable	0.34 / 12	6
ASSC0024	Aluminium Scoop - Durable	0.68 / 24	6
ASSC0038	Aluminium Scoop - Durable	1.1 / 38	6
ASSC0058	Aluminium Scoop - Durable	1.6 / 58	6



Stainless Steel Scoops

Code	Dimensions mm	Volume ml	Qty.
AS20900-SS	Everyday Scoop 75 Ø x 1106mm	250	6
AS20901-SS	Everyday Scoop 100 Ø x 1601mm	1000	6



Large Plastic Scoops - Highly Durable

Code	Description	Volume kg
ASPS2.5	Plastic Feed Scoop Autoclavable, Available Yellow	2.5
ASPS1	Plastic Feed Scoop Autoclavable, Available Yellow/Green	1



Measuring Jug

Code	Description	Volume ml	Qty.
ASMJ250-PP	Graduated PP Plastic	250	6
ASMJ500-PP	Graduated PP Plastic	500	6
ASMJ1000-PP	Graduated PP Plastic	1000	6
ASMJ3000-PP	Graduated PP Plastic	3000	6
ASMJ5000-PP	Graduated PP Plastic	5000	6



Bottle and Lotion Pumps

Code	Description	Capacity ml
AS5LSPB	Plastic Bottle (Poison)	5000
AS1LSPB	Plastic Bottle	1000
ASSPT	Lockable Plastic Lotion Pumptop	



Feed / Waste Bucket and Dolly Trolley

Code	Description	Capacity L
ASB18	Feed/Waste Bucket - Autoclavable	84
ASL16	Autoclavable Lid to fit above	
ASDT400SS	Stainless Steel Bin Trolley with autoclavable casto	rs – 2 Braked



general equipment the premium oxygen concentrator



ASOCA2 Code:

Description: Premium silent Oxygen Generator/concentrator Model 02

ASOCA4 Code:

Description: Premium silent Oxygen Generator/concentrator Model 04

super quiet, sensational 31 dB (A) sound pressure level

• reduced weight, only 16 kg

reduced energy consumption, only 280 Wat

easy to maintain

innovative

coarse dust filter

30,000 hour warranty

(approx. 5yrs)



31 dB (A)

16kg





- · modular components set up
- · easily accessible filter and fuses
- USB interface
- modern design and simple operation
- · new, innovative measuring sensor
- integrated flow adjustment
- 30,000 hours warranty for all functional parts
- whisper silent
- · microprocessor-controlled
- favourable price
- · Made in Germany

Accessories

- · instructions for use
- · angular connector for humidifier
- · humidifier, refillable
- nasal cannula 2m and 5m

Technical Data

MDD classification Operating power

Operating Temperature

Sound level

Power consumption

Dust filter Fine filter

Fuses

Alarms/Status Indicators

Weight

Dimensions Manufacturer's

warranty Flow adjustment

02-concentration

Model 04

II a

230 V 50 Hz, optional 115 V 60 Hz

+5° to +40°C

storage -20° to +50°C

31 dB (A)

280 W

in rear of device

behind the maintenance lid

mains 230 V 2xTT2.5 A H 250 V

optional 115 V2xTT5.0 A H 250 V

internal 1xT1.0 A L 250 V

temperature, power failure, flow,

oxygen, system

ca. 16 kg

535 x 203 x 520 mm without rollers 30.000 operating hours (max. 5 years)

according to terms of warranty

0 to 2 l/min in 0.1 steps 2 to 4 l/min in 0.2 steps

4 to 5 l/min in 0.5 steps

1 up to 4 l/min 95% -3%

4 up to 5 l/min 85% -3%

Model 02

230 V 50 Hz, optional 115 V 60 Hz

operation +5° to +40°C

storage -20° to +50°C

35 dB (A)

350 W

in rear of device

behind the maintenance lid mains 230 V 2xTT2,5 A H 250 V

optional for 115 V2xTT5,0 A H 250 V

internal 1xT1,0 A L 250 V

temperature, power failure, flow,

oxygen, system

19,8 kg

(H x L x W) (535 x 203 x 520) mm without rollers

30.000 operating hours (max. 5 years)

according to terms of warranty

0 to 2 I/min in 0,1 steps

2 to 4 l/min in 0,2 steps

4 to 6 l/min in 0,5 steps 1 up to 4 l/min 95% -3%

4 up to 5 l/min 85% +/-3%

5 up to 6 l/min 75% +/-3%

Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide



general equipment

aeroplus m - mobile oxygen concentrator

ASOCA-M Code:

Description: Mobile Oxygen Generator/ concentrator with battery

- Now with pulsed continuous flow!
- universal mobile oxygen supply
- latest battery technology
- silent operation
- USB interface
- microprocessor controlled
- adjustable trigger sensitivity
- compliance memory
- easy-to-operate
- internal and external battery chargers

Mobile Oxygen Concentrator

- Now with pulsed continuous flow!
- superior operation time
- latest battery technology
- silent operation
- USB interface
- microprocessor controlled
- adjustable trigger sensitivity
- compliance memory
- easy-to-operate
- internal and external battery chargers

Accessories

- External charger
- Additional rechargeable battery

Technical Data

II a, CE 0197 MDD classification Operating power 00-240 V / 50-60 Hz operation + 5° to + 40°C **Temperature** storage - 25° to + 70°C

19 V DC supply Sound level < 40 dB (A) > 4 h (@ setting 2) **Battery operation** < 90 min (Stand-by) Recharging duration CMV* 150 ml per setting O2 duty 10 therapy settings from 0.5 to 5.0

(750 ml max. @ setting 5.0) > 90 %

O2 concentration < 30 bpm Breathing rate Alarms (acoustic/visual) temperature, power, O2, sensor, system

USB Interface Device 3.6 kg Weight **Battery** 0.7 kg

(HxLxW) 248 x 230 x 155 mm **Dimensions** 2 years (Battery: 1 year) Manufacturers warranty

*(CMV = constant minute volume)



GSM Service Module

The new revolutionary ModelO2 GSM Service Module turns the ModelO2 into a remotely accessible oxygen concentrator.

The GSM Service Module connects daily - based on m2m-technology to the central database server and reports operating hours and oxygen volume flow settings. This enables the service provider to monitor therapy efficiency and patient compliance.

Also instant online remote control of the oxygen concentrator are additional features opening the possibility to adjust technical parameters On-The-Go for optimum performance, troubleshooting or installation of the latest software update.





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com

general equipment lab seats/stools/modular work bench



Presto PU Chair

Code Description

Government Approved PU waiting room/general

purpose chair - stackable

Nova PU Operator Stool - Premium Stool

Code

Description

ASNOVAOS Adjustable Height, Swivel and Soft Seat -

High quality - Australian mech.

Flexo PU Drafting Seat - Premium Seat

Code

ASFLEXODC Swivel and Adjustable Height with

Soft Seat - High quality - Australian mech.

Astra, Dura Fabric Seat - Premium Seat

ASASTRAODC

Swivel and Adjustable Height - Government

Approved 3 way adjustable

Chrome Foot Ring

Code

Description

ASDFCR

Optional for above chairs - chrome foot ring

Non-corrosive Aluminium Foot Ring

Code

Description

Optional for above chairs - aluminium foot ring

modular work benches

modular stainless steel benches

Able's range of Modular sinks, tables, benches and shelves is a solution to your ever changing requirements for work space. Being modular you can mix and match the high quality units to form whatever you require, at minimum cost and with peace of mind... Why? Because with No 4 Brushed finished 1.2mm stainless steel construction and a lifetime warranty you need nothing more! Contact your local representative for further information

Work Bench - Stainless Steel

Code	Size W x D x H (mm)
AS01-0900-SS	900 x 600 x 900
AS01-1200-SS	1200 x 600 x 900
AS01-1500-SS	1500 x 600 x 900
AS01-1800-SS	1800 x 600 x 900



Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide www.able-everyday.com



ASPRESTOC






































biohazard control





BIOSAFE - Aqueous, Microbiological, Amphoteric Disinfectant

Mix Rate: 1:100 or 1:200 depending on application requirement

Code Product	Description	Code Product	Description
ASTEGO-5	- 5 litres	ASTEGO-200	- 200 litres
ASTEGO-20	- 20 litres		

BioSafe is the new generation of amphoteric disinfectant which is effective in use concentration against both Gram positive and Gram negative bacteria, yeasts and fungi. The efficacy of BioSafe is retained in the presence of hard water and lower temperatures typical of many cage processing environments. BioSafe will also retain its antimicrobial characteristics when exposed to low levels of soil. Because BioSafe was formulated to enhance cell membrane disruption it also minimises the occurrence of "resistant" micro-organisms. This has been found extremely effective against pinworm eggs, rupturing the membrane and rendering them useless.

ALL AREAS

CHLORSAFE - Chlorine Dioxide Based

High Level Disinfectant

Mix Rate: 1:100

Code Description

ASACD-10 ChlorSafe 10L Drum, makes up to 1,000L Solution

A Chlorine Dioxide Based High Level Disinfectant - Safe & Stable for 9 Months - Non-Mix Tuberculocidal - Bactericidal - Virucidal - Fungicidal - This product can kill both enveloped and non-enveloped viruses.

ChlorSafe (Chlorine dioxide) is a yellow green aqueous solution that is non-flammable, non-toxic and is very safe. It is a broad spectrum bactericide, fungicide, virucide and algaecide that is effective at low concentrations and short contact times. At concentration levels that are accepted by WHO as safe for drinking water it is still a highly effective virucide and bactericide.





VIRKON - Multipurpose Virucidal Disinfectants

Mix Rate: 1:100 or 1:200 depending on application requirement

Code:	Description	Weight
ASDV-50GT	Virkon Tablets	100 x 50gm
ASDV-5GT	Virkon Tablets	50 x 5gm
ASDV-10	Virkon Powder	10kg
ASDV-5	Virkon Powder	5kg
ASDV-2.5	Virkon Powder	2.5kg
ASVIRKONFB	Virkon Footbath	13.5L

Virkon® S patented formulation is unique. No other disinfectant has the same powerful composition. In terms of efficacy Virkon® S has been proven highly effective against 65 strains of virus in over 19 viral families, 400 strains of bacteria and over 100 strains of fungi.

Virkon® S versatility provides the flexible solution for; surface, water and aerial disinfection, in hard water, on porous surfaces, at low temperatures and in the presence of organic challenge.



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

biohazard control



F10SC Veterinary Disinfectant

Code:	Description
ASF10-25	25L Drum
ASF10-5	5L Bottle
ASF10-1	1L Pack

Also available in the F10 disinfection range are:

F10-Wipes (F10SC Disinfectant/alcohol impregnated wipes for wiping down surfaces, instruments or hands) in packs of 100.

F10 Odour Eliminator (F10SC Disinfectant combined with strong pine scent for combined elimination and masking of unpleasant odours). This is available in a ready to use 500ml trigger spray bottle, or in a 5L drum which is diluted at 1:5.



Easy Spraybio - Decontamination System

Code	Description	Volume ml	Capacity m³	Box Qty
ASES250	Surface AntiMicrobial	250	50	12
	disinfectant spray canister			-

Droplet size: $\leq 10 \,\mu$ m Shelf life: 24 months

The ESB Solution then attacks and destroys bacteria, fungi, viruses and spores. It is clinically proven against a wide range of pathogens. It penetrates the membranes of bacteria and viruses destroying RNA and rendering cells incapable of replication or mutation including Pinworm.

- · Very cost effective
- · Very simple to use with a rapid decontamination cycle
- Proven effectiveness against a wide range of pathogens (Biocide disinfectant)
- Provides an antimicrobial coating which Inhibits surface re-infection
- Non toxic and non corrosive biocide disinfectant for complete safety
- No risk for people using it or the environment
- For room volumes from up to 80 m³ per cannister or more with multiple canisters
- Odourless, colourless and safe on all surfaces and hard and soft materials
- Environmentally responsible: 99.99% biodegradable



Autoclave Indicator Tape (Steam and E.O. Gas)

Code:	Specification	Rolls Per Carton
ASAITI12	12mm W x 50m/roll	53
	Box 20 rolls	20



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide







biohazard control



Yellow Infectious Waste Bag

Code:	Specification (mm)	Bags/Ctn
ASIWY70	700 x 980 x 35um (72L)	200

Biohazard Autoclavable bags

 Code:
 Specification (mm)
 Bags/Ctn

 ASABHB-L
 660 x 840 x 50um
 200

Packed 50 bags per inner bag





Pathology Specimen Bag

Cytotoxic Biological Hazard - Purple – 3 Wall, Press Seal Resealable Zipper bag

Code:	Specification (mm)	Pack/Ctn
ASSBCPS	160W x 230 L x 50um with document pouch 160 x 220	100/1000

Flat Self Sealing Sterilisation Pouch

Cytotoxic Biological Hazard - Purple - 3 Wall, Press Seal Resealable Zipper bag

Code:	Specification (mm)	Pcs/Box	
ASSSP90135	90mm x 135mm + Lip & Tape	200	
ASSSP90230	90mm x 230mm + Lip & Tape	200	
ASSSP130250	130mm x 250mm + Lip & Tape	200	
ASSSP130330	130mm x 330mm + Lip & Tape	200	
ASSSP190330	90mm x 330mm + Lip & Tape	200	





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

introduction



The ONYX range of quality surgical instruments has been carefully crafted to suit your specialised requirements.

The ONYX EVERYDAY range are quality stainless steel instruments at an economical price, suitable for a wide variety of applications.

The ONYX PREMIUM range is crafted from the highest quality Stainless steel, manufactured to strict tolerances and is suitable for use in the most exacting applications.

We offer an extensive selection of surgical instruments. If you cannot find the instrument you want, we can! Please call one of our friendly staff for help.



A selection of over 50 of the most popular Dumont forceps are offered in this catalogue. The Dumont range includes the world-acclaimed #5 model, five different alloys, Teflon, ceramic, and epoxy-coated forceps, mini forceps and student quality forceps. These are the pinnacle of forceps perfection, hand made in Switzerland.

	Hardness	Magnetic	Temerature Resistance	Autoclavable	
TITANIUM	Very Soft	No	Up to 430°C	Yes	Totally resistant to corrosion from nitric acid, chloride, and salt water. Titanium is 40% lighter than stainless steel.
DUMOXEL	Soft	No	400°C	Yes	This is the most popular alloy available for Dumont forceps. It offers the best resistance to corrosion, sulphuric environments, hydrochloric acid, and all other mineral and organic acids.
INOX	Hard	Yes	400°C	Yes	Contains chromium added to carbon steel, which results in some loss of hardness but offers good stainless qualities along with good resistance to corrosion.
DUMOSTAR	Hard	No	500°C	Yes	Much more durable, elastic and corrosion resistant than the best stainless steels. Perfectly resistant to mineral & organic acids, and salt water. Dumostar lasts on average four times longer than Dumoxel and Inox. Most cost effective alloy for laboratory use.
CARBON	Very Hard	No	N/A	No	Extremely hard; ensuring strong tips. This alloy easily stains and rusts without proper care. Carbon cannot be immersed in a water bath or sterilized.



For over 180 years, Moria of France has been producing what are universally acknowledged to be the world's best surgical instruments. Specific Swedish and German stainless alloys have been selected for the intended end use of the instrument and many hours of highly skilled labour, sometimes under 40x magnification, have gone into every Moria instrument.





Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300 www.able-everyday.com

tweezers and forceps

#1 Tweezers

Code **AS11401-01**

Description Premium ONYX Forcep #1 German S/S

Length (cm) 12

Tip Width (mm) Straight - 0.17 x 0.07

\$35.00ea

Code

PREMIUM

EVERYDAY

PREMIUM

EVERYDAY

#1 Tweezers

Description Everyday ONYX Forcep #1 German S/S

Length (cm) 12

Tip Width (mm) Straight - 0.40 x 0.45

\$19.00ea

ASE11401-01

#3 Tweezers

Code **AS11403-043**

Description Premium ONYX Forcep #3 German S/S

Length (cm) 12

Tip Width (mm) Straight - 0.17 x 0.10

\$35.50ea

#3 Tweezers

Code **ASE11403-043**

Description Everyday ONYX Forcep #3 S/S

Length (cm) 11.5

Tip Width (mm) Straight - 0.40 x 0.45

\$19.60ea







Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

tweezers and forceps



PREMIUM

#3C Tweezers

Code

AS11403-04

Description

Premium ONYX Forcep #3C German S/S

Length (cm)

Tip Width (mm) Straight - 0.17 x 0.10

\$35.50ea

#4 Tweezers

PREMIUM

AS11404-04

Description

Code

Premium ONYX Forcep #4 German S/S

Length (cm) 1

11

Tip Width (mm) Straight - 0.13 x 0.08

\$32.60ea

#5 Tweezers

PREMIUM

AS11405-05

Description Premium ONYX Forcep #5 German S/S

Length (cm)

11

Tip Width (mm) Straight - 0.10 x 0.06

\$37.00ea

#5 Tweezers

Code

EVERYDAY

ASE11405-05

Description Everyday ONYX Forcep #5 S/S

Length (cm) 11.5

Code

Tip Width (mm) Straight - 0.40 x 0.45

\$19.40ea







Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

AS11252-40T

Description Premium ONYX Forcep #5 Titanium Tweezer

Length (cm)

Tip Width (mm) Straight - 0.05 x 0.01

\$109.00ea

Forcep #7 Tweezers

Curved - Biology

AS11407-07 Code

Description Premium ONYX Forcep #7 S/S - German

Length (cm)

Tip Width (mm) Curved - 0.17 x 0.04

\$39.50ea

Forcep #7 Tweezers

Curved - Biology

ASE11407-07 Code

Everyday ONYX Forcep #7 S/S Description

Length (cm) 11.5

Tip Width (mm) Curved - 0.5 x 0.45

\$24.00ea







Dumont #5SF Super Fine Tip Forceps

AS11252-00 Code

Description Premium #5 Super Fine Tip Forceps

Length (cm)

Tip Width (mm) 0.025 x 0.005

\$119.00ea

Dumont #55 Forceps w/ Biologie Tip - Inox

Code

AS11255-20

Premium #5 Fine Tip Forceps Biologie Description

Length (cm)

Tip Width (mm) 0.05 x 0.02

\$63.30ea

Dumont Micro-Blunted Forceps - Angled 45°

Code

AS11253-25

Description Dumont #5 Angled 45°

Length (cm)

Tip Width (mm) 0.10 x 0.06

\$65.30ea

Dumont Micro-Blunted Forceps - Short Curved

DUMONT® SWISSMADE

Code Description AS11253-22

Dumont #5 Short Curved

Length (cm)

Tip Width (mm) 0.17 x 0.10

\$67.00ea

Dumont Micro-Blunted Forceps - Off Center

Code

AS11253-21

Description Dumont #5 Off Centre

11.5 Length (cm) Tip Width (mm) 0.13 x 0.08

\$57.00ea









Dumont Micro-Blunted Forcep - Angled 90°

Code **AS11253-29**Description Dumont #5 Angled 90°

Length (cm) 11
Tip Width (mm) 0.1 x 0.06

\$69.00ea

DUMONT®

Dumont Self-Closing Forcep Biologie Tip

Code AS11262-30

Description Dumont Self-Closing Fine Tips

Length (cm) 11

Tip Width (mm) 0.10 x 0.06

\$65.40ea



Dumont #5 Ceramic Coated Forcep

Code AS11252-50

Description Dumont #5 Ceramic Coated Fine
Length (cm) 11

Tip Width (mm) 0.05 x 0.01

\$127.00ea

OUMONT®

Dumont #15A Bone Cutter Epoxy Coated

Code AS11215-02
Description Dumont #15a Epoxy Coated
Length (cm) 11.5

Tip Width (mm) 2.5
Blade (mm) 6

\$68.00ea









dressing / tissue forceps



PREMIUM

EVERYDAY

PREMIUM

PREMIUM

Dressing Forceps - Fine

AS11110-11 Code

Premium Narrow German ONYX S/S Serrated Description

Length (cm) 11.5 Tip Width (mm) 2

\$22.00ea

Dressing Forceps - Serrated

Code

ASE11106-13

Description Everyday ONYX S/S Serrated

Length (cm) Tip Width (mm) 3

\$15.00ea

Dressing Forceps - Fine

Code AS11312-17

Description Premium Onyx Fine Dressing & Tissue Forceps

Taylor 17cm German S/S

Length (cm)

2mm Serrated Tip

\$15.00ea

Dressing Forceps - Serrated

Code AS11106-13

Premium German ONYX S/S Serrated Description

Length (cm) Tip Width (mm) 12

\$21.00ea

Adson Everyday Forceps ONYX S/S

Code Teeth ASE11027-12

1 x 2 Length (cm)

Tip Width (mm) Fine Straight - 1

\$19.00ea

















Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

tissue forceps


Graefe Everyday Forceps ONYX S/S

Code **ASE11053-10**

Teeth 1 x 2 Length (cm) 10

Tip Width (mm) Straight - 3

\$21.00ea



EVERYDAY

Graefe Everyday Forceps ONYX S/S

Code **ASE11054-10**

Teeth 1 x 2 Length (cm) 10

Tip Width (mm) Curved - 1.5

\$22.00ea



EVERYDAY

Graefe Premium Forcep ONYX S/S - German

Code **AS11153-10**

Teeth 1 x 2 Length (cm) 10

Tip Width (mm) Straight - 0.7

\$47.80ea



PREMIUM

Graefe Premium Forcep ONYX S/S - German

Code **AS11154-10**

Teeth 1 x 2
Length (cm) 10
Tip Width (mm) Curved - 0.7

\$49.80ea



PREMIUM







micro dressing forceps



PREMIUM

PREMIUM

Micro Dissecting Forceps

Code **AS11150-10**

Description Graefe Iris Anatomic Forceps Premium ONYX -

German S/S

Length (cm) 10

Tip Width (mm) Straight 1.0

\$37.00ea

Micro Dissecting Forceps

Code **AS11151-10**

Description Graefe Iris Anatomic Forceps Premium ONYX -

German S/S

Length (cm) 10

Tip Width (mm) Curved 1.0

\$39.00ea

Micro Dissecting Forceps Ultra Fine

Code **AS11153-10**

Graefe Premium Forceps Ultra Fine ONYX -

Description German S/S

Length (cm) 10

Tip Width (mm) Straight 1 x 2 (0.5)

\$47.80ea









Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Graefe Premium Forceps Ultra Fine

AS11154-10

Description Graefe Premium Forceps Ultra Fine ONYX -

German S/S

Length (cm)

Tip Width (mm) Curved 1 x 2 (0.5)

\$49.80ea



PREMIUM

Micro Dissecting Forceps Serrated

AS11103-14 Code

Description Premium ONYX Forceps - Serrated -

German S/S

14.5 Length (cm) Curved 1.5 Tip Width (mm)

\$33.90ea

PREMIUM



AS11110-14 Code

Premium ONYX Forceps - Serrated -Description

German S/S

Length (cm) 14.5 Tip Width (mm) Straight 1.5

\$31.90ea















vessel, cover and general use forceps



PREMIUM

PREMIUM

PREMIUM

PREMIUM

PREMIUM

Cover Flat Forceps

AS11074-02 Code

Description ONYX German S/S Cover Flat Forceps

Length (cm)

Tip Width (mm) Smooth/Straight - 12 x 5

\$27.90ea

Cover Flat Forceps

AS11075-02

ONYX German S/S Cover Flat Forceps Description

Length (cm)

Tip Width (mm) Smooth/bent - 12 x 5

\$28.90ea

Vessel Cannulation Forceps

AS00608-11 Code

Description **ONYX Vessel Cannulation**

Forceps S/S (tubing 0.500)

Length (cm)

\$71.00ea

Dilating Forceps High Polished

AS18153-11 Code

ONYX Dilating Forceps High Polished S/S Description

Length (cm) Tip Width (mm) 0.5

\$64.50ea

Premium Onyx Ring Forcep German S/S

AS11106-9 Code

Premium ONYX Ring Forcep German S/Steel Description

Length (cm)

6mm x 0.9mm Tip dia.

\$47.60ea

Premium Onyx Ring Forcep German S/S

AS11103-9 Code

Premium ONYX Ring Forcep German S/Steel Description

Length (cm)

3mm x 0.75mm Tip dia.

\$49.90ea







Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

fine tying and rubber-tipped forceps

Suture Tying Forceps

Code **ASE18025-10**

Description Everyday ONYX Suture Tying Forceps S/S - German

Length (cm) 10
Tip Width (mm) 0.8 x 0.6

\$27.50ea

EVERYDAY

Suture Tying Forceps

Code **AS18025-10**

Description Bonn Premium ONYX Suture Tying Forceps S/S - German

Length (cm) 10

Tip Width (mm) 0.4 x 0.3 (1 x 2)

\$139.90ea



PREMIUM

Suture Tying Forceps

Code **AS11063-7**

Description Bonn Premium ONYX Suture Tying

Forceps S/S - German

Length (cm) 9

Tip Width (mm) Angled 0.4 x 0.3 (1 x 2)

\$144.90ea



PREMIUM

PREMIUM

Rubber-Tipped Forceps

Code **AS500234**

Description ONYX Rubber tipped S/S forceps

Length (cm) 21 Tip Width (mm) 15

\$29.90ea









needle holders (halsted - mosquito)





AS13220-12

Length (cm) 12.5 Tip Width (mm) Curved - 1.2

\$48.00ea

Premium ONYX S/S Extra Delicate - German

AS13220-14

Length (cm)

Tip Width (mm) Straight - 1.2

\$57.00ea

Everyday ONYX S/S Delicate - German

EVERYDA Code ASE13220-12

Length (cm)

12.5

Tip Width (mm) Curved - 1.8

\$18.00ea

Everyday ONYX S/S Delicate - German

ASE13221-12

Length (cm) 125

Straight - 1.8 Tip Width (mm)

\$17.00ea

Everyday ONYX S/S Delicate - German

ASE13220-14

Length (cm)

Tip Width (mm) Straight - 1.8

\$27.00ea

Everyday Olsen-Hegar TC

AS311170-14 Code

Length (cm)

Serrated 15mm cutting surface Tungsten Carbide Tip Type (mm)

\$39.50ea



Everyday ONYX Needle Holders - German S/S

Code **ASE32175-14**

Length (cm) 1

Tip Type Straight-No lock - Smooth

\$89.00ea

Everyday ONYX Needle Holders - German S/S

Code Length (cm)

ASE32176-14

Tip Type

Curved-No lock - Smooth

\$99.00ea

RADIUS GRIPS FOR SUPERIOR MANOEUVRABILITY EVERYDAY

EVERYDAY

Premium ONYX Fine Needle Holders -

German S/S Tungsten Carbide Tips

Code **AS12122-14**

Length (cm) 14

Tip Type St

Straight-With lock - Serrated

\$272.00ea

PREMIUM

Premium ONYX Fine Needle Holders -

German S/S Tungsten Carbide Tips

Code **AS12129-14**

Length (cm) 1

Tip Type Curved-With lock - Serrated

\$299.00ea















castroviejo needle holders



EVERYDAY

Everyday ONYX Fine Needle Holders Suture Forceps German S/S

Tungsten Carbide

Code

AS12170-09

Length (cm)

Tip Type Straight-With lock - Serrated

\$159.40ea

Everyday ONYX Fine Needle Holders Suture Forceps German S/S

Tungsten Carbide

Code

AS12172-09

Length (cm) Tip Type

9

ype Curved-With lock - Serrated

\$168.00ea







Iris Tungsten Operating Scissors

AST09340-11 Code

Description Iris Premium Tungsten Tip ONYX Operating Scissors

Shape Length (cm) 11.5 Sharp/Sharp Tip Type

\$71.00ea

Iris Tungsten Operating Scissors

AST09341-11 Code

Iris Premium Tungsten Tip ONYX Operating Scissors Description

Shape Curved Length (cm) 11.5 Tip Type Sharp/Sharp

\$72.00ea

Operating Scissors

ASE09350-14 Code

PREMIUM

PREMIUM

EVERYDAY

Description Everyday ONYX Operating Scissors - S/S

Shape Straight Length (cm) 14 Sharp/Blunt Tip Type

\$39.00ea













Tenotomy Scissors

Code **AS14064-10**

Description Premium ONYX Tenotomy Scissors, Sharp Tip - German

Length (cm) 10
Tip Type Straight

\$39.00ea

Tenotomy Scissors

Code **AS14065-10**

Description Premium ONYX Tenotomy Scissors, Sharp Tip - German

Length (cm) 10 Tip Type Curved

\$39.90ea

Tenotomy Scissors

Code **AS14064-12**

Description Premium ONYX Tenotomy Scissors, Sharp Tip - German

Length (cm) 12.5 Tip Type Straight

\$41.90ea

Tenotomy Scissors

Code **AS14065-12**

Description Premium ONYX Tenotomy

Scissors, Sharp Tip - German 12.5 PREMIUM

PREMIUM

PREMIUM

PREMIUM

PREMIUM

Length (cm) 12.5 Tip Type Curved

\$42.90ea

Tenotomy Scissors

Code **AS14066-11**

Description Premium ONYX Tenotomy

Scissors, Blunt Tip - German

Length (cm) 11 Tip Type Straight

\$40.90ea





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide



PREMIUM

PREMIUM

PREMIUM

surgical instruments

mayo and metzenbaum scissors



Metzenbaum Scissors

AS14018-12 Code

Description Premium ONYX Metzenbaum Scissors - German

Length (cm) 11.5

Straight Blunt Tip Type

\$76.00ea

Metzenbaum Scissors

AS14019-12 Code

Premium ONYX Metzenbaum Scissors - German Description

11.5 Length (cm)

Curved Blunt Tip Type

\$76.80ea

Mayo Scissors

AS14010-14 Code

Premium ONYX Mayo Scissors - German S/S Description

Length (cm)

Straight Blunt Tip Type

\$39.00ea

Mayo Scissors

Code AS14011-14

Description Premium ONYX Mayo Scissors - German S/S

Length (cm)

Curved Blunt Tip Type

\$39.50ea

Premium Onyx MAYO Scissors Blunt German S/S

AS14010-23 Code

Premium ONYX MAYO Scissors Blunt German S/S Description

Length (cm)

Straight

\$73.00ea

Tungsten Carbide Mayo Scissors

Code AS11941-14

Premium Tungsten Carbide ONYX Mayo Scissors, Blunt Description

German S/S

14.5 Length (cm) Straight Tip Type

\$59.00ea



Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide



PREMIUM

PREMIUM



Tungsten Carbide Mayo Scissors

Code **AS11944-14**

Premium Tungsten Carbide ONYX Mayo Scissors, Blunt -

Description German S/S Length (cm) 14.5

Tip Type Curved

\$59.80ea



Code **AS14081-10**

Description Premium Angle Tip, Fine ONYX Tissue or Suture Cutting

Scissors, Sharp

Length (cm) 10 Tip Type Angle

\$61.80ea

Eye Scissors

Code **AS00366-10**

Description Premium ONYX Eye Scissors - German S/S

Feature Blunt Probe Points

Length (cm) 10
Tip Type Straight

\$39.00ea

Eye Scissors

Code **AS00367-10**

Description Premium ONYX Eye Scissors - German S/S

Feature Blunt Probe Points

Length (cm) 10
Tip Type Curved

\$39.90ea

Moria Hard Fine Iris Scissors - Straight

Code **AS14370-22**

Description Fine Super Hard Tip Iris, Moria - France

Length (cm) 10.5

\$189.00ea



PREMIUM



Moria Hard Fine Iris Scissors - Curved

Code **AS14370-23**

Description Fine Super Hard Tip Iris, Curved, Moria - France

Length (cm) 10.5

\$193.50ea







miscellaneous scissors



Vanna Scissors

ASE14003 Code

Everyday ONYX Vanna Scissors Description

Blades (mm) Length (cm)

0.5 Straight Tip (mm)

\$69.00ea



Vanna Scissors

ASE14122 Code **EVERYDAY**

Everyday ONYX Vanna Scissors Description Blades (mm) Length (cm)

0.5 Curved Tip (mm)

\$79.00ea



Vanna Scissors X-Fine

AS14003

Premium ONYX Vanna Scissors - German S/S X-Fine Description

Blades (mm) 8 Length (cm) 0.2 Straight Tip (mm)

PREMIU

\$156.00ea



Vanna Scissors X-Fine

AS14122 Code

Description Premium ONYX Vanna

Scissors - German S/S X-Fine

PREMIUM Blades (mm) Length (cm)

Tip (mm) 0.2 Curved

\$178.50ea



Premium ONYX Vannas Scissors

AS00808-8 Code

Description Premium ONYX Vannas Scissors - Titanium Fine

Blades (mm) Length (cm) 7.8 0.4 Straight Tip (mm)

\$281.00ea



Premium ONYX Vannas Scissors

AS00809-8 Code

Description Premium ONYX Vannas Scissors - Titanium Fine

Blades (mm) Length (cm) 7.8 0.4 Curved Tip (mm)

\$292.00ea



www.able-everyday.com



Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide



Moria Miniature Vannas - Straight

Code **AS15396-00**

Description Ultra Fine Moria Miniature Vannas Scissors - Straight

Length (cm) 8

Tip Width (mm) Straight - 0.1

Blade (mm) 5

\$704.00ea





Moria Miniature Vannas - Curved

Code **AS15396-01**

Description Ultra Fine Moria Miniature Vannas Scissors - Curved

Length (cm) 8

Tip Width (mm) Curved - 0.1

Blade (mm) 5

\$709.00ea





Moria Pascheff - Wolff

Code **AS15371-92**

Description Ultra Fine Moria Pascheff-wolf Scissors

Length (cm) 10.5 Tip Width (mm) 0.15 Blade (mm) 3

\$617.00ea





Code ASE14127

Description Everyday ONYX Spring Scissors - German S/S

Blades (mm) 8 Length (cm) 9.5 Tip (mm) Curved

\$89.00ea



PREMIUM



Spring Scissors - Micro

Code **AS14127**

Description Premium ONYX Spring Scissors - German S/S

Blades (mm) 8 Length (cm) 9.5 Tip (mm) Curved

\$161.00ea













Finely crafted handles and blade Mounts allow for smooth insert and removal of blades, ensuring blades are firmly seated.







scalpel disposable



ONYX Premium Scalpel Blades

Super Sharp Rigid Long Life Disposable Scalpel Blades - CE mark

Code Blade #	AS11460 10	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11461	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11462 12	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11465 15	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11470 20	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11471 21	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11472 22	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11473 23	Pack 10 individually packed - Sterile	\$11.15
Code Blade #	AS11474 24	Pack 10 individually packed - Sterile	\$11.15

Scalpel blades are of highest quality manufacture, with a high carbon content which ensures the sharpest edges and long life.



User-friendly

The range of ONYX scalpels come in easy-to-differentiate colour-coded boxes. Each of these fibre-free, easy-peel packs display the blade shape for ease of identification. The blade size is also prominently printed on the handle with a graduated 6cm scale. Ease of use begins with the product packaging itself and makes for greater convenience.

Ergonomic and safe

Made of ABS, the ONYX scalpel handles are not just ergonomically designed but are also stiffer and heavier, to facilitate ease of use. A serrated grip ensures greater comfort and control while the scale on the handle

helps in determining incision length. For enhanced safety, each scalpel also has a unique stiff cap with lock tabs that prevents injuries and improves performance.

Premium quality

The scalpel handles are moulded in a full hot runner mould. The robotised handling system prevents any damage to the handle by gently placing it on the conveyor. Our agreement with Sandvik, Sweden ensures that we receive and use superior stainless steel quality. The blades are made of Sandvik grade 13C26 which conforms to the undermentioned specifications.

Superior performance

Sharpness and durability are the true tests of a good quality scalpel. Both these factors are hallmarks of every ONYX scalpel.

The laser-controlled edge in every scalpel guarantees benchmark sharpness and durability to ensure superior customer satisfaction and unfailing performance, even over time.















ONYX Premium Scalpel Blades

Super Sharp Long Life Swiss Carbon Steel Scalpel Blades - CE Swiss Steel

Code	AS500239	
Blade #	10 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500240	
Blade #	11 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500241	
Blade #	12 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500242	
Blade #	15 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500243	
Blade #	20 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500244	
Blade #	21 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500245	
Blade #	22 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500246	
Blade #	23 Pack - 100 Individually packed - sterile	\$29.80
Code	AS500247	
Blade #	24 Pack - 100 Individually packed - sterile	\$29.80

Scalpel blades are of highest quality manufacture, with a high carbon content which ensures the sharpest edges and long life.





Scalpel Blade Removal & Disposal Box

AS10002-50 Code Length (cm) 7.5 x 2.5

\$31.00ea

surgical instruments clamps



EVERYDAY

EVERYDAY

EVERYDAY

Bull Dog Clamps

ASE14119 Code

Everyday ONYX curved Micro 8 x 1.2mm Serrated Jaw - German Description

Length (cm)

\$29.00ea

Bull Dog Clamps

ASE14118

Everyday ONYX Serrated jaw, straight - German Description

Length (cm)

\$34.00ea

Bull Dog Clamps

ASE14117 Code

Everyday ONYX Johns Hopkins, Description

serrated jaw, curved - German

Length (cm)

\$39.00ea

Bull Dog Clamps

ASE14116 Code

Description Everyday ONYX Johns Hopkins,

serrated jaw, straight -German

Length (cm)

\$39.60ea

Moria Bulldog Type Clamps - Straight

AS18374-43

Length (cm) Tip Width (mm) 2

\$159.00ea

Moria Bulldog Type Clamps - Curved

AS18374-44 Code

Length (cm) Tip Width (mm)

\$159.00ea























www.able-everyday.com

Everyday ONYX Applying Forceps, used with Vessel Clips Description

\$54.50ea

Vessel Clips

ASE14120 Code

Description Everyday ONYX Vessel Clips,

5mm x 1.5mm jaws

Pressure (g) Pack Qty

> \$13.50ea \$53.50ea for 5

Vessel Clips

ASE15911 Code

Everyday ONYX Vessel Clips, Description

5mm x 0.8mm jaws

Pressure (g) Pack Qty

\$13.50ea

\$53.50ea for 5

EVERYDAY

EVERYDAY

EVERYDAY

EVERYDAY

Vessel Clips

Code ASE14121

Description Everyday ONYX Vessel Clips,

8mm x 1.5mm jaws

Pressure (g) Pack Qty

\$13.50ea

\$53.50ea for 5

Moria Vessel Clamp - Finely Serrated

AS18320-11 Code

33 Length (mm) Tip Width (mm) 1.8 Blade (cm)

\$56.00ea

Premium Double Ended Fine Probe

Code

Premium ONYX Double Ended Fine Probe - Fine 1mm Tip Description PREMIUM

Length (cm)

\$9.90ea



rongeurs



Rongeurs - Blumenthal

ASE14091-15 Code

Description Everyday ONYX Blumenthal Rongeur - German

Jaw Width (mm) 3 Length (cm)

EVERYDAY

PREMIUM

EVERYDAY

PREMIUM

\$49.00ea

Rongeurs - Micro FRIEDMAN

ASE14292-14 Code

Description Jaw Width (mm) 1.5 Length (cm)

Everyday ONYX Micro Friedman Rongeur - German

\$49.00ea

Rongeurs - Micro FRIEDMAN

AS14292-14

Description Premium ONYX Micro Friedman Rongeur - German

Jaw Width (mm) 1.5 Length (cm)

\$259.00ea

Rongeurs - FRIEDMAN

ASE14089-12 Code

Everyday ONYX Friedman Rongeur - German Description

Jaw Width (mm) 2.5 Length (cm)

\$49.00ea

Rongeurs - FRIEDMAN

AS14089-12

Premium ONYX Friedman Rongeur - German Description

Jaw Width (mm) 2.5 Length (cm)

\$248.50ea







Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide



Professional Adjustable Cautery Unit

Code Description

AS18015-C00

An easy to use precision device that works for almost any procedure. With a stable AC power source, the unit provides constant heat and avoids annoying temperature fluctuation of battery powered cauteries and aberrant radio frequency currents created by electro surgery that can result in unintended tissue damage or create interference with laboratory equipment. The dial-a-temperature feature allows researchers to specifically choose correct temperature setting for their procedure, minimising trauma caused by access heat. This is perfect for anyone who has had problems with burning tissue when using a battery powered cautery or just likes the precision this unit affords. The hand piece and tips are autoclavable

\$1143.45ea



Description

AS18000-C00

Small hand-held unit keeps bleeding to a minimum and keeps surgical field clear of clamps and hemostats. Supplied with one straight and one angled cautery tip made from platinum-iridium alloy (0.3mm diameter) and is powered by two 1.5 volt alkaline AA batteries. Weighing 100g, it is 13.5cm long without tips (16.5cm with straight tip) and is made of heavy-gauge stainless steel. Temperature at tips is approximately 1000°C. Supplied in storage case. Replacement cautery tips are available. Tip Diameter: 0.2mm

\$870.00ea



Cautery Kit

Code

ASCCK-1700

Description

Features two tip sizes and two operating temperatures. Works with two AA batteries. Replacing one battery with the battery spacer provided in the kit converts the hand piece from high temperature to low temperature operation.

Length (cm) Tip

The kit comes in a plastic hard case for convenient storage. It contains two 5mm and two 10mm cautery tips, two AA size batteries, and a battery spacer.

\$176.00ea







PREMIUM

PREMIUM

PREMIUM

PREMIUM

10mm Cautery Tip

ASCC-1066 Code

10mm Replacement Tips For Gemini Cautery Unit Description

Pack

\$139.00ea

10mm Cautery Tip

ASCC-1067

Description 10mm Replacement Tips For Gemini Cautery Unit

Pack

\$71.00ea

5mm Cautery Tip

ASCC-1065 Code

5mm Replacement Tips For Gemini Cautery Unit Description Pack

\$139.00ea

5mm Cautery Tip

Code

Description 5mm Replacement Tips For Gemini Cautery Unit

Pack

\$71.00ea

Premium Dry Bead Steriliser

ASST250 Code Description Dry Bead Steriliser Size (cm) 14.5 x 12.5 x 13.5

\$789.00ea

Glass Bead Replacement Pack

ASST250 Code

Description Glass Bead Replacement Pack

\$46.00ea








The ONYX 250 is a high quality Swiss Made Dry Glass Bead Steriliser

- AC input 240V Single 3 prong Wall Plug
- Chamber is 8 cm deep for sterilising small and medium sized instruments. 4cm Ø
- Plunge metal instruments into hot glass beads for instant sterilisation. Glass beads in the well are maintained at 250 - 270°C for complete destruction of microorganisms and spores in just seconds. Units are supplied with one package of glass beads.







PREMIUM

PREMIU



Digital Ultrasonic Cleaner

Code Description

ASCSC-2000

- · Effective cleaning with the option of heat
- · High-capacity elongated tank
- Quiet operation*
- · Small footprint

\$440.00ea

Micro Drill Kit



ASCIMD-1200 Code

The Ideal Micro-Drill™ is designed for research applications that require surgical burrs and trephines. The drill is constructed of light-weight aluminum alloy for balance and control and is powered by a rechargeable 6-volt nickel cadmium battery. Under normal operating conditions the unit

will function for 8 hours between recharging

Length (cm) 17.5 without burr

Diameter 1.9

Power 6-Volts DC Speed 12,000 rpm

Rechargeable

· Light-weight design

Features:

- •No special tools needed to change burrs
- · Hard plastic case with die-cut foam for convenient storage
- Excellent balance and handling
- One year warranty

\$1019.00ea



1.25 oz / in.





ASCIMD-1000 Code Carbide Round Burrs Description

2.33mm Shaft Diameter Length

One each of 0.6, 0.8, 1, 1.2, 1.6 Tips

\$64.00ea

Arco Large animal Hair trimmer kit



ASWLAHC

Description Choose the short cut with no fuss, always cool running and astonishing

cutting power. When hairy situations require short, sharp action - Use an amazingly quiet lightweight quality Arco trimmer to cut through the fluff. Supplied with rechargeable in-built battery, and optional cord for either stand or cord charging. Super quiet rotary motor with 'torque sensing' ability for differing hair types and extra high output giving a continuous 90mins of use. High precision, quick detach blades with built in taper adjustment. LED Battery charge level indicator. Includes size #1 - #4 attachment combs, lubricant, and brush for cleaning. High quality German Manufacture with easily replaceable blades. Comprehensive 2 year warranty.

\$266.70ea

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Code

Length (cm)





Rodent Fine Hair Clipper - High Quality

Code Description

ASWRHC

Wahl Rodent Hair Clipper

- Up to 100 min. run time
- Cordless
- Detachable Blade
- Made in Germany
- Tested for quality and precision

\$181.65ea

Replacement Blade

Code

Description

ASWRHCB

Wahl Rodent Hair Clipper Replacement Blade

\$73.50ea





KMSS Animal clipper kit w/ DVD

Code

ASWKMSSPC

Description Wahl KMSS Animal clipper kit w/ DVD

- Powerful 45w Rotary Motor, Gear Driven Clipper
- Single Speed Operation: 2400rpm
- Fan Cooled Motor for Cooler Operation & Long Life
- Made in Europe
- #10 (1.8mm) Detachable Blade Other sizes available separately

\$264.60ea



Description

ASWPPPT

Quiet and Light Weight

- Light Duty Trimmer
- Ideal for Precision Trimming
- Great for Touch-ups
- Compact size fits in palm of hand

\$40.95ea

WAHL Pocket Pet Trimmer with Batteries

Code Description

Freecall: 1800 73 1300

ASWTUT-G

Quiet and Light Weight

- Light Duty Trimmer
- Ideal for Precision Trimming
- Great for Touch-ups
- Compact size fits in palm of hand

\$47.05ea



PREMIUM

PREMIUM



PREMIUM

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

www.able-everyday.com



2kg & 200g Capacity 1g Precision Compact **Electronic Scale**

Code Description

ASDCT2000 - 1g 2000g \$128.95ea ASDCT201 - 0.1g 200g \$128.95ea

The Dune - This range includes a 200g and a 2000g scale for reliable basic weighing to 1g or 0.1g accuracy at the very best price. Every Dune balance is equipped with the features you really need: AC adapter, auto-calibration through the keypad, low-battery indicator, overload indicator, and 3 units of measure. With its alternate battery operation, splash-proof key pad, Auto Power off, and sturdy plastic construction throughout, the Dune will deliver accurate readings both indoors and out for years. This unit carries a 1 year warranty. Has a pan of 145 x 145 mm. High Quality UK manufacture.



PREMIUM

35 - 75kg capacity 10 - 20g precision Electronic scales

ASCPW35 - 10g 35kg ASCPW75 - 200g 75kg \$409.28ea \$424.80ea

Description

The Able CPW-plus models are multi-purpose industrial & veterinary scales created for easy use. Featuring different options for units of measurement, portability, and an easy to read backlit indicator, the CPW-plus scales are durable and dependable for your every weighing need.

- •4 Weighing units (kg, g, lb, oz)
- Colour coded keys
- Hold function
- Full range tare
- Zero Tracking
- Kg/ lb/ oz/ lb & oz switchable
- Large backlit LCD display
- Four load cell construction
- Wall mount bracket
- · Large stainless steel platform
- Modern low profile design

- Splashproof to protect from accidental spills
- ·Simple 4 button operation
- Tare function
- · Wheels to allow easy movement
- Rechargeable battery / mains adapter supplied as standard
- RS-232 bi-directional interface
- External calibration
- Rechargeable battery
- · Auto sleep / power down function to save battery life
- · Low battery indication
- AC Adapter

PREMIUM

75 - 200kg capacity 20g - 50g precision **Electronic scales**

Code

ASCPWL200 - 50g 200kg \$919.00ea **ASCPWL150** - 50g 150kg \$865.00ea **ASCPWL75** - 20g 75kg \$839.00ea

Description

Able's CPW-Plus models are multi-purpose scales created for easy use. Featuring different options for units of measurement, portability, and an easy to read backlit indicator, the CPW-plus scales are durable and dependable for your every weighing need.

- · Simple 4 button operation
- Hold function
- Zero Tracking
- · Large backlit LCD display
- · Stainless steel weighing pan with remote indicator
- · Wall mount bracket
- · Large stainless steel pan
- Modern low profile design

- Splashproof to protect from accidental spills
- •RS-232 bi-directional interface
- · Low battery indication
- · Auto sleep / power down function to save battery life
- Battery power (6 x AA Batteries)
- AC Adapter

Precision load cell technology

PREMIUM



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

\$2740.00ea

balance and weighing scales



Small animal Veterinary scale

PREMIUM

PREMIUM

Code

\$441.00ea ASMXB20

Description This veterinarian scale offers fast reliable weighing for small animals.

> The smooth contours offer secure support for small animals and the simple operation makes learning and using the scale hassle free.



ASPW184 - 180g capacity .0001g precision Code

\$3187.80ea ASPW254 - 250g capacity .0001g precision

Description The Analytical Balance offers a 90mm pan size with a 202mm x 158 x

215mm high draught shield. It offers measurements in 15 different units and an internal calibration, giving fast accurate readings through a backlit LCD screen and capacity tracker. These units are very simple and easy to use and offer a backup internal battery with auto power off. High quality

UK manufacture.



The PGW - is a high precision specialised scale ideal for use with animals. Featuring Animal/ Dynamic weighing which takes up to 50 readings per second, averages it out to give an accurate weight in your choice of 18 units of measurement, or even your own custom weight. The PGW has a 192 x 192mm pan size, a large backlit LCD display with date, time, weight memory and much more, all within a sturdy die cast aluminium housing and with a 2 year warranty. A range of accessories are available including a printer and scale cover. High Quality UK manufacture.

ASPGW1502E \$1627.50ea

Capacity 1500g Precision 0.01g Pan Size 192 x 192mm

750g capacity .001g precision

Code \$2460.15ea ASPGW753E

Capacity 750g Precision .001a

600g Capacity .02g Precision **Multipurpose Scale**

\$798.00ea ASHCB602 Code

The Highland range is a new addition offering a round 120mm2 pan size Description

with a 130mm x 90mm high removable draft/ animal shield. It offers measurements in 15 different units and an internal calibration, giving fast accurate readings through a backlit LCD screen. These units are very simple and easy to use and offer a backup internal battery with auto power off, unlike most balances. High quality UK manufacture.















PREMIUM

PREMIUM



containers and protectors



Instrument Tip Protectors

Code Description

AS29060-00

These tip protectors are a convenient, color-coded way to protect surgical instrument tips and edges. They provide exceptional protection and are vented to prevent rusting from condensation. The Assorted Pack (Item No. AS29060-00) includes 5 of each of the 7 available sizes.

Material: PlastisolAutoclave Safe: Yes

\$19.50ea

Colour/Length (mm) White/1.6 x 19.1

Blue/2 x 19 Green/2.8 x 19.1 Clear/3.2 x 25.4 Clear/4.8 x 25.4 Orange/9.5 x 25.4

Brown/15.9 x 25.435



Code AS18105-01
Description Pack of 200. Sterile

Length (cm)

\$204.00ea



Sterilization Container

Code **AS20810-01**

Description Includes a silicone mat for safe placement of instruments.

Clear perforated top for visual identification of instruments.

Length (cm) 19 x 10 x 2

\$208.00ea



Moria Utility Instrument Case

Code **AS20311-21**

Description Moria Instrument Case Includes Silicone Insert

Length (cm) 18 x 9 x 3

\$147.00ea









PREMIUM



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

instrument cases / Lid / mats



Stainless Steel Case

An Effective Way Of Protecting Delicate Micro Surgical Instruments For Sterilization. Silicone Rubber Inserts Protect Instruments. Includes Removable Cover and a Sentry removable silicone mat.

ASCSC-1537 \$661.00ea Code Description with 5 Silicone Strips (no mat)

Size (mm) 203 x 294

ASCSC-1538 \$781.00ea Code

with 2 Silicone Strips and Silicone Mat Description

Size (mm) 203 x 294

ASCSC-1533 \$609.00ea Code with 5 Silicone Strips (no mat) Description

Size (mm) 216 x 203

ASCSC-1534 \$661.00ea Code

Description with 2 Silicone Strips and Silicone Mat Size (mm)

216 x 203



PREMIUM

PREMIUM

PREMIUM

203 x 294mm Silicone Mat

ASCSC-1020 \$195.00ea

Description Size (mm) 203 x 294


Silicone Mat



203 x 216mm Silicone Mat

ASCSC-1015 \$146.00ea Code

Description Silicone Mat Size (mm) 203 x 216







Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Freecall: 1800 73 1300

jars / silicone cup / stainless steel tray





Forcep Jar 51 x 114mm

ASCSC-1520 Code Description Forcep Jar Size (mm) 51 x 114

\$89.00ea





ASCSC-1525 Code Description Forcep Jar Size (mm) 51 x 191

\$115.00ea



PREMIUM

Thermometer Jar 26 x 102mm

ASCSC-1515 Code Description Thermometer Jar Size (mm) 26 x 102

\$38.00ea



Instrument Large Silicone Cup

ASCSIC-1000 Code Description Instrument Large Silicone Cup

\$148.00ea



Instrument Small Silicone Cup

ASCSIC-1005

Description Instrument Small Silicone Cup

\$101.00ea

PREMIUM



Stainless Steel Tray - AISI 304

ASCSIC-1500 Code

Description Stainless Steel Tray - AISI 304

Size (mm) 289 x 127 x 51

\$87.00ea

PREMIUM



Stainless Steel Lid - AISI 304

ASCSIC-1510 Code

Description Stainless Steel Lid - AISI 304

Size (mm) 289 x 127

\$66.00ea

PREMIUM

Instrument Trays

- · Lightweight for easy portability and autoclaving
- Separate top and bottom pieces lock together quickly and securely
- Lined with silicone strips to secure instruments in place
- Multiple trays stack easily for use within autoclave
- Built to last from Durable Ultem 2000 plastic

Code Description Size (mm)	ASCSC-1501 Instrument Tray Solid 216 x 127 x 13	\$42.00ea
Code Description Size (mm)	ASCSC-1502 Instrument Tray Solid 229 x 153 x 13	\$56.00ea
Code Description Size (mm)	ASCSC-1503 Instrument Tray Solid 280 x 178 x 13	\$66.00ea
Code Description Size (mm)	ASCSC-1504 Instrument Tray Solid 280 x 127 x 51	\$63.00ea
Code Description Size (mm)	ASCSC-1505 Instrument Tray Solid 254 x 153 x 51	\$92.00ea



Large Plastic Instrument Trays

	Desc
	Size
R	

PREMIUM

ASCSC-4000

Description Instrument Tra

Size (mm)

Instrument Tray with Silicone Strips

204 x 381

\$200.00ea



PREMIUM

Code
Description
Size (mm)

ASCSC-4020 Silicone Mat

204 x 381 **\$209.00ea**













Freecall: 1800 73 1300





Instrument Tray

- · Lightweight for easy portability and autoclaving
- · Separate top and bottom pieces lock together quickly and securely
- Lined with silicone strips to secure instruments in place
- Multiple trays stack easily for use within autoclave
- Built to last from Durable Ultem 2000 plastic



\$126.00ea ASCSC-3000 Code Instrument Tray with Silicone Strips Description

204 x 102 Size (mm)

ASCSC-3020 \$101.00ea Code

Description Instrument Tray with Silicone Strips and Silicone Mat Size (mm)

204 x 102

ASCSC-1000 \$195.00ea Code

Instrument Tray with Silicone Strips Description

Size (mm) 204 x 204

ASCSC-1030 \$242.00ea Code

Description Instrument Tray with Silicone Strips and Silicone Mat

Size (mm) 204 x 204



203 x 102mm Silicone Mat

ASCSC-1010 Code Description Silicone Mat Size (mm) 203 x 102

\$96.00ea



Code

Description



ASCTM-1000

This compact, versatile vortexer that can be used at low speed for gentle shaking or can quickly present a perfect vortex in test tubes or other vials up to 50ml. Its universal mixing platform and variable speed function make the mixer a versatile laboratory mixer that transforms from a powerful single tube vortexer to a multiple tube shaker instantly. It can be used to provide a quick impulse to single tubes in touch-on mode or for long term continuous mixing of multiple tubes. No attachments are needed to convert the vortexer from one use to another. At 3400 RPM, this has ample power to handle every possible mixing job with up to 50 ml liquid. Its power does not come in oversized presentation: It is light weight and compact. It is just as easy to find space for as it is to lift it up to redeploy it or put it in storage.

\$478.00ea

PREMIUM

PREMIUM

PREMIUM



surgical instruments - instructions for use



1. **General Notice**

Before using the instruments for the first time, as well as before each subsequent use and before returning them for repair or servicing, they must be cleaned, disinfected and sterilized in accordance with our instrument processing instructions, which are available later in this product guide.

2. **Intended Purpose**

The instruments may only be used for their intended purpose in the specified medical fields, with use being restricted to adequately trained and qualified personnel. The treating physician or user is responsible for selecting the right instrument(s) for the surgical task/application at hand as well as for their safe handling. This includes ensuring an adequate level of training, knowledge and experience.

Inspection & Testing Prior to Reuse

Before each use, the instruments must be thoroughly inspected for damage such as fractures, cracks or deformation, as well as for functional reliability. Special attention must be paid to cutting edges, tips, joints, box locks, ratchets and all movable parts. If wear, corrosion, deformation, porosity or other damage is detected, the instrument should be immediately withdrawn from service.

Processing

Due to their alloy, stainless steel instruments typically develop a passive film in the form of a protective layer. However, this film does not protect them well against chemical attack by chloride ions and aggressive media and liquids!

Therefore, in addition to the instrument manufacturer's endeavours to select the right materials and process them carefully, the user must make an important contribution by ensuring proper instrument processing along with adequate and regular care.

To treat our reusable surgical instruments correctly, we recommend using the following procedures:

4.1. **Machine Cleaning**

- It is always preferable to use machines (washer disinfectors) for instrument cleaning and disinfection because, unlike manual procedures, machine processes can be easily standardized.
- Be sure to observe and follow the operating and loading instructions provided by the machine manufacturer. In addition, only the cleaning agents recommended by the manufacturer should be used for the application at hand.
- Jointed instruments should always be processed in open condition. Be sure to arrange the items so that the water can easily flow out of cannulations, blind holes and cavities.
- Complex instruments should be totally taken apart before cleaning.
- For instruments with long or narrow lumens, standard procedures should be used only if the hot disinfectant can easily flow through the lumens and safe rinsing is guaranteed.
- The instrument trays used for cleaning must always be loaded correctly to ensure proper cleaning.

- Store the instruments correctly in the tray. Be sure to prevent "rinsing shadows"!
- For ergonomic reasons, a total tray weight of 8-10 kg should not be exceeded.
- When removing the instruments from the machine after cleaning, be sure to check them for cleanness (visible dirt). This especially applies to cannulated instruments or those with blind holes. If necessary, repeat the cleaning cycle or pre-clean manually as specified in section 4.2 - Manual Cleaning.
- The final rinse must guarantee that any residues left after the cleaning stage are completely removed. Be sure to use only fully demineralised or distilled water for the final rinse!

4.2. Manual Cleaning

It is best to disinfect and clean the instruments immediately after use in accordance with our recommendations for surgical instrument processing and sterilization. This avoids instrument incrustations that would make cleaning and disinfecting more difficult.

The following should be observed in manual cleaning processes:

- The solutions used for manual cleaning must always be prepared in accordance with the manufacturer's instructions.
- Use a suitable brush for cleaning lumens, cannulations, blind holes and cavities, making sure that every part of the inner surface can be properly accessed.
- Use a soft brush and a neutral or mildly alkaline detergent for removing blood and other residues.
- Never use metal brushes or metal sponges for manual cleaning.
- To ensure proper instrument functioning, verify that all movable parts have been thoroughly cleaned.
- Clean jointed instruments in closed as well as open condition.
- Take instruments fully apart where applicable.
- Pay special attention to slots, ratchets, joints and box locks, narrow lumens, blind holes and other areas that are hard to access.
- Suitable trays or baskets (e.g. sterilization trays or wire baskets) must be used for storing surgical instruments properly during the cleaning process.

4.3. **Ultrasonic Treatment**

Effective ultrasonic cleaning requires placing the surgical instruments into suitable sterilization trays or wire baskets in an open condition. As the use of plain warm water alone cannot produce satisfactory results, it is necessary to add a suitable cleaning agent. Be sure to observe and follow the manufacturer's instructions with regard to concentration as well as temperature.

Since an excessive dirt content of the cleaning solution has an adverse effect on the cleaning results, the solution must be replaced at regular intervals in accordance with the manufacturer's instructions. In the same manner, prescribed immersion or ultrasonic treatment times must be



surgical instruments - instructions for use

strictly observed. As a rule, ultrasonic cleaning must always be followed by a rinsing cycle. Be sure to check the instruments (where applicable) for loosened components after the ultrasonic bath. To prevent water spots ("spotting"), fully demineralised or distilled water should be used for the final rinse.

4.4. Chemical Disinfection

- The solutions employed for chemical disinfection must always be used in accordance with the manufacturer's instructions.
- Pure water must be used for preparing the dilutions specified for the chemical disinfectants. The addition of detergents is not permitted. The manufacturer's instructions regarding exposure times and concentration must be duly observed in each case.
- Disinfecting solutions must be prepared afresh every day. Extended/ multiple use can easily lead to the following problems:
 - a. Increased concentration due to evaporation (corrosion risk)
 - b. Excessive dirt load (corrosion risk plus lower effectiveness)
- Following disinfection, it is important to rinse all items sufficiently under clear running water. To prevent the formation of water spots, the use of fully demineralized water is highly recommended.
- Immediately after completion of the cleaning and rinsing cycles, surgical instruments must be sufficiently dried.

5. Inspection After Cleaning

Following cleaning, the instruments must be macroscopically clean, i.e. free from visible dirt or deposits. Instruments with stains or spots must be withdrawn from service at once and given special treatment. All movable parts, working tips and (scissor) blades should be inspected with particular care. If damage or malfunction is detected, the instrument should also be withdrawn from service immediately.

6. Instrument Care

The term "care" refers to the application of instrument oil/milk to the surfaces of surgical instruments (especially to movable parts such as joints). "Instrument oil" means physiologically safe paraffin oil as specified by the German Pharmacopoeia (DAB 8) or equivalent regulations (European or US Pharmacopoeia), while "instrument milk" refers to a white-oil-in-water emulsion.

As a rule, surgical instruments must be subjected to regular care, which means each time before a functional test is carried out. At the same time, it is important to prevent "gumming" of the joints due to an accumulative effect, especially in instruments that are continuously in use.

7. Sterilization Packaging

Prior to sterilization, the instruments must be adequately packaged, e.g. using containers that meet DIN EN 868-8 requirements, or wrapping them with suitable packaging materials.

The packaging method used must comply with the relevant standards (e.g. the EN 868 or ISO 11607 series of standards).

8. Steam Sterilization

8.1. Sterilization by User

The following parameters are recommended:

For pre-vacuum cycles, a 4 minute exposure time at 270°F / 132°C.

Caution: Time required for sterilizer to reach temperature is not included in the times given.

This is based on instructions in Steam Sterilization and Sterility Assurance in Health Care Facilities (ANSI/AAMI ST46-2002-5.8.1 and 5.8.2.)

8.2. Sterilization Validation Statement

A Sterility Assurance Level (SAL) of 10 -6 has been validated in accordance with AAMI Standards and

Recommended Practices, Sterilization in Health Care Facilities, TIR No. 12, and Sterilization of healthcare products – Requirements for validation and routine control – Industrial moist heat sterilization (ANSI/AAMI/ISO 11134:1993) 4.2, 4.3, A4.2.1, A4.2.2, A5.3.1.1, A5.3.1.2, A5.3.1.3, A6.1.2 and A6.6. The validation includes protocols, specifications, pass/fail criteria, results and procedures describing when the instructions must be re-qualified.

Sterilization must be performed according to a validated steam sterilization method, e.g. using a sterilizer satisfying EN 285/ANSI/AAMI/ISO 11134-1993 or ANSI/AAMI ST46-1993 requirements, validated in accordance with EN 554/ISO 13683.

It is essential to keep the steam free from any foreign bodies such as rust particles and other impurities. This helps to prevent instrument corrosion or surface damage caused by deposits. The steam used for sterilization must comply with DIN 58946, Part 7. The user instructions provided by the steam sterilizer manufacturer must be duly observed. Instruments incorporating locks or ratchets must be sterilized in an open condition or with the ratchet set to the first notch.

In specific, the following sources should be observed for cleaning, disinfection and sterilization:

- DIN EN ISO 17664: "Sterilization of medical devices Information to be provided by the manufacturer for the processing of resterilisable medical devices"
- EN 285: "Sterilisation Steam sterilisers Large sterilizers"
- EN 554: "Sterilisation of medical devices Validation and routine control of sterilization by moist heat"
- DIN EN 556-1: "Sterilization of medical devices Requirements for medical devices to be designated 'STERILE' – Part 1: Requirements for terminally sterilized medical devices"
- DIN 58946-7:2004-09: "Sterilisation Steam sterilisers Part 7: Requirements on Installation and services"
- "Proper Maintenance of Instruments" (Red Brochure)
- AKI (Arbeitskreis Instrumentenaufbereitung/ "Instrument Preparation" Working Group):

http://www.a-k-i.org – "Empfehlungen für die Validierung und Routineüberwachung von



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com

surgical instruments - instructions for use

- Sterilisationsprozessen mit feuchter Hitze für Medizinprodukte" (Recommendations for the validation and routine control of processes using moist heat for the sterilization of medical devices)
- DGKH recommendation: http://www.dgkh.de "Anforderungen an die Hygiene bei der Aufbereitung von Medizinprodukten" (Hygiene requirements for the processing of medical devices)
- Recommendation of the Hospital Hygiene and Infection Prevention commission of the Robert Koch Institute (RKI) and of the Federal Institute for Drugs and Medical Devices (BfArM) on hygiene requirements for the processing of medical devices ("Anforderungen an die Hygiene bei der Aufbereitung von Medizinprodukten"): http://www.rki.de

Processing Restrictions, Disposal 9.

Frequent reprocessing has only a minor influence on the service life of surgical instruments, which is mainly a function of use-related wear and tear or damage. Please dispose of your instruments in accordance with relevant local regulations, or have them properly recycled, once they have reached the end of their life cycle.

10. Disclaimer

Safety notice: The responsibility for proper instrument cleaning, disinfection and sterilization lies with the operator/user of the product. Be sure to observe and follow all relevant national regulations (incl. relevant restrictions)!

Onyx Fine Instruments, accepts no liability for direct or consequential damage caused by improper use, handling, processing, sterilization or maintenance. Unauthorised instrument repair (by firms or persons not specifically authorized by Onyx Fine Instruments to perform such work) shall void the warranty given!

Non-observance of these notices, as well as improper handling or use of products supplied by us, will void your rights under the warranty. Consequently, Onyx Fine Instruments shall not be liable for any resulting damage in such cases.

Limited Warranty

All ONYX surgical instruments are covered by a limited warranty. Items in the ONYX range referred to as 'Everyday' are covered by a 12 month warranty on material and manufacturing faults. Items in the ONYX range referred to as 'Premium' are covered by a 24 month warranty on material an manufacturing faults, this includes the Moria and Dumont Ranges.

This warranty covers material and manufacturing faults in the items with a refund of the cost of the item covered by warranty or replacement with a product of similar quality and function at the discretion of Able Scientific. Specific exclusions include any loss or damage suffered beyond the value of product itself.

These products are sold as professional equipment and are not intended for use by non-professionals and as such, professional judgement is expected to be applied to the use and care of them. In particular, items are to be inspected by the user prior to use to determine their continued suitability for the purpose intended.



disposable gloves





Latex - Lightly Powdered - Smooth Texture

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB2521	XS	10	100	1000
ASB2522	S	10	100	1000
ASB2523	M	10	100	1000
ASB2524	L	10	100	1000
ASB2525	XL	10	100	1000



Latex - Powder Free - Micro Textured

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB2831	XS	10	100	1000
ASB2832	S	10	100	1000
ASB2833	M	10	100	1000
ASB2834	L	10	100	1000
ASB2835	XL	10	100	1000



Latex - Polymer Coated Powder Free - Micro Textured

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB2431	XS	10	100	1000
ASB2432	S	10	100	1000
ASB2433	M	10	100	1000
ASB2434	L	10	100	1000
ASB2435	XL	10	100	1000



Latex - Powder Free - High Risk - Textured

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB2962	XS	10	100	1000
ASB2963	S	10	100	1000
ASB2964	M	10	100	1000
ASB2965	L	10	100	1000
ASB2966	XL	10	100	1000



Latex - Powder Free - Micro Textured - Black

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB2873	M	10	100	1000
ASB2874	L	10	100	1000



disposable gloves





- Examination gloves
- Ambidextrous
- Comfortable beaded cuff
- Latex free
- Excellent puncture resistance and strength
- Superior barrier protection over latex and vinyl
- Fully Micro Textured for excellent wet & dry grip
 - Nitrile Soft and Ultrasoft a softer and thinner formulation
 - for improved feel and sensitivity, with micro textured
- fingers for excellent wet and dry grip
- Long Cuff provides greater arm protection
- HACCP certified

NITRILE - Ultra Soft Powder Free - Micro Textured - Green

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB7841	XS	10	200	2000
ASB7842	S	10	200	2000
ASB7843	M	10	200	2000
ASB7844	L	10	200	2000
ASB7845	XL	10	200	2000

NITRILE - Soft Powder Free - Micro Textured - Blue

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB7831	XS	10	100	1000
ASB7832	S	10	100	1000
ASB7833	M	10	100	1000
ASB7834	L	10	100	1000
ASB7835	XL	10	100	1000

NITRILE - Soft Powder Free - Micro Textured - White

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB7811	XS	10	100	1000
ASB7812	S	10	100	1000
ASB7813	M	10	100	1000
ASB7814	L	10	100	1000
ASB7815	XL	10	100	1000



Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide



NITRILE - Powder Free - Micro Textured - Blue

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB6832	XS	10	100	1000
ASB6833	S	10	100	1000
ASB6834	M	10	100	1000
ASB6835	L	10	100	1000
ASB6836	XL	10	100	1000



NITRILE - Powder Free - Micro Textured - Purple

Code	Size	Inners Qty. Per Carton Per Inne		Qty. Per Carton
ASB6851	XS	10	100	1000
ASB6852	S	10	100	1000
ASB6853	M	10	100	1000
ASB6854	L	10	100	1000
ASB6855	XL	10	100	1000



Nitrile - Powder Free - Micro Textured - Orange

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB6812	XS	10	100	1000
ASB6813	S	10	100	1000
ASB6814	M	10	100	1000
ASB6815	L	10	100	1000
ASB6816	XL	10	100	100



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide



disposable gloves



Nitrile Black - Powder Free - micro textured

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB6872	S	10	100	1000
ASB6873	M	10	100	1000
ASB6874	L	10	100	1000
ASB6875	XL	10	100	1000
ASB6876	XXL	10	100	1000



Nitrile 300mm Long Cuff - Powder Free -

micro textured

Code	Size	Size Inners Per Carton Pe		Qty. Per Carton
ASB6932	S	10	100	1000
ASB6933	M	10	100	1000
ASB6934	L	10	100	1000
ASB6935	XL	10	100	1000
ASB6936	XXL	10	90	900
ASB6937	XXXL	10	90	900

Nitrile - 330 - Solvent Resistant Flocklined - Green

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB6143	XS	10	100	144
ASB6144	S	10	100	144
ASB6145	M	10	100	144
ASB6146	L	10	100	144
ASB6147	XL	10	100	144

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com



disposable gloves / dispensers





- Ambidextrous
- Latex free
- Comfortable beaded cuff
- Superior feel and sensitivity
- Unique Nitrile/Vinyl blended formulation
- Excellent strength & dexterity
- HACCP (Hazard Analysis Critical Control Point) certified
- Technical data sheets available

Proflex[™] - Powder Free - smooth

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASB5822	S	10	100	1000
ASB5823	M	10	100	1000
ASB5824	L	10	100	1000
ASB5825	XL	10	100	1000

Proflex[™] - Powder Free Micro Textured - White Progenics[™] System

Code	Size	Inners Per Carton	Qty. Per Inner	Qty. Per Carton
ASBNA5822	S	10	100	1000
ASBNA5823	M	10	100	1000
ASBNA5824	L	10	100	1000
ASBNA5825	XL	10	100	1000

Progenics™ - Glove Dispenser Wall Bracket -

Code	Description	Qty.
ASBNA00HB		1 pc
	One FREE with every 7 boxes	10 pcs









TIME LOST BY 50%











Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

personal protective wear dispensers



Single Wire Glove Dispenser - Wall Bracket - White

Code	Description	Inners/ Carton
ASB01WB	Sold in 2/pack or Carton	10



Triple Wire Glove Dispenser - Wall Bracket - White

Code	Description	Inners/ Carton
ASB03WB	Sold in 2/pack or Carton	10



Over Shoes

Code	Description	Box Qty
AS300050	Blue Plastic Overshoes CPE	1000
AS3000321	Regular Non Woven Blue PP Overshoes	1000
AS3000221	Non-Skid Non Woven Blue PP Overshoes	1000



AS300032




AS300050



AS300022

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300







The Step'N Go Super Kinetic Applicator

Code	Capacity Shoe Covers Max.	Dimensions L x W x H (cm)	Weight Kg	Qty. Per Carton
ASSGK-2000	220	74 x 32 x 89	21	1

Saving time, money and back injuries. There's no comparison to the original Step'N Go!

The Step'N Go Mini Kinetic Applicator

Code	Capacity Shoe Covers Max.	Dimensions L x W x H (cm)	Weight Kg	Qty. Per Carton	
ASSGK-1000	110	69 x 32 x 23	9.5	1	



The Step'N Go Kinetic Shoe Covers

Sized to fit the smallest up to the largest boots.

Tough enough for mine sites or simple smooth tiled areas.

_	•				
Code	Description	Covers per Bundle	Bundles per Box	Qty. Per Box	Box Weight Kg
ASSGK-0100	PE Plastic	110	30	3300	18
ASSGK-0200	CPE Plastic	110	30	3300	21
ASSGK-0300	Non Woven Material	100	30	3000	19
ASSGK-0400	Non Woven, Non Skid Material	100	30	3000	19
ASSGK-0500	Non Woven Material with CPE Coating	70	30	2100	27
ASSGK-0600	Super Non Skid, Water Resistant, Non Wov	en 80	30	2400	26







ASSGK-0300



ASSGK-0500



ASSGK-0100



ASSGK-0400



ASSGK-0200



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com

View The Step'N Go Website



STEP INTO HYGIENE

www.stepngo.com.au

Ultimate Safety and Efficiency In Your Work Place Built tough for mines, labs, offices, building sites and food processing areas!

Freecall: 1800 73 1300

Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

www.able-everyday.com

surgical gowns

ESI-TIE Blue Side Tie - reusable/disposable

splash proof gown

Individually packed Premium ESI-Tie, Side Tie with Velcro ESI Neck collar. Unique registered design saves time and money. Made from light weight Polypropylene breathable SMS fabric. Ideal for visitors and can be used for Cytotoxic applications.

Code	Description	Qty/Bag/ Ctn
ASETG-B	Premium 50gsm SMS Gowns with Cuffs	1/50





One Size Fits All

Code	Colour/ Description	Qty/Bag/ Ctn
ASIGB	Blue Premium Quality	100
ASR25121	White Premium Quality	100
ASR25261	Yellow Premium Quality	100











Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide



Lab Scrub Suit Breathe and Protect

Code	Size	Qty/Ctn
ASSSL-SMS	L	50
ASSSSR-S	М	50
ASSSSL-S	L	50
ASSSXXL-SMS	XXL	50



Polypropylene Labcoat - 1 Pocket - White

Code	Size	Qty/Ctn
ASR24124	М	100
ASR24125	L	100
ASR24126	XL	100
ASR24127	XXL	100



Polypropylene Labcoat - No Pocket - Blue

Size	Qty/Ctn
M	100
L	100
XL	100
XXL	100
	M L XL



One Size Fits All

Code	Colour	Qty/Ctn
ASR85131	Blue	100
ASR85261	Yellow	100



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com





coverall / sleeve covers

Water Resistant Microporous Coverall Type 5/6 1 Pocket - White

Code	Size	Qty/Ctn
ASR36123	S	50
ASR36124	M	50
ASR36125	L	50
ASR36126	XL	50
ASR36127	XXL	50
ASR36128	XXL	50







Polyethylene Sleeve Cover

Code	Colour	Qty/Ctn
ASR67121	White	2000
ASR67131	Blue	2000
ASR67141	Red	2000
ASR67151	Green	2000

Polypropylene Sleeve Cover - White - Heat Resistant

Code	Qty/Ctn
ASR27121	1000
ASR27131	1000



Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

safety glasses / surgical masks



Safety Glasses

Medium Impact, Hardcoat, Scratch Resistant Surface, UV400 rated,

Code	Description	Qty/Ctn
ASSG21	Clear	144
ASSG31	Smoke	144



Safe Mask

Able's Safemask offers superior comfort & protection for all users. With very low Breathing Resistance, No Glass Fibres and an Adjustable Flexi Nose Bar it is the ultimate face mask at a low cost. The Safemask is Hypoallergenic, with a Bacterial Filtration Efficiency of 99%. (2000 Face Masks/Carton)

Code	Description	Qty Bag/Ctn
ASSME-G	3 Ply Masks, Elastic Strap	50/2000
ASSMT-G	3 Ply Masks, Side Tie	50/2000















Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com

face masks / beard covers

Face Mask Fit Test Kit

Code	Description	Qty Box/Ctn
ASMFT30K	3M Qualitative Fit Test Apparatus Kit Bitter Taste	1Kit
	(Others Available)	Complete



Safe Mask N95/P2 - Particulate Respirator

Code	Description	Qty Box/Ctn
ASP2VFM-C	Original Series with Valve - Domed	12/240



Safe Mask N95/P2 - Particulate Respirator

Code	Description	Qty Box/Ctn
ASP2FM-B	Basic Series with no Valve - Flat Pack	20/400



Dust Masks - White

Code	Description	Qty Box/Ctn
ASR22221	Standard Dust Mask	240



Disposable Beard Covers

Code	Description	Qty Box/Ctn
ASRBCL-B	Double Ear Loop - Blue Comfortable Quality	240





Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

personal protective wear

hair nets / beret / caps





Super Bonnet / Hair Nets - Disposable head covers

Code	Description	Qty Box/Ctn
ASSBW-14	Superior 14gsm PP Blue 21" Hair/Head Covers.	100/1000
	Flat packed for quick and easy dispensing.	





Polypropylene Crimped Beret

Code	Size (inch)	Colour	Qty/ Inner	Qty/Ctn
ASR21224	21	White	100	1000
ASR21234	21	Blue	100	1000
ASR21244	21	Red	100	1000
ASR21254	21	Green	100	1000
ASR21264	21	Yellow	100	1000



Polypropylene Bouffant Cap

Code	Size (inch)	Colour	Qty/ Inner	Qty/Ctn
ASR21124	21	White	100	1000
ASR21134	21	Blue	100	1000
ASR21144	21	Red	100	1000
ASR21154	21	Green	100	1000
ASR21164	21	Yellow	100	1000



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com



personal protective wear

drum/crate covers/dispensers

Autoclavable, Disposable Drum/Crate Covers

Code	Description	Qty/Box/ Ctn
ASNWDC-PP	PP Non-Woven general purpose covers, use as Autoclaving small item box covers or drum covers	500



Head Covers/Overshoe Dispenser

- Manufactured from 4mm clear Acrylic for maximum visibility
- Key holes for wall mounting
- Mob Caps / Overshoes can be top loaded into the chamber
- Compartment has an access hole in the front for easy dispensing
- Top lid hinged for easy insertion of head covers / overshoes

Code	Compartments	Dimension W x D x H (mm)	Box Qty
ASHND-A	1	250 x 105 x 260	1



Face Mask Dispenser

Manufactured from 4mm Clear Acrylic for maximum visibility.

- Opening on front panel for easy access to the masks
- Manufactured specifically to suit all sizes of disposable masks
- Key holes for wall mounting

Code	Compartments	Dimension W x D x H (mm)	Box Qty
ASFMD-A	2	215 x 120 x 215	1



Glove Dispenser

Manufactured from 4mm Clear Acrylic for maximum visibility.

- An oval hole in front panel for easy access to the gloves
- Manufactured specifically to suit all sizes of disposable gloves
- Key holes for wall mounting

Code	Compartments	Dimension W x D x H (mm)	Box Qty
ASGBD4-A	4	250 x 105 x 550	1





personal protective wear

clogs / shoe insole





Ascal Clog

Code Sizes Box Qty **ASCAL**

33/34, 34/35, 35/36, 36/37, 37/38, 38/39, 20 39/40, 40/41, 42/43, 44/45, 46/47




- Steam autoclavable to 134°c
- Sized and fitted with 1-1/2" heel
- Incredibly flexible
- Available with or without upper ventilation holes (except teal, available with upper ventilation holes only) (no cost optn)
- Comfortable for long hours
- Slip resistant
- Antistatic
- Washable, bleachable, and easily cleanable
- Minimum order 20 pairs

Ascal Insole

- Green chlorophyll insole
 - Autoclavable at 125°c up to 15 times
- Foam and cotton
- Suits Ascal Or Any Other Corresponding Size Clog

Code Size Box Qty

ASCALIS 33, 34, 35, 36, 37, 38, 39, 40, 42, 44, 46 15



Arch Insole

- Arch support insole for ASCAL
- Autoclavable at 125°c up to 15 times
- Special foam that permits feet breathing Washable at 60°c with mild soap

Code Size Box Qty

ASCALAIS 33, 34, 35, 36, 37, 38, 39, 15

40, 42, 44, 46



Aswell Boot

- Antistatic Boot in special polymer compound (nitrile rubber)
- Washable at 85°c Long knee boot
- Available in autoclavable version
- Available in Black, White, Orange and Green

Code Size Box Qty

ASWELL 35, 36, 37, 38, 39, 40, 41, 15

42, 43, 44, 45, 46, 47, 48,



EUROPEAN	37	371/5	38	38%	391/5	40	40%	41	42	42V2	43	44	4435	45	46	4615	47
UK MENS	4	41/2	5	51/2	6	61/2	7	71/2	8	81/2	9	91/2	10	101/2	11	111/2	12
UK WOMENS	4	41/2	5	51/2	6	61/2	7	71/2	8	81/2	9	91/2	10	101/2	11	111/2	12
AUSTRALIAN MENS	4	41/2	5	51/2	6	61/2	7	71/2	8	81/2	9	91/2	10	101/2	11	111/2	12
AUSTRALIAN WOMENS	6	61/2	7	71/2	8	81/2	9	91/2	10	101/2	11	111/2	12	121/2	13	131/2	14



microscope and imaging

compound microscope

Inspired by a long association with Japanese manufacturing, Able is driven and committed to developing, manufacturing and sourcing products for today's scientific and medical community.

The products in this guide are made in a highly automated plant using cutting edge technologies, and we support them as we do with all Able products - for life. Satisfaction guaranteed or your money back.

Our range of imaging and microscopy products are fully supported and are produced in two of the worlds leading and most trusted facilities globally, with technologies from Japan, India and California USA, packed together for your benefit.

The functional design and the superior build quality of the Theia-I make it the ideal microscope for educational, clinical research and high end applications. Its ergonomics design makes its suitable for working on the microscope for long hours without fatigue.



Product Code: AS7500

Key Features

- 1 Plan Infinity Corrected Optics provide longer working distances and higher numerical apertures improving flatness drastically, producing sharp, clear images right up to field of view.
- 2 Siedentopf Head ensures comfortable observation position for every user
- 3 F.N 20 Wide-field Eyepiece provides a wider visualization of the specimen under view
- 4 Inward facing quadruple revolving nosepiece creates more space in front of stage making handling of slides effcient.





microscope and imaging

compound microscope



The high quality mechanics and the excellent optics of the Theia-i ensure that its ready to meet the daily rigours and demanding applications of its users. The Theia series has been developed keeping long term use and durability in mind.

Features (Theia-i &Theia-fi)

- 1 Hard-coated stage includes a front loading double slide holder for ease of slide handling
- 2 Easily replaceable lamp
- Continuous light intensity control for viewing specimens of various thickness and colour
- Universal power supply ensures constant voltage output
- Co-axial focus mechanism allows both coarse and fine adjustment to be operated from either side
- Spring loaded objectives prevent broken slides
- Choice of halogen and LED illumination
- 8 Multi-layer coated optics provide improved contrast to enhance images even with weak slide staining
- 9 Anti-fungus treated optics prevent them from damage due to mould and fungi in hot and humid climates

Attachments (Theia-i &Theia-fi)

Trinocular head

LED based Fluorescence attachment

Phase contrast attachment

Polarization attachment

Quintuple nosepiece

Optional eyepiece: 15X

Kohler attachment

Optional objectives :20X,60X

CMOS and CCD scientiic cameras

Image analysis software





Product Code: **AS9800**



microscope and imaging compound microscope


ITEM	Theia-i	Theia-fi
Product Code	AS9800	AS7500
Body		
Aluminium die cast body with all critical movements based on ball bearing and wire guides, thereby ensuring smooth and precise manipulation	•	•
Mechanical stage	_	_
Co-axial low drive mechanical stage 125mm x 144mm (+/-5mm) with traverse area of 50mm x 76 mm (+/-5mm)	•	•
Focusing system		
Co-axial coarse and fine controls with a focus adjustment and fine adjustment knob. Coarse focus range 20 mm Fine focus range 0.02 mm	•	•
Condenser		
Able condenser with aperture iris diaphragm (N.A 1.25) focusable with rack and pinion through 10 mm and a continuos variable iris diaphragm with a removable blue filter for daylight observation. Rack and pinion mounted condenser holder	•	•
Centerable condenser	•	
Illumination		
6V 20W halogen light source or high luminescent 1W LED Universal power supply - 100V 240V AC 50Hz	•	•
Head		
30 degree inclined Siedentopf binocular head, 360 rotatable, with left diopter adjustment	•	
45 degree inclined binocular head, 360 rotatable, with left diopter adjustment		•



microscope and imaging compound microscope



ITEM	Theia-i	Theia-fi
Nosepiece Inward facing, quadrupled revolving nosepiece	•	
Outward facing quadruple revolving nosepiece		Ø
Objective Infinity corrected plan achromatic objectives: 4x/ N.A 0.10, 10x/N.A 1.25, 40X/N.A 0.65, 100x/N.A 1.25	•	
Semi Plan acromatic objectives: 4x/N.A 0.10, 10x/N.A 1.25, 40X/N.A 0.65, 100x/N.A 1.25		•
Anti-fungus treated optics Optics treated with anti-fungus coating	•	•
Eyepiece WF 10X (F.N 20 mm) paired eyepiece	•	
WF 10X (F.N 18) eyepiece		•



microscope and imaging

inverted microscope



- 1 Long working distance (LWD), Plan ininity optics
- 4x,40x objectives & phase 10x,20x as standard
- Pre-centered phase annulus
- Trinocular port in standard unit
- 5 FOV 22 mm with 10x eyepiece
- 6 Optional items: Phase 40x objective Attachable mechanical stage • Warm plate • Terasaki Petri dish • Slide glass holders
- 7 Seamless integration with Able Scientific Cameras

microscope and imaging

MIX series



Excellent optical clarity and its compact size, makes the MLX series an ideal choice of microscopes for education and general Lab use



Key Features

- 1 Parfocal and centered Objectives minimizes the use of fine focusing and stage control knobs during objective change over
- 2 Optics with multi-layer coating maximize transmission of light for crisp and bright
- 3 Anti-fungus treated optics ensures image excellence for long periods
- 4 Light collector-lens system for optimal brightness
- 5 Micro sensitive mechanical movements enable easy manipulation of specimen
- 6 Available with halogen or LED light source
- 7 Optional in-built battery pack for cordless
- 8 Ininity optics available in MLX-i operation

Accessories

Trinocular head

LED based Fluorescence attachment *

Phase contrast attachment

Polarization attachment

Quintuple nosepiece

Optional eyepiece : 15X

Kohler attachment

Optional objectives :20X,60X

CMOS and CCD scientiic cameras

Image analysis software

*Compatible with MLXi

microscope and imaging MLX-M vs MLX-B vs MLX-i

ITEM	MLX-M	MLX-B	MLX-i
Product Code	AS7400	AS7200	ASMLX-I
Body Aluminium die cast body with all critical movements based on ball bearing and wire guides, thereby ensuring smooth and precise manipulation	•	•	•
Mechanical stage Co-axial low drive mechanical stage (125mm x 144mm) (+/-5mm)with traverse area of 50mm x 76 mm (+/-5mm)	•	•	•
Focusing system Co-axial coarse and fine controls with a focus adjustment and fine adjustment knob. Coarse focus range 20mm. Fine focus range 0.02mm	•	•	•
Condenser Able condenser with aperture iris diaphragm (N.A 1.25) focusable with rack and pinion through 10 mm and a continous variable iris diaphragm with a removable blue filter for daylight observation. Rack and pinion mounted condenser holder	•	•	•
Illumination 6V 20W halogen light source or high luminescent 1W LED (30,000 lifetime)	•	•	•
Head 30 degree inclined Siedentopf binocular head, 360 rotatable, with left diopter adjustment			•
45 degree inclined binocular head, 360 rotatable, with left diopter adjustment		•	
45 degree inclined monocular head, 360 degree rotatable	Ø		
Nosepiece Outward facing quadruple revolving nosepiece	•	•	•



microscope and imaging MLX-M vs MLX-B vs MLX-i

ITEM	MLX-M	MLX-B	MLX-i
Objective Infinity corrected plan achromatic objectives: 4x/N.A 0.10, 10x/N.A 1.25, 40X/N.A 0.65, 100x/N.A 1.25			②
Achromatic objectives :4x/ N.A 0.10, 10x/N.A 1.25, 40X/N.A 0.65, 100x/N.A 1.25	•	Ø	
Anti-fungus treated optics Optics treated with anti-fungus coating	•	•	•
Eyepiece WF 10X(FN 20mm) paired eyepiece	•	Ø	•
WF 10X (F.N 18) eyepiece	•	②)





microscope and imaging stereo zoom series





Product Code AS7500

Key Features

- 1 Parfocality One time focus for all zoom magnifications
- Ergonomic design for ease of operation
- Zoom ratio 1:7 3
- Options for relected and transmitted illumination.
- 6v15w top halogen lamp with adjustable brightness.
- 5W bottom fluorescent lamp.
- Seamless integration with Able Scientific Cameras



MS 24

Product Code AS7600

Key Features

- Superior optics for enhanced image flatness and contrast
- 2 Ergonomic design for ease of operation
- Long working distance of 105 MM
- Parfocal objectives
- Smooth magnification changeover between 1x/3x or 2x/4x
- Options for reflected and transmitted illumination .
- 6v15w top halogen lamp with adjustable brightness
- 5W bottom fluorescent lamp
- Seamless integration with Able Scientific Cameras



Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com



MIPS Series CMOS Camera and Image Projector

The MIPS cameras come with an extremely powerful, intuitive and user-friendly imaging software with advanced image processing and management capabilities to help explore the full potential of Able Microscope Cameras. Great for many uses including image projection and presentations.



Camera and Adaptor kit with 0.5X Mag.

Code	Description	
AS7902-01	3 MPixel	
AS7902-02	5 MPixel	
AS7902-03	10 MPixel	
AS7902-04	14 MPixel	





Image Stacking


mage Stitching







- USB 2.0 Interface
- Aluminium alloy housing
- 5 Advanced image processing software Magnus Pro included
- 6 Powerful user friendly Pro Software comes with tools for luminance calibration, measurement, image stitching, extending, and much more
- 7 Capture images, videos and time lapse images
- Compatible with Windows, Mac OS and Linux
- 9 Native C/C++, C#, DirectShow, Twain Control API









	MIPS 3	MIPS 5	MIPS 10	MIPS 14
Megapixel	3.1 MP	5.1MP	10MP	14 MP
Sensor	1/2	1/2.5	1/2.3	1/2.3
Pixel	3.2 x 3.2	2.2 x 2.2	1.67 x 1.67	1.4 x 1.4
Max Frames per	8 @ 2048 x 1536	5 @ 2592 x 1944	1.9 @ 3584 x 2648	1.8 @ 4096 x 3288

microscope and imaging


EpiLED reflected fluorescence attachment

The LED based fluorescence attachments have been developed to provide equivalent performance and capability delivered in standard fluorescence microscopy equipment but with a series of enhancements designed to make the technology accessible to more users and easier to operate.

Product Code AS7900

Key Features

- 1 No lamp replacement required (LED lasts over 30,000 hours, as compared to 250 hours for mercury lamps)
- 2 Same light intensity throughout its lifetime (No light variation observed by user)
- 3 Minimal photo-bleaching due to variable light control which allows adjustment of illumination intensity
- 4 No warm up timerequired for the light source
- 5 Lower power consumption
- 6 Longer observation time thanks to lower heat emission of LED light source
- 7 Two applications in one; Users can easily switch between bright field and fluorescence applications without removing fluorescence module
- 8 No re-validation required
- 9 No need to log operation times
- 10 Environment friendly (No mercury)
- 11 Choice of blue, royal blue and green cassettes
- 12 Light Intensity control prevents fading of specimen
- 13 Iris diaphragm for better contrast





EpiLED

Specifications

Lifetime

>30,000 hrs

LED Power

Typically 3W, depending on LED type

Excitation

Royal Blue: 450 mm Blue: 480 mm Green: 535 mm

Available for the following microscopes Able Theia-I, Able MLX-i, Olympus CX31, CX41, CX21, CX22

Emission filters

2 or 3 positions sliding filter carrier depending on the excitation spectra

Mirror

Enhanced AI + Si0 coating

AC Adaptor

Input Voltage 220/110V AC.
Output Voltage 7.5V DC/12V DC
Power - Max 15 18W



microscope and imaging

truview™ x-ray systems



Robust

All TruView™ Products are a mature yet innovative line of instruments made to exceed your expectations.

Easy To Use

Extensively tested for functionality and ease-of-use, all TruView™ products ensure a simpler, more useful and enjoyable experience.

Reliable

All TruView™ systems are certified for their applications by the relevant authorities (FDA, CE, etc.) and exceed worldwide safety requirements.

Fast Results

Speed is a major component in the TruView™ line of products. Customers can rely on TruView™ products to deliver results and deliver fast.

CUBE

The Perfect Solution for a Powerful Small Form Factor X-ray Inspection System

The all new TruView™ Cube X-Ray Inspection System is a fully motorized radiography system developed to meet the stringent requirements of electronics assembly and animal inspection. Ideal for applications where space is premium, the the TruView™ Cube X-Ray sits comfortably on your laboratory bench.







X-RAY PRIME

Incredible Performance Unbeatable Value

The TruView $^{\text{\tiny TM}}$ X-Ray Prime is a fully motorized radiography system developed to meet the stringent requirements of electronics assembly and animal inspection in the research field and in other diagnostic applications.

X-RAY NUMBER SERIES

One Machine, a Lifetime of Solutions

The quality of your products is paramount to the success of your business. The TruView™ X-ray Number Series Inspection System allows you to "see inside" your subject without opening them, enabling a greater understanding of your subject. The TruView™ X-ray Number Series is the right solution if you are looking for a radiography system to inspect medical devices, animals, printed circuit boards, electronic components, and mechanical parts.





ELITE

The X-Ray System You've Been Waiting For

The TruView[™] X-Ray Elite is the high end system in the TruView[™] product line. The TruView[™] Elite was designed to meet your stringent requirements when performing process control, failure analysis, BGA inspection, and counterfeit detection.

able



vented storage cupboard



Vented Storage Cupboard Model Cruma 2010

NEW FEATURES



More information on the new LCD display

- √ New size 127x34mm display
- √ Air speed continuously monitored
- Type of filter installed, working hours, expiration date and next revision date
- Countdown timer
- Clock and calendar

New features and components

- √ Fault LED
- $^{\checkmark}$ Control of air flow through Microprocessor
- √ HEPA filters with electronic chip
- √ LED illumination

New alarms and scheduled warnings


- √ Next validation warning
- √ Few hours of filter life warning
- √ Countdown timer warning
- √ Expired filter alarm (by hours)
- √ Expired filter alarm (by date)
- $^{\checkmark}$ Equipment without filter alarm



FOR MORE DETAIL

Storage of chemicals under the criteria of incompatibilities. Filters available:

- √ Type A: adsorption of vapours and organic solvents (ketones, ethers, alcohols and cyclics, etc.). Activated carbon without impregnation.
- $^{\surd}$ Type BE: inorganic gases such as Cl2, HCl, HNO3, etc. and volatile sulphur compounds (H2S, H2SO4 and SOx, etc.). Activated carbon impregnated with metal compounds and neutralising salts.
- $^{\sqrt{}}$ Type F: specific to formaldehyde and derivatives. Impregnated with Cu.





vented storage cupboard



The CRUMA storage and filtration system is based on the technology employed in the CRUMA ASPIRATION AND FILTRATION FUME HOODS. They are made up of ventilation and filtration systems which prevent stored inflammable, corrosive or toxic products from accumulating inside the cabinet or being expulsed into the laboratory or workroom. When compared to other chemical product storage cabinets, their main advantages are:

- √ They avoid the accumulation of vapours produced by the stored products inside the cabinet and reduce the risk of the formation of potentially explosive atmospheres inside the cabinet.
- They prevent vapours produced inside the cabinet from being expulsed into the laboratory or workroom, thus avoiding these from being re-circulated through the laboratory or workroom and affecting the personnel inside.

Although the storage of chemical products does not usually cause many accidents with respect to number, however, the few that do occur can become very serious if the necessary technical and/or organisational measures are not taken. Such measures will depend on the quantities and level of danger involved in the stored products. This makes adequate management and organisation of the warehouse essential, by minimising the product stocks, full control of their inventories, taking into account any incompatibilities among them and efficiently separating them in order to prevent them from mixing or aggravation of the consequences in the case of accident, the use of safety containers and the specifications of the installations according to the danger levels of the products etc.

INCOMPATIBILITIES IN THE STORAGE OF CHEMICAL PRODUCTS SEPARATE OR JOINT STORAGE

	EXPLOSIVES	COMBURENTS	SINFLAMMABL	E TOXIC	CORROSIVE	HARMFUL
EXPLOSIVES	YES	NO	NO	NO	NO	NO
COMBURENTS	NO	YES	NO	NO	NO	(2)
INFLAMMABLE	NO	NO	YES	NO	(1)	YES
TOXIC	NO	NO	NO	YES	YES	YES
CORROSIVE	NO	NO	(1)	YES	YES	YES
HARMFUL	NO	(2)	YES	YES	YES	YES

- They may be stored together if corrosive products are not packed in fragile containers.
- (2) They may be stored together if certain measures of prevention are taken. These are general criteria. For any other type of classification of danger levels, the possible storage incompatibilities must be more fully examined.
- Products that react with water be stored in the same area as other inflammable or combustible liquids.
- Inflammable or combustible liquids must not be stored in conventional refrigerators.







laboratory equipment incubator co²

Incubator Co²


The new ${\bf CO_2}$ Incubator "Direct Heat" equipped with an "on-demand" decontamination cycle, is designed to provide a stable and convenient environment for Cell and Tissue culture, taking into consideration the most stringent needs of the cell biologists, for both continuous and batch cultures.





TECHNICALFE	ATURES
Temperature Control	Direct heat, 6 sides, 4 independently controlled heaters, 73 metres of heating elements
Temperature range	10-50° C in 0.1 increments (minimum setting: ambient + 1° C)
Temperature measurement	Seven RT curve matched thermistors
Temperature Control	+/- 0.1°C
Temperature Precisión	+/- 0.1°C
Temperature Uniformity	Better than ± 0.3° C
Temperature recovery	About 5 minutes following a 15 seconds door opening
Over Temperature Protection	Independent, inhibits all heaters above 1.0° C over set temp. value (in the unlikely event of a control system failure)
CO ₂	
Sensor	Solid State IR Sensor, automatic atmospheric CO2 zeroing. Measurement is independent from chamber humidity level
CO ₂ Range	0.5 to 20 % CO2, in steps of 0.1%
CO ₂ Range	+/- 0.1%
Uniformity	Better than ± 0.1 % CO ₂
Accuracy	± 0.2% at 5% CO ₂ set point
Recovery rate	About 5 minutes following a 15 seconds door opening
RELATIVE HUMIDITY SYS	TEM
Reservoir	2.5 litres, 304 Stainless Steel electro-polished humidity tray
RH level	Minimum 95%
DECONTAMINATION CYCL	E
Decontamination cycle type	Fully automatic, 125° C cycle, Validated
Temperature ramp up time	1.5- 2.5 hours
Exposure time	4 hours
Temperature ramp down time	5-7 hours
Total cycle time	10.5 - 13.5 hours

SIZES	(MM)				
	External			Internal	
Widht 680	Depth 746	Height 896	Widht 530	Depth 500	Height 690





pcr cabinet



PCR Cabinet MAIN FEATURES

- √ 3 UV germicidal lamps (15W)
- √ 4mm tempered glass front
- √ Automatic shutdown of the UV lamps if door is accidentally opened.


FOR MORE DETAILS

- √ Multifunction digital timer
- $^{\checkmark}$ As easy as out of the box and work



Recombinant DNA technology.

The new PCR CABINET has been specifically designed for DNA carry-over blocking by using PCR technique (Polymerase Chain Reaction).



The 4mm tempered glass works as a filter to UV radiation therefore protecting the operator and the environment. In case of accidental front door opening, UV lamps are automatically disconnected to guarantee total protection of the operator.


Cruma has designed an innovative cabinet different from the ones on the market which represent a new concept for lab equipment.

The new PCR cabinet combines the comfort of a working area with a environment friendly design.

It is made one body and plug & play operation, so start working with it, it's a matter of minutes.



SIZES	(MM)				
	External			Internal	
Widht 600	Depth 600	Height 775	Widht 575	Depth 565	Height 605



Freecall: 1800 73 1300 www.able-everyday.com



powder weighing cabinets





Powder Weighing Cabinets Models P-1 & P-2

NEW FEATURES



Moreinformation on the new LCD display

- √ New size 127x34mm display
- $^{\checkmark}$ Air speed continuously monitored
- Type of filter installed, working hours, expiration date and next
- √ Open door warning through electronic photocell
- √ Countdown timer
- √ Clock and calendar

New features and components


- $^{\checkmark}$ Initial air flow cycle adequacy and final purge cycle
- Control of air flow through Microprocesso
- √ Flters with electronic chip
- √ Internal temperature sensor

New alarms and scheduled warnings

- √ Open door warning
- Open door in off mode warning
- √ Next validation warning
- √ Few hours of filter life warning
- √ Countdown timer warning
- √ Expired filter alarm (by hours)
- √ Expired filter alarm (by date)
- √ Temperature alarm
- √ Equipment without filter alarm
- √ Low barrier alarm



- √ Analysis laboratories
- √ Reserarch laboratories
- √ Quality control laboratories
- √ Clinical laboratories, etc...
- ...in short, in any laboratory.







laminar flow cabinets



Laminar Flow Cabinets Unassembled models 670FL, 870FL, HZ-1 & HZ-2



Assembled models FL-1 & FL-2



NEW FEATURES

More information on the new LCD display

- [√] New size 127x34mm display
- Type of filter installed, working hours, expiration date and next revision date
- Countdown timer, clock and calendar

New features and components

- $^{\checkmark}$ Initial cycle flow adequacy and final purge cycle
- √ Fault I FC
- √ Control of air flow through Microprocessor
- √ HEPA filters with electronic chip
- √ LED illumination


Newalarms and scheduled warnings


- Next validation warning
- √ Few hours of filter life warning
- √ Countdown timer warning
- √ Expired filter alarm by hours & by date
- $^{\sqrt{}}$ Equipment without filter alarm


USES

- √ Laboratory food industries in general
- Transfer of drugs in the pharmacy department
- √ Hematology and clinical analysis
- Filled with antibiotics and injectable drugs (except cytostatic) microscopic analysis
- Tissue culture bags reconstitution of parenteral methods of assisted fertilization techniques
- √ Micropropagation
- √ Plant cell cultures
- √ Water quality control
- √ Manufacturing of electronic devices...











Laminar Flow Cabinets

To ensure the reliability of the tests, it is vital that the work performed inside the cabinet is not contaminated. To create this sterile environment, the air flow generated in vertical and horizontal laminar flow cabinets is according to ISO class 5 (former Class 100).

In **FL** models the air flow goes through a **HEPA H-14** filter (manufactured according to EN-1822 regulation) at a constant speed, crosses the cabinet in laminar state and in a vertical direction, generating a sterile area Class 100 (according to the American Federal Standard 209E and equivalent to the rule ISO Class 5) and protecting the sample from external contamination and cross contamination between samples.

Metallic parts

Side Panels

Filtering system of one stage with a minimum efficiency of 99,995% for particles of 0,3 µm in the upper part and with extraction of 100% of the air flow to the exterior.

SERIAL EQUIP	MENT
Electronic circuit with large format LCD display	Security levels: level 1 for users and level 2 for maintenance users
Filters controlled by microprocessor	The filters are provided with a microchip with mini USB connection identifying the type of filter installed, the expiry date and the serial number
Illumination	96 LED high light intensity and low consumption 16 Watts / 900 Lux
Digital timer with audible warning	Hourmeter for the control and warning of the work in the cabinet
Clock and Calendar	Display of date and time
Steel work surface	Worktop of stainless steel surface AISI 304 2B
G4 prefilter	Pre-filtering class G4 biofibre synthetic blanket
Warranty	7 years

OPTIONAL EQUIPMENT Gas tap	
Vacuum tap	
UV light for HZ-1, HZ-2 & HZ-3	
Stand with wheels Movilair for 670 & PCR	
Stand with wheels Movilair for 870	
Stand with wheels Movilair for FL-1	
Stand with wheels Movilair for HZ-1	
Tubular stand for 670 & PCR	
Tubular stand for 870	
Tubular stand for FL-2	
Tubular stand for HZ-1	
Tubular stand for HZ-2	
Tubular stand for HZ-3	

1.2 mm galvanized steel, coated with antiacid polymer powder resin thermo-hardened at 200 $^{\circ}$ C

Transparent polymethylmethacrylate 8 mm thick





biosafety cabinets class II type A2









Biosafety Cabinets Class II Type A2 Bio-1, Bio-2, Bio-3 & Virus Free Models











<u> 310-2</u>


WRUSAREE

TECHNICAL FEATURES

- Fully EN12469 certified by TÜV Hamburg
- State of the art microprocessor control system
- Large digital display, high resolution
- Air and aerosol-tight sliding sash, electrically operated by finger touch
- Alarms for low airflow and wrong front window position
- Sloped front and back wall for the most comfortable access
- Front access for filter maintenance and service
- C-shaped support stand for the easiest one man installation procedure
- √ Easy retrofit option kits

USES

- Manipulation of microorganisms, bacteria, fungi, viruses and parasites
- Risk categories 1, 2 and 3.
- Isolation and sample culture
- Quantification methods
- Microscopy techniques and sample preparation Identification and classification of microorganisms
- √ Genetic Manipulation









compounding equipment and containers



Compounding Equipment And Containers

Compounding blender PA500

Product Code ASPA500

- Microprocessor control (speed and time settings)
- Short mixing time (max. 9 minutes 50 seconds)
- Medication is mixed in the container given directly to the patient.
- Mixing of the drug takes place without the pharmacist

Compounding blender MR 500

Product Code ASMR500

- Microprocessor control (speed and time settings)
- Short mixing time (max. 9 minutes 50 seconds)
- Medication is mixed in the container given directly to the patient.



OR MORE DETAILS



Laboratory dryer s-40

Product Code ASS-40

Microprocessor control:

- Digital display of set and actual temperature and heating time
- Settable temperature and heating time
- Automatic drying optimization and temperature stabilization system
- Automatic drier switch-off and sound signal after expiry of the set time
- two PT1000 platinum sensors
- Protection against exceeding the set temperature internal thermal circulation (option)

Containers for medicines and ointments

ASCC500 - 50 (70) ml ASCC114 - 100 (140) ml ASCC228 - 200 (280) ml

Now also in a sterile version! Please Request.





Keep everything secure, and with you wherever you are. Halve the time spent locating your instruments, sterilising gel or wipe, your file, notebook, pen, phone etc; time spent on tasks can be reduced radically by having everything with you, wherever you are. As a researcher, office admin manager, service technician, or whatever your duty this is one handy, customisable invention to reduce time and money loss! Email us today!



Standard Caddy Product Code ASLC16

- Laptop Security Clamp
- Handles
- Integrated mouse pad
- Adjustable height
- Anti Static Wheels

Lockable Laptop Caddy

Product Code ASLC18

- Laptop Compartment
- Handles
- 2 x Integrated mouse pad
- Adjustable height
- Anti Static Wheels

Mobile Powered Caddy

Product Code ASLC30

- Laptop Compartment
- Handles
- 2 x Integrated mouse pad
- Adjustable height
- Anti Static Wheels
- Screen stand, Keyboard
- Built in Lithium–iron phosphatebattery10h life

ATTACHMENTS, OPTIONS AND ACCESSORIES OVER PAGE. CUSTOM REQUESTS WELCOMED.





labcaddy your personal assistant accessories

ASLC14 Metal Worktop/Laptop	ASLC12 Laptop/Rucksack Holder	ASLC73 DIN rail/rear handle
Metal table With laptop security clamp	Laptop holder on the back Place laptop in upright position, open	DIN rail for accessories, handle, bracket for display holder, holder for electric plug
ASLC68 Keyboard tray, with integrated mouse tray NT20	ASLC65 Scanner holder VKT-10	ASLC72 Holder for disinfectant bottle IAX-1
		No.
Extractable keyboard tray Hygienic,	Adjustable holder	Neck lockable holder for disinfectant bottle
cleanable material Installation : groove	Also suitable for the IC recorder Can be	Canbe turned under the table
Mouse tray left/right	turned under the table: Installation under	Suitable for most disinfectant bottles
550 x 250 mm	the table	Installation: under the table
ASLC70 Small accessory basket	ASLC69 Large accessory basket A4	ASLC71 Fileholder
BSK 30	BSK32	BOX24
B5K 30	BSK32	BOX24
Metal accessorybasket	Metal accessorybasket	Metal patient file shelf
Metal accessorybasket Installation: groove		
Metal accessorybasket Installation: grove 300x120x100 mm ASLC93 Holder for gloves	Metal accessorybasket Installation: groove	Metal patient file shelf Installation: groove
Metal accessorybasket Installation: grove 300x120x100 mm	Metal accessorybasket Installation: grove 320x240x88 mm	Metal patient file shelf Installation: groove 250x250x180 mm
Metal accessorybasket Installation: grove 300x120x100 mm ASLC93 Holder for gloves	Metal accessorybasket Installation: grove 320x240x88 mm ASLC94 Sharps container	Metal patient file shelf Installation: groove 250x250x180 mm ASLC95Waste bin
Metal accessorybasket Installation: grove 300x120x100 mm	Metal accessorybasket Installation: grove 320x240x88 mm	Metal patient file shelf Installation: groove 250x250x180 mm



Life Easy!

labcady your personal assistant accessories

ASLC67 Deep accessory basket/ box for hanging folders GDR18	ASLC78 Large accessory shelf VIH-1	ASLC60 Support for electric cable JS1-0
Deep accessory basket, waste bin, box for hanging folders Installation groove 330x180x243mm	Max12kg 2 shelves can be installed overlapping Installation groove 430x300mm	Leads electric cable neatly above the unit. No more hanging or lying around wires. Installation: DINrail (included)
ASLC85 MultiBox (4) storage with lock	ASLC79 Multi Box storage with lock	ASLC97 Multi Box Bracket
With 4 drawers, movable dividers	Neg I F I	Product for ton MultiPoy storage
Installation: key board tray With 2 keys Max 2kg load 108x426x414mm NOTE: Needs bracket (997) for the topbox.	With one drawer, movable dividers Installation: key board tray With 2 keys Max 2kg load 108x426x414mm NOTE: Needs bracket (997) for the topbox.	Bracket for top MultiBox storage compartments Installation: key board tray The lower boxes are attached to each other.
ASLC77 Holder for mini PC PC10	ASLC76 Holder for office PC	ASLC81 L-BOX holder for battery
	PC292	charger LBX 1.2D
Metal PC holder	Metal PC holder	Suitable for larger chargers e.g. PC
Adjustment range 80-130mm Height 160-352mm Installation: groove, left/right	Adjustment range 138-220mm Installation: groove, left/right RAL7035	Installation: groove 100x200x50mm

Sydney | Perth | Melbourne | Canberra | Brisbane | Auckland | Adelaide

Freecall: 1800 73 1300 www.able-everyday.com



labcady your personal assistant accessories

ASLC96 Display holder adjustable white	ASLC96 Display holder adjustable PS-34	ASLC87 Additional rod 730mm for display holder PS40
	aujustable 10-04	Tor display horder r 646
Max 24" display VESA 75 and 100mm Tilt+ 25 / - 5 astetta Height+-130mm Cable management Max 9kg, Installation: DIN rail (included)	VESA 75 and 100mm Pivot arm 60mm Side movement 60mm Tilt +-30 degrees Height +- 150mm Max 9kg Installation: DIN rail (included)	For two overlapping displays or additional display used with laptop
ASLC74 Display holder for 2 displays side by side TNL-1	ASLC84 Display holder for 2 over lapping displays	ASLC61 Adapter for EEG - electrode arm HWK - 1
For2 x 15-22" displays VESA 75mm 100mm Tilt +- 15 asetta Height +-150mm Max 6 kg + 6 kg Installation: DINrail (included)	For 2 x 15-22" displays VESA 75 ja 100mm Pivot arm 60mm Side movement 60mm Tilt+-30 degrees Height +-150mm Max 6kg +6kg Installation: DINrail (included)	Adapter diameter 35mm EEG, camera arm Installation: DIN rail (included)
ASLC83 Tente Linea anti-static	ASLC80 Suction device cart	ASLC88 Metal keyboard tray
castor 100mm		
Reduces static electricity in the machine, by moving it to the floor	Custom-built according to customer's wishes	Extractable keyboard tray Installation : groove

Index



Absorption Spears	45
Accessories LabCaddy	91
Adson Forcep	16
A-Frame Signs Aluminium Scoops	3
Analytical Scale	44
Anatomic Forceps	18
Angle Tip Forcep	14
Animal Scale	44
Assistant Trolley	90
Autoclavable bags	9
Autoclave Tape	8
Balances Large	43
Bead Steriliser	40
Beard Cover	65
Benches S/Steel	6
Beret Crimped	66
Bin, Mobile	3
Binocular Microscope	79
Biohazard bags	9
Biohazard control	7
Biological Hazard Bag	5
Biology Forcep	13
BioSafe	7
Biosafety Cabinets	38
Blade Disposal Box	35
Blades Scalpel	35
Blender Compounding	89
Boots	68
Bouffant Cap	66
Broom Holder	1 2
Brooms Bull Dog Clamps	36
Bull Dog Clamps	36
Burr Drill	41
Cabinet PCR	84
Cabinets Biosafety Class II	88
Cabinets Laminar Flow	86
Cabinets Powder Weighing	85
Cage Cover	67
Camera Microscope	78
Cannulation Forceps	20
Cap Hair Net	66
Castroviejo Needle Holders	23
Cautery	39
Chair	6
Chair	- 6
Chlorine Dioxide	7
ChlorSafe	7
Clamp Johns Hopkins	36
Clamps Bull Dog	36
Cleaner Ultrasonic	41
Clinical Gowns	61
Clips Vessel	37
Clogs	68
Co2 Incubator	83
Coat Lab	62
Compound microscope	69
Compounding Blender	89
Compounding Containers	89
Compounding Mixer	89
Concentrator, Oxygen	4
Container Medicines	89
Container Ointments	89
Container Sterilization	45
Containers Compounding	89
Contamination control	1
Cover Forceps	20

Coveralls	63
Crate Cover	67
Crimped Beret	66
Cupboard Vented	81
Cytotoxic Bag	9
Dilating Forceps	20
Disinfectant	7
Dispenser PPE	67
Dispenser Progenics Glove	57
Dispensers Glove	58
Display Holder	93
Disposable gloves	53
Dissecting Forceps	18
Dolly Trolley	3
Drafting Seat	6
Dressing Forceps	16
Dressing scissors	25
Drill Micro	41
Drum Covers	67
Dry Bead Steriliser	40
Dryer Laboratory	89
Dumont Forceps Dumostar	- 0.00
13/5/07/2017/07/5/201	10
Dumoxel	10 65
Dust Masks	1
Dycem Mats	43
Electronic Scale	54
Examination gloves Eve Scissors	29
F10 Disinfectant	8
Face Mask	64
Face Mask Fit Test	65
Face Mask P2	65
Feed Bucket	3
File Holder	92
Filtration Hood	84
Flat Forceps	20
Flocklined Gloves	56
Fluorescence Imaging	79
Fogger Machine	1
Foot Ring	6
Forcep Jar	47
Forcep RingTip	20
Forcep Vessel Clips	37
Forcep, Dressing/Tissue	16
Forceps Cannulation	20
Forceps Cover	20
Forceps Dilating	20
Forceps Flat	20
Forceps Halsted	22
Forceps Jeweller	11
Forceps Rodent Handling	21
Forceps Rubber-Tip	21
Forceps Suture	21
Forceps Tying	21
Forceps Vessel	20
Forceps, Graefe	17
Friedman Rongeurs	38
Fume Hoods	84
Generator, Oxygen	4
Glass Beads	40
Glove dispenser Progenics	57
Glove Dispensers	58
Glove Holder	91
Gloves Flocklined	56
Gloves Latex	53
Gloves Long Cuff	56
Gloves Nitrile	54

Gloves Solvent Resistant	56
Gowns Clinical	61
Gowns Isolation	61
Gowns Surgical	61
Graefe Forceps	17
Graefe Forceps Fine	19
Hair Clipper	42
Hair Nets	66
Hair trimmer Lrg	41
Halsted Forceps	22
Handles Scalpel	32
Handles, broom, mop	2
Hemostats	22
Holder, Broom	1
Hood Fume	84 69
Imaging	80
Imaging X-Ray	83
Incubator Co ²	8
Indicator Tape Infectious Waste Bag	9
Inox	10
Insoles	68
Instrument Case	45
Instrument Cup	47
Instrument Protectors	45
Instrument Steriliser	40
Instrument Tray	47
Instruments Care	50
Inverted microscope	73
Iris Forceps	18
Iris scissors	25
Isolation Gowns	61
Jeweller tweezers	11
Johns Hopkins, Clamp	36
Jug, Measuring	3
Jugs	3
Keyboard Tray	93
Lab Mixer	49
LabCaddy	90
LabCaddy Accessories	92
Labcoat	62
Laboratory dryer	89
Laboratory Hood	84
Laminar Flow Cabinets	86
Laptop Table	90
Latex Coated	53
Latex Gloves	53
LED Lighting	79
Lightly Powdered Latex	53
Lotion Pumps	3
Mask Fit Test	65
Mask P2	65
Materials handling Mats, Sticky	1
Mayo Scissors	28
Measuring Jug	3
Medicines Container	89
Metzenbaum Scissors	28
Micro Dissecting Forceps	18
Micro Dissecting Forceps Serrated	19
Micro Drill	41
Microscope	69
Microscope camera	78
Miniature Vannas	31
Miscellaneous scissors	29
Mixer Compounding	89
	49
Mixer Vortexer	

index

Mob Cap	66
Mobile oxygen supply	5
Moria ris Scissors	29
Multipurpose Scale	44
Needle Holders	22
Nitrile Gloves	54
Odour Eliminator	8
Ointments Container	89
Olsen-Hegar	22
Operating scissors	25
Operator Stool	6
Over Shoes	58
Over Shoes Step'N Go	59
Oxygen concentrator	4
Oxygen concentrator	5
Particulate Respirator	65
Pascheff Wolff Scissors	31
Pathology Bag	9
PCR Cabinet	84
Pet Trimmer	42
Plastic Scoops	3
Pouch Sterilisation	9
Powder Free Latex	53
Powder Weighing Cabinets	85
Projector Microscope	78
Pump, Bottle Top	3
Quintuple Microscope	71
Respirator Mask	65
RingTip Forcep	20
Rodent Clipper	42
Rodent Handling Forceps	21
Rongeurs - Blumenthal	38
Rubber-Tip Forceps	21
S/Steel Scoops	3
Safe Mask	64
Safety Glasses	64
Scale Analytical	44
Scale Animal	44
Scale Veterinary	44
Scales Large	43
Scalpel Blades	35
Scalpel Disposal Box	35
Scalpel Handles	32
Scalpels disposable	33
Scissors Dressing	25
Scissors Eye	29
Scissors Iris	25
Scissors Mayo	28
Scissors Metzenbaum	28
Scissors Miscellaneous	29
Scissors Moria Iris	29
Scissors Operating	25
Scissors Pascheff Wolff	31
Scissors Spring	31
Scissors Suture	29
Scissors Tentomy	27
Scissors Tissue	29
Scissors Tungsten Tip	26
Scissors Vanna	30
Scissors Wolff	31
Scoops	3
Scrapers	1
Scrub Suit	62
Seat	6
Shoe Covers	58
Shoe Covers Step'N Go	59
Shoes	68
Class	- 0

Sleeve Covers	63
Spears Absorption	45
Specimen Bag	9
Spring Scissors	31
Squeegee	2
Step'N Go Applicators	59
Sterilant	7
Sterilisation Pouch	9
Steriliser, Instrument	40
Sterilization Container	45
Sticky Mat	1
Stool	6
Storage Container	92
Storage Cupboard	81
Support Trolley	90
Surgical Gowns	61
Surgical instruments	10
Surgical Mask	64
	21
Suture Forceps	
Suture Forceps Castroviejo	24
Suture Scissors	29
Tenotomy Scissors	27
Thermometer Jar	47
Tip Protectors	45
Tissue Forceps	16
Tissue Scissors	29
Titanium	10
Trimmer Hair	42
Trinocular Microscope	71
Trolley	90
Trolley, Waste	3
Tungsten Mayo Scissors	28
Tungsten Tip Scissors	26
Tweezers, Jeweller	11
Tying Forceps	21
Ultrasonic Cleaner	41
Vanna Scissors	30
Vannas Miniature	31
Vented storage cupboard	81
Vessel Cauteriser	39
Vessel Clips	37
Vessel Forceps	20
Veterinary Disinfectant	8
Veterinary Scale	44
Virkon	7
	49
Vortexer Mixer	
Wahl Clipper	42
Wall Dispenser	67
Waste Bag	9
Waste Bin	3
Weighing	43
Wellington Boots	68
Wipes Disinfectant	8
Wolff Scissors	31
Work benches	6
Work Station	90
Worktable	90
X-Ray Systems	80
Yellow Bag	9



What our Customers Say About Us:

Innovative Service & Solutions

the standing order system that Able has instigated has increased my confidence in receiving my supplies on..." time without the hassles. My routine day revolves around continual paperwork and this system allows me to bypass the paper work and get orders dispatched on the same day. My purchasing department are also impressed regarding the efficiency gains in their area and are satisfied that there is enough checks and balances contained within the system to ensure that ordering limits are restricted to my purchasing approval amount.

Thanks again to the Able team for their professionalism."

Vet Facility Manager - University of Melbourne VIC

"...you have bent over backwards to help us!"

Veterinary Institute – University of Sydney NSW

"...there's another big company that I know wouldn't do this!"

Malaghan Institute - Wellington NZ

"...the things they sell are of very high quality, and the service is great!"

Veterinary Facility - University of Adelaide SA

Thank you so much for your outstanding service this year. I have greatly appreciated all your help" throughout the year and assisting with my many, many requests."

Facility Manager - University of Queensland

"Thank you SO much! You have saved me!"

Technician - BioCSL VIC

Step'N Go

....we really love these new ones, the researchers like it and its lots safer, saves lots of time and wobbling around. I had seen one of the Automatic ones which was electric but it just kept jamming, and the little manual boxes ones take an age to load, but we really love this one."

Veterinary Institute - University of Western Australia

well our staff and researchers love them, they are very easy to use, they save quite a bit of time, we've..." got the static ones, not the powered ones, and they're fantastic, we couldn't do without them!"


Veterinary Institute - Monash University VIC



"The Step'N Go system we use at Sino Iron is used extensively by our Processing department. It's very easy to use and keeps the target floor area from becoming dirty and unsafe."

Superintendent Fibre Management WA

Freecall: 1800 73 1300 www.able-everyday.com



Singapore I Sydney I Perth I Melbourne I Canberra I Brisbane I Auckland I Adelaide

Australia and New Zealand HQ 24 Sorbonne Crescent Canning Vale 6155 W.A. Freecall: 1800 73 1300

International: +61 8 9456 2800

Fx: +61 8 9456 3800

Email: info@able-everyday.com Online: www.able-everyday.com